

**ORAL SORE ANTISEPTIC- hydrogen peroxide, menthol liquid**  
**Rite Aid Corporation**

---

**Rite Aid 024.000/024AB**  
**Oral Sore Antiseptic Rinse**

**active ingredients**

Hydrogen peroxide 1.5% (w/v)

Menthol 0.1% (w/v)

**purpose**

Oral debriding agent/Oral antiseptic

Oral pain reliever

**uses**

- first aid to help protect against bacterial contamination in minor oral wounds
- for temporary pain relief and
- temporary use in cleansing minor wounds or minor gum inflammation resulting from:
  - minor dental procedures
  - dentures
  - orthodontic appliances
  - accidental injury
  - other irritations of the mouth and gums
  - canker sores
  - aids in the removal of:
    - phlegm
    - mucus
  - other secretions associated with occasional sore mouth

**warnings**

for this product

**Stop use and ask a doctor if**

- sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting
- irritation, pain, or redness persists or worsens
- swelling, rash, or fever develops
- sore mouth symptoms do not improve in 7 days

## **When using this product**

- do not swallow
- do not use more than 7 days unless directed by a dentist or doctor
- do not exceed recommended dosage

## **Keep out of reach of children.**

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

## **directions**

Adults and children 2 years of age and older - swish two teaspoons (10 mL) around the mouth for at least 1 minute, then spit out; use up to 4 times daily or as directed by a dentist or physician

Children under 12 years of age - should be supervised in the use of the product

Children under 2 years of age - consult a dentist or doctor

## **other information**

- store at controlled room temperature 68-77°F (20-25°C)
- keep away from heat or direct sunlight

## **inactive ingredients**

alcohol (4.1% v/v), blue 1, disodium EDTA, methyl salicylate, phosphoric acid, poloxamer 338, polysorbate 20, sodium saccharin, sorbitol, water

## **Disclaimer**

\*This product is not manufactured or distributed by Church & Dwight Co., Inc. distributor of Orajel Antiseptic Rinse for all Mouth Sores.

## **ADVERSE REACTION**

## **SATISFACTION GUARANTEE**

If you're not satisfied, we'll happily refund your money.

## **DISTRIBUTED BY:**

RITE AID, 30 HUNTER LANE,

CAMP HILL, PA 17011

[www.riteaid.com](http://www.riteaid.com)

DSP-TN-21091 DSP-MO-20087

## principal display panel

Sealed with printed neckband for your protection

Compare to Orajel™ Antiseptic Rinse for all Mouth Sores\*

ORAL SORE

ANTISEPTIC RINSE

TEMPORARY PAIN RELIEF FOR MOUTH SORES

MINT

for mouth sores, including gum irritation from braces or dentures and canker sores

kills germs and bacteria

helps alleviate pain

473 mL (16 FL OZ)



Sealed with printed neckband for your protection  
Compare to Orajel™ Antiseptic Rinse  
for all Mouth Sores\*

# ORAL SORE

## ANTISEPTIC RINSE

TEMPORARY PAIN RELIEF FOR MOUTH SORES

### MINT

for mouth sores, including gum irritation from braces or dentures and canker sores  
kills germs and bacteria  
helps alleviate pain

473 mL (16 FL OZ)

L0020168FA

**Drug Facts**

Active Ingredients	Purpose
Hydrogen peroxide 1.5% (w/v).....	Oral debriding agent/Oral antiseptic
Menthol 0.1% (w/v).....	Oral pain reliever

**Uses** ■ first aid to help protect against bacterial contamination in minor oral wounds ■ for temporary pain relief and ■ temporary use in clearing minor wounds or minor gum inflammation resulting from:  
■ minor dental procedures ■ dentures ■ orthodontic appliances  
■ accidental injury ■ other irritations of the mouth and gums ■ canker sores  
■ aids in the removal of ■ phlegm ■ mucus ■ other secretions associated with occasional sore mouth

**Warnings**  
Stop use and ask a doctor if  
■ sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting ■ irritation, pain, or redness persists or worsens  
■ swelling, rash, or fever develops ■ sore mouth symptoms do not improve in 7 days  
When using this product ■ do not swallow ■ do not use more than 7 days unless directed by a dentist or doctor ■ do not exceed recommended dosage  
Keep out of reach of children. If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away

**Directions**  
Adults and children 2 years of age and older: swish two teaspoons (10 mL) around the mouth for at least 1 minute, then spit out; use up to 4 times daily or as directed by a dentist or physician  
Children under 12 years of age: should be supervised in the use of the product  
Children under 2 years of age: consult a dentist or doctor

**Other information** ■ store at controlled room temperature 68-77°F (20-25°C)  
■ keep away from heat or direct sunlight

**Inactive ingredients** alcohol (4.1% w/v), blue 1, disodium EDTA, methyl salicylate, phosphoric acid, polyoxamer 338, polysorbate 20, sodium saccharin, sorbitol, water

\*This product is not manufactured or distributed by Church & Dwight Co., Inc., distributor of Orajel™ Antiseptic Rinse for all Mouth Sores.

DISTRIBUTED BY:  
RITE AID, 30 HUNTER LANE,  
CAMP HILL, PA 17011  
[www.riteaid.com](http://www.riteaid.com)

**SATISFACTION GUARANTEE**  
If you're not satisfied, we'll happily refund your money!

L0020168FA

## ORAL SORE ANTISEPTIC

hydrogen peroxide, menthol liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDc:11822-3024
Route of Administration	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	1.5 mg in 1 mL
<b>MENTHOL</b> (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	1 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>PHOSPHORIC ACID</b> (UNII: E4GA8884NN)	
<b>POLOXAMER 338</b> (UNII: F75JV2T505)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>SACCHARIN SODIUM</b> (UNII: SB8ZUX40TY)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>WATER</b> (UNII: 059QF0KOOR)	

## Product Characteristics

Color		Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-3024-4	473 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/02/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	12/02/2021	

**Labeler** - Rite Aid Corporation (014578892)

**Registrant** - Nice-Pak Products, LLC (119091520)

## Establishment

Name	Address	ID/FEI	Business Operations
------	---------	--------	---------------------

Nice-Pak Products, LLC

119091514

manufacture(11822-3024)

Revised: 1/2026

Rite Aid Corporation