

NAN SAN MUSFLEX EXTERNAL ANALGESIC- camphor (natural), menthol lotion
CHUNG KEE USA INTERNATIONAL INC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Nan San MUSFLEX External Analgesic Lotion

Nan San MUSFLEX External Analgesic Lotion

Active Ingredients

Camphor 6%

Menthol 16%

Purpose

External Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains.

Warnings

For external use only.

Avoid contact with the eyes.

Do not use

- on wounds or damaged skin

When using this product

- do not bandage tightly

Stop use and ask a doctor if

condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children to prevent accidental poisoning.

if swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times

daily

- Children under 2 years of age: Consult a physician

Other Information

- Store at room temperature under 85 degrees F (30 degrees C)

Inactive Ingredients

Oleum Cinnamoni, Oleum Eucalypti, Oleum Ocimi Gratissimi, Wintergreen Oil

Manufactured By:

Nan San (HK) Pharmaceutical Factory Limited

Unit C1, 10/f, Hoi Bun

Industrial Building, 6 Wing Yip Street,

Kwun Tong, Hong Kong, China.

Nan San MUSFLEX External Analgesic Lotion 1.69oz/50ml

<p>NDC 55424-1238-8</p> <p>Nan  San</p> <p>南山牌</p> <p>消形 外用</p> <p>活絡油</p> <p>MUSFLEX</p> <p>External Analgesic Lotion</p> <p>External Use Only</p> <p>Nan San (HK) Pharmaceutical Factory Limited 香港南山藥廠有限公司</p> <p>NET CONTENTS 1.69 FL OZ (50ML)</p>	 <p>4 895061 280036</p> <p>Functions : For the temporary relief of minor aches and pains of muscles and joints.</p> <p>Indications: Arthritis, simple backache, strains, bruises, and sprains.</p> <p>功能 : 消腫止痛，暫時緩解肌肉和關節腫痛。</p> <p>主治 : 一般頸腰背痛，關節痛，拉傷，瘀傷和扭傷。</p> <p>Manufactured by : Nan San (HK) Pharmaceutical Factory Limited Unit C1, 10/F, Hoi Bun Industrial Building, 6 Wing Yip Street, Kwun Tong, Hong Kong, China</p> <p>製造商 : 香港南山藥廠有限公司 製造商地址： 香港九龍觀塘榮業街6號海濱工業大廈10樓C1</p>	<table border="1"> <tr> <th colspan="2">Drug Facts 藥品資料</th> </tr> <tr> <th>Active Ingredients 有效成份</th> <th>Purpose 用途</th> </tr> <tr> <td>Camphor 8% 樟腦</td> <td>External Analgesic 外用解痛</td> </tr> <tr> <td>Menthol 16% 薄荷</td> <td>External Analgesic 外用解痛</td> </tr> <tr> <td colspan="2"> <p>Uses For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. 功能及主治 消腫止痛，暫時緩解下列症狀引起的肌肉和關節腫痛：一般頸腰背痛，關節痛，拉傷，瘀傷和扭傷。</p> </td> </tr> <tr> <th>Warnings 警告</th> <th>警告</th> </tr> <tr> <td colspan="2"> <p>For external use only. Avoid contact with the eyes. 本品僅供外用 不可入眼</p> </td> </tr> <tr> <td colspan="2"> <p>Do not use ■ on wounds or damaged skin 不要用於 傷口或破損皮膚</p> </td> </tr> <tr> <td colspan="2"> <p>When using this product ■ do not bandage tightly 使用本品時 請帶不要綁得太緊</p> </td> </tr> <tr> <td colspan="2"> <p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如有下列症狀 如使用後狀況轉差或用後症狀持續七天以上或症狀好轉後數天內復發，請停止使用並請教醫生。</p> </td> </tr> <tr> <td colspan="2"> <p>Do not use if pregnant or breast-feeding 孕婦或母乳餵哺者忌用</p> </td> </tr> <tr> <td colspan="2"> <p>Keep out of reach of children to prevent accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 將本藥放在遠離兒童的地方，不要讓兒童取得，以免兒童意外吞服引致中毒。如不小心吞服應立即與醫生或毒物控制中心聯絡。</p> </td> </tr> <tr> <th>Directions 用法</th> <th>用法</th> </tr> <tr> <td colspan="2"> <p>■ Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily. 成人及2歲或以上兒童：每天在患處使用3至4次。 ■ Children under 2 years of age: Consult a physician. 2歲以下兒童使用前應先請教醫生。</p> </td> </tr> <tr> <th>Other information 其他注意事項</th> <th>其他注意事項</th> </tr> <tr> <td colspan="2"> <p>■ Store at room temperature under 85 °F (30°C) 儲放在室溫華氏 85 °F (攝氏 30°C) 以下。</p> </td> </tr> <tr> <th>Inactive Ingredients 輔助成份</th> <th>輔助成份</th> </tr> <tr> <td colspan="2"> <p>Oleum Cinnamomi 肉桂油, Oleum Eucalypti 桉油, Oleum Ocimi Gratissimi 丁香羅勒油, Wintergreen Oil 冬青油</p> </td> </tr> </table>	Drug Facts 藥品資料		Active Ingredients 有效成份	Purpose 用途	Camphor 8% 樟腦	External Analgesic 外用解痛	Menthol 16% 薄荷	External Analgesic 外用解痛	<p>Uses For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. 功能及主治 消腫止痛，暫時緩解下列症狀引起的肌肉和關節腫痛：一般頸腰背痛，關節痛，拉傷，瘀傷和扭傷。</p>		Warnings 警告	警告	<p>For external use only. Avoid contact with the eyes. 本品僅供外用 不可入眼</p>		<p>Do not use ■ on wounds or damaged skin 不要用於 傷口或破損皮膚</p>		<p>When using this product ■ do not bandage tightly 使用本品時 請帶不要綁得太緊</p>		<p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如有下列症狀 如使用後狀況轉差或用後症狀持續七天以上或症狀好轉後數天內復發，請停止使用並請教醫生。</p>		<p>Do not use if pregnant or breast-feeding 孕婦或母乳餵哺者忌用</p>		<p>Keep out of reach of children to prevent accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 將本藥放在遠離兒童的地方，不要讓兒童取得，以免兒童意外吞服引致中毒。如不小心吞服應立即與醫生或毒物控制中心聯絡。</p>		Directions 用法	用法	<p>■ Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily. 成人及2歲或以上兒童：每天在患處使用3至4次。 ■ Children under 2 years of age: Consult a physician. 2歲以下兒童使用前應先請教醫生。</p>		Other information 其他注意事項	其他注意事項	<p>■ Store at room temperature under 85 °F (30°C) 儲放在室溫華氏 85 °F (攝氏 30°C) 以下。</p>		Inactive Ingredients 輔助成份	輔助成份	<p>Oleum Cinnamomi 肉桂油, Oleum Eucalypti 桉油, Oleum Ocimi Gratissimi 丁香羅勒油, Wintergreen Oil 冬青油</p>		<p>To report a serious adverse event contact (718) 857-0008</p> <p>如需報告嚴重不適情況，請致電 (718) 857-0008</p> <p>Distributed by: CHUNG KEE USA INTERNATIONAL INC BROOKLYN, NY 11238</p> <p>香港製造 Made in Hong Kong</p> <p>Lot. Mfg. Exp.</p>
Drug Facts 藥品資料																																							
Active Ingredients 有效成份	Purpose 用途																																						
Camphor 8% 樟腦	External Analgesic 外用解痛																																						
Menthol 16% 薄荷	External Analgesic 外用解痛																																						
<p>Uses For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises, and sprains. 功能及主治 消腫止痛，暫時緩解下列症狀引起的肌肉和關節腫痛：一般頸腰背痛，關節痛，拉傷，瘀傷和扭傷。</p>																																							
Warnings 警告	警告																																						
<p>For external use only. Avoid contact with the eyes. 本品僅供外用 不可入眼</p>																																							
<p>Do not use ■ on wounds or damaged skin 不要用於 傷口或破損皮膚</p>																																							
<p>When using this product ■ do not bandage tightly 使用本品時 請帶不要綁得太緊</p>																																							
<p>Stop use and ask a doctor if condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. 如有下列症狀 如使用後狀況轉差或用後症狀持續七天以上或症狀好轉後數天內復發，請停止使用並請教醫生。</p>																																							
<p>Do not use if pregnant or breast-feeding 孕婦或母乳餵哺者忌用</p>																																							
<p>Keep out of reach of children to prevent accidental poisoning. If swallowed, get medical help or contact a Poison Control Center right away. 將本藥放在遠離兒童的地方，不要讓兒童取得，以免兒童意外吞服引致中毒。如不小心吞服應立即與醫生或毒物控制中心聯絡。</p>																																							
Directions 用法	用法																																						
<p>■ Adults and children 2 years of age and older: Apply to the affected area not more than 3 to 4 times daily. 成人及2歲或以上兒童：每天在患處使用3至4次。 ■ Children under 2 years of age: Consult a physician. 2歲以下兒童使用前應先請教醫生。</p>																																							
Other information 其他注意事項	其他注意事項																																						
<p>■ Store at room temperature under 85 °F (30°C) 儲放在室溫華氏 85 °F (攝氏 30°C) 以下。</p>																																							
Inactive Ingredients 輔助成份	輔助成份																																						
<p>Oleum Cinnamomi 肉桂油, Oleum Eucalypti 桉油, Oleum Ocimi Gratissimi 丁香羅勒油, Wintergreen Oil 冬青油</p>																																							

NDC 55424-1238-8



南 山 牌

消 彤

外 用

浴 絡 油

MUSFLEX

External
Analgesic Lotion
External Use Only

Made By
Nan San (HK) Pharmaceutical Factory Ltd
Made in Hong Kong
NET CONTENTS 1.69 FL OZ (50ML)

MUSFLEX

Active Ingredients : Camphor 6%
Menthol 16%

Warnings : For external use only. Avoid contact with the eyes. **Do not use** on wounds or damaged skin. **When using this product,** do not bandage tightly. **Stop use and ask a doctor if** condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. **Do not use if pregnant or breast - feeding.** Use other than as directed may be dangerous. **Keep out of reach of children to prevent accidental poisoning.** If swallowed, get medical help or contact a Poison Control Center right away. To report a serious adverse event contact (718) 857-0008

消腫止痛詳見盒和說明書
This Unit Not Labeled For retail Sale
This unit is packaged in an outer container. Please see outer container for drug facts information.

NDC 55424-1238-8



MUSFLEX

External
Analgesic Lotion
External Use Only

NET CONTENTS 1.69 FL OZ (50ML)



Nan San Musflex External Analgesic Lotion is an excellent formula provided by Ms. Cheung Cheuk Yin, the director of The Hong Kong Nan San (HK) Pharmaceutical Factory Limited. Apart from long - lasting effects, it is superior to other products in penetration power.

Uses : For the temporary relief of minor aches and pains of muscles and joints associated with simple backache, arthritis, strains, bruises and sprains.

Directions : Adults and children 2 years of age and older : Apply to the affected area not more than 3 to 4 times daily. Children under 2 years of age : Consult a physician.

Warnings : For external use only. Avoid contact with the eyes. **Do not use** on wounds or damaged skin. **When using this product,** do not bandage tightly. **Stop use and ask a doctor if** condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days. **Do not use if pregnant or breast-feeding.** Use other than as directed may be dangerous. **Keep out of reach of children to prevent accidental poisoning.**

If swallowed , get medical help or contact a Poison Control Center right away. Persons with cold, chickenpox, or fever should avoid using products containing Wintergreen Oil (Methyl Salicylate). If you are allergic to Wintergreen Oil (Methyl Salicylate) , please consult a doctor before use.

Storage : Stored in a cool, shielded place.

Active Ingredients :

Camphor 6%
Menthol 16%

Inactive Ingredients :

Oleum Cinnamomi , Oleum Eucalyptii ,
Oleum Ocimi Gratissimi , Wintergreen Oil

NAN SAN MUSFLEX EXTERNAL ANALGESIC

camphor (natural), menthol lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55424-1238
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAMPHOR (NATURAL) (UNII: N20HL7Q941) (CAMPHOR (NATURAL) - UNII:N20HL7Q941)	CAMPHOR (NATURAL)	60 mg in 1 mL
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	160 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
CINNAMON OIL (UNII: E5GY4I6YCZ)	
EUCALYPTUS OIL (UNII: 2R04ONI662)	
O CIMUM GRATISSIMUM LEAF OIL (UNII: AVG2506KDV)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55424-1238-8	50 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/09/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	01/09/2013	

Labeler - CHUNG KEE USA INTERNATIONAL INC (016224514)

Revised: 3/2018

CHUNG KEE USA INTERNATIONAL INC