WART FREE- antimonium crudum, baptisia tinctoria, causticum, nitricum acidum, thuja occidentalis, spray Liddell Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Drug Facts

ACTIVE INGREDIENTS:

[(in each spray): 20% of Antimonium crudum 30C, Baptisia tinctoria 3X, Causticum 200C, Nitricum acidum 200C, Thuja occidentalis 200C.

INDICATIONS:

May temporarily relieve cosmetic problems and discomfort of warts on any area of the body.**

**Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

WARNINGS:

If symptoms persist, consult a doctor.

If pregnant or breast feeding, ask a doctor before use.

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

DIRECTIONS:

Adults and children over 12: Spray twice under the tongue 3 times per day. Children 12 and under: Consult a doctor prior to use.

Wart Free can also be applied topically one spray 3 times per day to increase effectiveness.

INACTIVE INGREDIENTS:

Organic alcohol 20% v/v, Purified water.

KEEP OUT OF REACH OF CHILDREN:

Keep out of reach of children. In case of overdose, get medical help or call a Poison Control Center right away.

INDICATIONS:

May temporarily relieve cosmetic problems and discomfort of warts on any area of the body.** **Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

QUESTIONS:

DIST. BY LIDDELL LABORATORIES INC. WOODBINE, IA 51579 WWW.LIDDELL.NET 1-800-460-7733

PACKAGE LABEL DISPLAY:

ORAL SPRAYS

LIDDELL

LABORATORIES

EST. 1994 ⁴⁵ W⁻

Wart Free HOMEOPATHIC 1.0 FL. OZ. (30 ml)



WART FREE

antimonium crudum, baptisia tinctoria, causticum, nitricum acidum, thuja occidentalis, spray

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50845-0057		
Route of Administration	ORAL				

Active Ingredient/Active Moiety						
Ingredient Name	Basis of Strength	Strength				
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)	ANTIMONY TRISULFIDE	30 [hp_C] in 1 mL				
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HWI5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HWI5WU)	BAPTISIA TINCTORIA ROOT	3 [hp_X] in 1 mL				

CAUSTICUM (UNII: I	D5FO1WKFU) (CAUSTICUM - UNII:DD5FO1WKFU)	CAUST	ICUM	200 [hp_C] in 1 mL		
NITRIC ACID (UNII: 4	NITRIC	ACID	200 [hp_C] in 1 mL			
THUJA O CCIDENTA LEAFY TWIG - UNII:11	OCCIDENT TWIG	TALIS 200 [hp_C] in 1 mL				
Inactive Ingredi	ents					
	Ingredient Name			Strength		
WATER (UNII: 059Q)	OKOOR)					
ALCOHOL (UNII: 3K	ALCOHOL (UNII: 3K9958V90M)					
Packaging						
# Item Code	Package Description	Marketin Dat	-	Marketing End Date		
1 NDC:50845-0057- 1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	03/31/2011				
Marketing In	formation					
Marketing Catego	ry Application Number or Monograph Citation	Marketing St	art Date	Marketing End Date		
unapproved homeopa	hic	03/31/2011				

Labeler - Liddell Laboratories, Inc. (832264241)

Registrant - Apotheca Company (844330915)

Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0057) , api manufacture(50845-0057) , label(50845-0057) , pack(50845-0057)

Revised: 11/2018

Liddell Laboratories, Inc.