

**PYRANTEL PAMOATE- pyrantel pamoate tablet**  
**ProMex LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Pyrantel Pamoate**

**Drug Facts**

**Active Ingredient (in each tablet)**

Pyrantel Pamoate 180 mg (62.5mg pyrantel base per 180 mg of pyrantel pamoate)

**PURPOSE**

Anthelmintic

**Use**

for the treatment of Pinworms.

**Warnings**

Abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking this drug. If any of these conditions persist consult a doctor

- If you are pregnant or have liver disease, don't take this product unless directed by a doctor.

**Directions**

Adults, children 12 years of age and over, and children 2 years to under 12 years of age: Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight. Do not exceed 1 gram (1000 mg).

<b>Weight</b>	<b>Dosage (Taken as a single dose)</b>
25-37 lb	2 tablet
38-62 lbs	4 tablets
63-87 lbs	6 tablets
88-112 lbs	8 tablets
113-137 lbs	10 tablets
138-162 lbs	12 tablets
163-187 lbs	14 tablets
over 188 lbs	16 tablets

**READ INSERT CAREFULLY BEFORE USE**

Take only according to directions and don't exceed recommended dosage unless directed by a doctor. Medication should only be taken one time as a single dose; do not repeat treatment unless directed by a doctor. When one individual in house hold has pinworms, the entire household should be treated unless otherwise advised. See Warnings. If any worms other than pinworms are present before or after treatment, consult a doctor. If any symptoms or pinworms are still present after treatment consult a doctor

- This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication.

**Keep out of Reach of Children.** In case of accidental overdose/ingestion contact a poison control center immediately.

**Inactive Ingredients**

Croscarmellose Sodium, Crospovidone, Dicalcium Phosphate, Magnesium Stearate, Microcrystalline Cellulose

**PRINCIPAL DISPLAY PANEL - 20 Tablet Blister Pack Carton**

**VERMISOL**  
TABLET


Contains 20 Tablets



Distributed By:  
**PRO-MEX**<sup>®</sup>  
P.O. Box 63-0716  
Miami, FL, 33163

# VERMISOL

## TABLET



Contains 20 Tablets  
Contiene 20 Tabletas

**DATOS ACERCA DEL MEDICAMENTO (cont.)**  
Mantener Fuera Del Alcance De Los Niños. En caso de sobredosis / ingestión accidental, póngase en contacto con un centro de control de envenenamiento inmediatamente.  
Otra Información: Almacenarse entre 15-30 C (59-86 F).  
Ingredientes Inactivos: Croscarmellose de Sodio, Crospovidona, Fosfato Dicalcico, Estearato de Magnesio, Celulosa Microcristalina

Temper. Evidente: Do not use if blister foil is broken

18412500025

Evidencia de Manipulación: No Usar Si el aluminio está roto

**Instrucciones:** Adultos, niños de 12 años de edad o más, y niños mayores de 2 a menores de 12 años de edad: la dosis oral es una sola dosis de 5 miligramos de la base de pirantel por libra, o 11 mg por kg de peso corporal. No exceda de 1 gramo.  
**No Usar en niños por debajo de 25lbs, o menores de 2 años a menos que lo indique un médico.** • Lea el inserto cuidadosamente antes de tomar este medicamento. Tome solamente según las instrucciones; no exceda la dosis recomendada a menos que lo indique un médico. Tome su medicamento una

vez en una dosis; no repetir a menos que lo indique un médico. Cuando una persona en un hogar tiene oxiuros, toda la familia debe ser tratada a menos que se aconseje lo contrario. Véase Advertencias. Si algún guiso que no sea pinworms están presentes antes o después del tratamiento, consulte a un médico. Si los síntomas o los oxiuros todavía están presentes después del tratamiento, consulte a un médico. • Este producto se puede tomar a cualquier hora del día, con o sin comidas. • Se puede tomar solo o con leche o jugo de fruta. El uso de un laxante no es necesario antes, durante o después de la medicación.

### Drug Facts

**Active Ingredient (in each tablet)**      **PURPOSE**  
Pyrantel Pamoate 180 mg      Anthelmintic  
(62.5mg pyrantel base per 180 mg of pyrantel pamoate)

**Use:** for the treatment of Pinworms.

**Warnings:** Abdominal cramps, nausea, vomiting, diarrhea, headache, or dizziness sometimes occur after taking this drug. If any of these conditions persist consult a doctor • If you are pregnant or have liver disease, don't take this product unless directed by a doctor.

**Directions:** Adults, children 12 years of age and over, and children 2 years to under 12 years of age: Oral dosage is a single dose of 5 milligrams of pyrantel base per pound, or 11 milligrams per kilogram, of body weight. Do not exceed 1 gram (1000 mg).  
Children Under 25lbs. or 2yrs: **Don't use unless directed by a Doctor**

Weight / Peso	Dosage (Taken as a single dose) Dosis (Tomado en una dosis)
25-37 lbs	2 tablet (2 tableta)
38-62 lbs	4 tablets (4 tabletas)
63-87 lbs	6 tablets (6 tabletas)
88-112 lbs	8 tablets (8 tabletas)
113-137 lbs	10 tablets (10 tabletas)
138-162 lbs	12 tablets (12 tabletas)
163-187 lbs	14 tablets (14 tabletas)
over 188 lbs	16 tablets (16 tabletas)

**READ INSERT CAREFULLY BEFORE USE**  
**LEA INSERTO CUIDADOSAMENTE ANTES DE USAR**

Take only according to directions and don't exceed recommended dosage unless directed by a doctor. Medication should only be taken one time as a single dose; do not repeat treatment unless directed by a doctor. When one individual in house hold has pinworms, the entire household should be treated unless otherwise advised. See Warnings. If any worms other than pinworms are present before or after treatment, consult a doctor. If any symptoms or pinworms are still present after treatment consult a doctor • This product can be taken any time of day, with or without meals. It may be taken alone or with milk or fruit juice. Use of a laxative is not necessary prior to, during, or after medication.

**Keep out of Reach of Children.** In case of accidental overdose/ingestion contact a poison control center immediately.

**Other Information:** Store at 15-30 C (59-86 F)

**Inactive Ingredients:** Croscarmellose Sodium, Crospovidone, Dicalcium Phosphate, Magnesium Stearate, Microcrystalline Cellulose

### DATOS ACERCA DEL MEDICAMENTO

**Ingrediente Activo (en cada tableta)**      **Propósito**  
Pamoate de Pyrantel 180 mg      Antiparasitario (vermífugo)  
(Equivalente a 62.5 mg de pyrantel base por 180 mg de pamoate)

**Uso:** para el tratamiento de lombrices intestinales

**Advertencia:** Retorciones, náusea, vómito, diarrea, dolor de cabeza o mareo ocasionalmente puede ocurrir después de tomar el producto. Consulte a un médico si persiste alguno de estos síntomas. • Si esta embarazada o tiene enfermedad de hígado no use si no dirigió por su doctor • Este producto se puede tomar a cualquier hora del día, con o sin comidas. Se puede tomar solo o con leche o jugo de frutas. El uso de un laxante no es necesario antes, durante o después del producto.

PC-133.00

## PYRANTEL PAMOATE

pyrantel pamoate tablet

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:58988-1760

<b>Route of Administration</b>	ORAL
--------------------------------	------

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Pyrantel Pamoate (UNII: 81BK194Z5M) (Pyrantel - UNII:4QIH0N49E7)	Pyrantel	180 mg

### Inactive Ingredients

Ingredient Name	Strength
Croscarmellose Sodium (UNII: M28OL1HH48)	
Anhydrous Dibasic Calcium Phosphate (UNII: L11K75P92J)	
Magnesium Stearate (UNII: 70097M6I30)	
Microcrystalline Cellulose (UNII: OPIR32D61U)	

### Product Characteristics

<b>Color</b>	YELLOW	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	11mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:58988-1760-1	2 in 1 CARTON	09/27/2002	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part357B	09/27/2002	

**Labeler** - ProMex LLC (789974388)

Revised: 1/2018

ProMex LLC