

VITASTEM ULTRA FIRST AID ANTIBIOTIC- bacitracin zinc ointment
Viaderma Distribution Inc

Vitastem Ultra First Aid Antibiotic

Drug Facts

Active ingredient (in each gram)

Bacitracin Zinc (500 units Bacitracin in 1g)

Purpose

First aid antibiotic

Use

First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes
- over large areas of the body

Ask a doctor before use if you have

deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if

condition persists or gets worse.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Other information

- store between 68-77°F (20-25°C)
- may stain cloth

Inactive ingredients

Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxethyl cellulose, magnesium stearate, methylparaben, sodium hydroxide, sorbic acid, water

Questions or comments?

Call 1-800-585-8685 or visit: www.viadermainc.com

Package Labeling:

Drug Facts

Active ingredient (in each gram) Purpose
Bacitracin Zinc (500 units Bacitracin in 1g) First aid antibiotic

Use

First aid to help prevent skin infection in minor cuts, scrapes, and burns

Warnings

For external use only.

Do not use

- longer than 1 week unless directed by a doctor
- in the eyes ■ over large areas of the body

Ask a doctor before use if you have deep or puncture wounds, animal bites, or serious burns.

Stop use and ask a doctor if condition persists or gets worse.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the affected area
- apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily
- may be covered with a sterile bandage

Drug Facts (continued)

Other information

- store between 68-77°F (20-25°C)
- may stain cloth

Inactive ingredients

Acetic acid, ascorbic acid, chlorhexidine gluconate, cholecalciferol, dimethyl sulfoxide, dipropylene glycol, glucono delta lactone, glycerin, histidine, hydroxyethyl-cellulose, magnesium stearate, methylparaben, sodium hydroxide, sorbic acid, water

Questions or comments?

Call 1-800-585-8685 or visit:
www.viaderma.com

LICENSED TO: VIADERMA DISTRIBUTION INC
BY: VIADERMA, INC.

DISTRIBUTED BY: VIADERMA DISTRIBUTION INC.

REPORT ANY SERIOUS ADVERSE EVENTS TO:

VIADERMA DISTRIBUTION INC.
1050 E FLAMINGO RD., SUITE 107,
LAS VEGAS, NV 89119

TEL: 1-800-585-8685 WWW.VIADERMA.COM

MADE IN THE USA

Bacitracin Zinc
500 units Bacitracin in 1 gram

Topical Antibiotic Ointment

First Aid Antibiotic

VITASTEM™
ULTRA
Pharma
VIADERMA®

NDC 71262-007-15

VIADERMA®
VITASTEM™
ULTRA

First Aid Antibiotic

Topical Antibiotic Ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram

VIADERMA®
VITASTEM™
ULTRA

First Aid Antibiotic

Topical Antibiotic Ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram



Net Wt. 0.5 oz (15 g)



CONTAINS NO ALCOHOL



NO ANIMAL INGREDIENTS



WARNINGS: FOR EXTERNAL USE ONLY. DO NOT USE LONGER THAN 1 WEEK UNLESS DIRECTED BY A DOCTOR, IN THE EYES, OR OVER LARGE AREAS OF THE BODY. ASK A DOCTOR BEFORE USE IF YOU HAVE DEEP OR PUNCTURE WOUNDS, ANIMAL BITES, OR SERIOUS BURNS. STOP USE AND ASK A DOCTOR IF CONDITION PERSISTS OR GETS WORSE. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.

DIRECTIONS: CLEAN THE AFFECTED AREA. APPLY A SMALL AMOUNT OF THIS PRODUCT ON THE AREA 1 TO 3 TIMES DAILY. MAY BE COVERED WITH A STERILE BANDAGE. DISTRIBUTED BY: VIADERMA DISTRIBUTION INC. REPORT ANY SERIOUS ADVERSE EVENTS TO: VIADERMA DISTRIBUTION INC. 1050 E FLAMINGO RD SUITE 107, LAS VEGAS, NV 89119



VITASTEMTM ULTRA

First Aid Antibiotic

Topical Antibiotic Ointment

Bacitracin Zinc

500 units Bacitracin in 1 gram

Net Wt. 0.5 oz (15 g)





VIADERMA[®]
Pharma

VITASTEM™ ULTRA

First Aid Antibiotic

Topical Antibiotic Ointment

Bacitracin Zinc
500 units Bacitracin in 1 gram

Net Wt. 0.5 oz (15 g)



VITASTEM ULTRA FIRST AID ANTIBIOTIC

bacitracin zinc ointment

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71262-013
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	500 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
ACETIC ACID (UNII: Q40Q9N063P)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E)	
CHOLECALCIFEROL (UNII: 1C6V77QF41)	
DIMETHYL SULFOXIDE (UNII: YOW8V9698H)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
GLYCERIN (UNII: PDC6A3C0OX)	
HISTIDINE (UNII: 4QD397987E)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
SORBIC ACID (UNII: X045VJ989B)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71262-013-15	1 in 1 CARTON	03/30/2025	
1		15 g in 1 BOTTLE, DROPPER; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	03/30/2025	

Labeler - Viaderma Distribution Inc (081113521)