

**DAYTIME COLD AND FLU- acetaminophen, dextromethorphan hbr,  
phenylephrine hcl capsule, liquid filled  
FSA Store Inc. (Caring Mills)**

-----  
**Drug Facts**

**Active ingredients (in each softgel)**

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purposes**

**Pain reliever/fever reducer**

Cough suppressant

Nasal decongestant

**Uses**

- temporarily relieves common cold and flu symptoms:
  - minor aches and pains
  - headache
  - sore throat
  - nasal congestion
  - fever
  - cough due to minor throat and bronchial irritation

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is

accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- diabetes
- heart disease
- thyroid disease
- high blood pressure
- trouble urinating due to an enlarged prostate gland
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not exceed recommended dosage.**

**Stop use and ask a doctor if**

- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- nervousness, dizziness, or sleeplessness occur
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose can cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

## **Directions**

- do not take more than directed (see Overdose warning)
- do not take more than 4 doses in 24 hours
- adults and children 12 years and over: take 2 softgels with water every 4 hours
- swallow whole; do not crush, chew, or dissolve
- children under 12 years: do not use
- **when using other Daytime or Nighttime products, carefully read each label to ensure correct dosing**

## **Other information**

- store between 15-30°C (59-86°F)
- avoid excessive heat

## **Inactive ingredients**

FD&C red #40, FD&C yellow #6, gelatin, glycerin, lecithin, light mineral oil, mannitol, polyethylene glycol, povidone, propylene glycol, purified water, sorbitan, sorbitol, white ink

## **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

## **Principal Display Panel**

\*\*Compare to Vicks® DayQuil™ Cold & Flu LiquiCaps™ active ingredients

### **Daytime**

Pain Reliever, Fever Reducer,

Cough Suppressant, Nasal decongestant

### **Acetaminophen**

Dextromethorphan HBr

Phenylephrine HCl

Cold & Flu

Daytime Relief

Softgels\*

(\*Liquid-filled capsules)

\*\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil™, and LiquiCaps™ are registered trademarks of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Manufactured for **FSA Store Inc.**

5473 BLAIR ROAD

SUITE 100

PMB 24308

DALLAS, TX 75231

**Package Label**

caring mill™



caring mill™

\*\*Compare to Vicks® DayQuil™ Cold & Flu LiquiCaps™ active ingredients

# Daytime

Pain Reliever, Fever Reducer,  
Cough Suppressant, Nasal decongestant

**Acetaminophen**  
**Dextromethorphan HBr**  
**Phenylephrine HCl**



Actual Size

Cold & Flu  
Daytime Relief

**16 Softgels\***  
(\*Liquid-filled capsules)

\*\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks®, DayQuil™, and LiquiCaps™ are registered trademarks of The Procter & Gamble Company.

Manufactured for **FSA Store Inc.**  
5473 BLAIR ROAD  
SUITE 100  
PMB 24308  
DALLAS, TX 75231

**PARENTS:**  
Learn about teen medicine abuse  
[www.StopMedicineAbuse.org](http://www.StopMedicineAbuse.org)



NDC 81522-898-16

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.

KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

P.L.D.-CS84C  
FC0009604

Lot No.:  
Exp. Date:

**Drug Facts** (continued)

**Active ingredients (in each softgel)**  
Acetaminophen 325 mg  
Dextromethorphan HBr 10 mg  
Phenylephrine HCl 5 mg

**Purposes**  
Pain reliever/fever reducer  
Cough suppressant  
Nasal decongestant

**Uses**  
temporarily relieves common cold and flu symptoms:  
sore throat  
headache  
fever  
nasal congestion  
cough due to minor throat and bronchial irritation

**Drug Facts** (continued)

**Warnings**  
This product contains acetaminophen. Severe liver damage may occur if you take:  
more than 4,000 mg of acetaminophen in 24 hours  
5 or more alcoholic drinks every day while using this product  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include: skin redness, blisters, rash  
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**  
If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug, if you pharmacist before taking this product.  
Ask a doctor before use if you have liver disease, diabetes, heart disease, high blood pressure, or enlarged prostate gland  
trouble urinating due to an enlarged prostate gland  
empty sinuses  
cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.**  
When using this product, do not exceed recommended dosage.

**Drug Facts** (continued)

**Directions**  
do not take more than directed (see Overdose warning)  
do not take more than 4 doses in 24 hours  
adults and children 12 years and over: take 2 softgels with water every 4 hours  
children under 12 years: do not use  
swallow whole; do not crush, chew, or dissolve

**Other information**  
store between 15-30°C (59-86°F) ■ avoid excessive heat

**Inactive ingredients** FD&C red #40, FD&C yellow #6, gelatin, glycerin, glycol, purified water, sorbitan, sorbitol, white ink

**Questions or comments?**  
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

# DAYTIME COLD AND FLU

acetaminophen, dextromethorphan hbr, phenylephrine hcl capsule, liquid filled

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81522-898
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT19KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	5 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>LIGHT MINERAL OIL</b> (UNII: N6K5787QVP)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ05DW1A)	
<b>POVIDONE</b> (UNII: FZ989GH94E)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>MANNITOL</b> (UNII: 3OWL53L36A)	

## Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	20mm
<b>Flavor</b>		<b>Imprint Code</b>	PC9
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81522-898-16	16 in 1 CARTON	11/25/2022	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination		

Product			
<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	11/25/2022	

**Labeler** - FSA Store Inc. (Caring Mills) (049283340)

Revised: 9/2025

FSA Store Inc. (Caring Mills)