

**MUCUS RELIEF DM MAXIMUM STRENGTH- dextromethorphan hbr and guaifenesin solution**  
**WINCO FOODS, LLC**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Winco Foods Fast Acting Mucus Relief DM Maximum Strength**

***Drug Facts***

<b><i>Active ingredients (in each 20 mL)</i></b>	<b><i>Purposes</i></b>
Dextromethorphan HBr 20 mg	Cough suppressant
Guaifenesin 400 mg	Expectorant

**Uses**

- helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive
- temporarily relieves:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep

**Warnings**

**Do not use**

- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis or emphysema
- cough that occurs with too much phlegm (mucus)

**When using this product**

- **do not use more than directed**

**Stop use and ask a doctor if**

- cough lasts more than 7 days, comes back, or occurs with fever, rash or persistent headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding**, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-2222.

### **Directions**

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- dose as follows or as directed by a doctor
- mL = milliliter
- **adults and children 12 years and older:** 20 mL every 4 hours
- **children under 12 years of age:** Do not use

### **Other information**

- **each 20 mL contains:** sodium 8 mg
- low sodium
- store at room temperature
- do not refrigerate
- dosing cup provided

### **Inactive ingredients**

anhydrous citric acid, edetate disodium, FD&C Blue No. 1, FD&C Red No. 40, flavors, potassium citrate, propylene glycol, propyl gallate, purified water, sodium benzoate, sorbitol, sucralose, xanthan gum.

### **Questions or comments?**

**1-800-824-1706 Monday – Friday 9am – 4pm MST**

### **PRINCIPAL DISPLAY PANEL**

**NDC# 67091-342-06**

\*Compare to the active ingredients in Maximum Strength MUCINEX<sup>®</sup> FAST-MAX<sup>™</sup> DM max

**Winco<sup>®</sup> Foods**

**Fast Acting Mucus Relief DM**

**Maximum Strength**

**DEXTROMETHORPHAN HBr 20 mg/ COUGH SUPPRESSANT**  
**GUAIFENESIN 400 mg/ EXPECTORANT**

**Controls Cough & Relieves Chest Congestion**

**Thins & Loosens Mucus**

**Adult Formula, For Ages 12 & Over**

**4 Hour Dosing**

**6 FL OZ (180 mL)**

**Tamper evident: Do not use if printed seal under cap is broken or missing.**

**100% SATISFACTION GUARANTEED**

**EMPLOYEE-OWNED**

**CERTIFIED**

**DISTRIBUTED BY:**

WINCO FOODS, LLC,

BOISE, ID 83704

Comments & Questions?

800-824-1706

\*This product is not manufactured or distributed by RECKITT BENCKISER, the distributor of Maximum Strength<sup>†</sup> MUCINEX<sup>®</sup> FAST -MAX<sup>®</sup> DM Max.



## MUCUS RELIEF DM MAXIMUM STRENGTH

dextromethorphan hbr and guaifenesin solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:67091-342
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
dextromethorphan hydrobromide (UNII: 9D2RTI9KYH) (dextromethorphan - UNII:7355X3ROTS)	dextromethorphan hydrobromide	20 mg in 20 mL
guaifenesin (UNII: 495W7451VQ) (guaifenesin - UNII:495W7451VQ)	guaifenesin	400 mg

guanefesin (UNII: 453W/431VQ) (guanefesin - UNII:453W/431VQ)			guanefesin	in 20 mL
Inactive Ingredients				
Ingredient Name			Strength	
anhydrous citric acid (UNII: XF417D3PSL)				
edetate disodium (UNII: 7FLD91C86K)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
FD&C red No. 40 (UNII: WZB9127XOA)				
POTASSIUM CITRATE (UNII: EE90ONI6FF)				
propylene glycol (UNII: 6DC9Q167V3)				
propyl gallate (UNII: 8D4SNN7V92)				
water (UNII: 059QF0KO0R)				
sodium benzoate (UNII: OJ245FE5EU)				
sorbitol (UNII: 506T60A25R)				
sucralose (UNII: 96K6UQ3ZD4)				
xanthan gum (UNII: TTV12P4NEE)				
Product Characteristics				
Color	RED	Score		
Shape		Size		
Flavor	CHERRY	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67091-342-06	180 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/16/2019	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part341	07/16/2019		

**Labeler** - WINCO FOODS, LLC (056098817)