

**WALGREENS LIDOCAINE BACK- lidocaine patch**  
**Walgreen Co.**

-----  
**Walgreens Lidocaine 4% Patch Back, 6 patches**

***Drug Facts***

***Active ingredient***

Lidocaine 4%

***Purpose***

Topical Analgesic

***Use***

For temporary relief of pain

***Warnings***

**For external use only**

**Do not use**

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

**When using this product**

- Use only as directed
- Read and follow all directions and warnings
- Do not allow contact with the eyes
- Do not use at the same time as other topical anesthetics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and ask a doctor if**

- condition worsen
- Redness is present
- Irritation develops

- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

**If pregnant or breast feeding,**

ask a health professional before use.

**Keep out of reach of children.**

If swallowed, get medical help or contact a poison Control Center right away.

***Directions***

**Adults and children 12 years if age and over:**

- Clean and dry affected area
- Carefully remove backing from patch
- Apply sticky side of patch to affected area
- Use one patch for up to 8 hours
- Discard patch after single use
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily

**Children under 12 years of age:**consult a physician.

***Other information***

- Store in a clean, dry place outside of direct sunlight
- Protect from excessive moisture

***Inactive ingredients***

A-tocopherol Acetate, CMC-2Na, Dihydroxyaluminum Aminoacetate, Fumed Silica, Glycerol, Laurocapram, PEG-40 Hydrogenated Castor Oil, Phenoxyethanol, Polyacrylic Acid, Propylene Glycol, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Urea, Vanillyl Butyl Ether, Water, 3-2-(Ethylhexyl)oxyl-1, 2-Propanediol.

**Package Labelling:**

Walgreens  
free+pure<sup>®</sup>

Walgreens  
free+pure<sup>®</sup>



WATERPROOF  
**Lidocaine Patch**

Lidocaine 4%, topical analgesic

Maximum strength lidocaine  
without a prescription

Temporarily relieves minor pain  
in back, shoulder & neck

Flexible adhesive patch

No-mess, single-use application

Free + Pure is:

- Fragrance free
- Hypoallergenic
- Paraben free

**6 patches**

6.7 IN x 5.1 IN (17 cm x 13 cm) EACH



Walgreens  
free+pure<sup>®</sup>

Walgreens Waterproof Lidocaine Patch

**Drug Facts**

**Active ingredient** Lidocaine 4% **Purpose** Topical Analgesic

**Use** For temporary relief of pain

**Warnings**

For external use only

**Do not use**

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

**When using this product**

- Use only as directed
- Read and follow all directions and warnings
- Do not allow contact with the eyes
- Do not use at the same time as other topical anesthetics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

**Stop use and ask a doctor if**

- Conditions worsen
- Redness is present
- Irritation develops
- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a poison Control Center right away.

**Directions**

Adults and children 12 years of age and over:

- Clean and dry affected area
- Carefully remove backing from patch
- Apply sticky side of patch to affected area
- Use one patch for up to 8 hours
- Discard patch after single use
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily

Children under 12 years of age: consult a physician.

**Other information**

- Store in a clean, dry place outside of direct sunlight
- Protect from excessive moisture

**Inactive ingredients**

A-tocopherol Acetate, CMC-2Na, Dihydroxyaluminum Aminoacetate, Fumed silica, Glycerol, Laurocapram, PEG-40 Hydrogenated Castor Oil, Phenoxethanol, Polyacrylic Acid, Propylene Glycol, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Urea, Vanillyl Butyl Ether, Water, 3-(2-Ethylhexyloxy)-1, 2-Propanediol.

**Directions:**



Step 1:  
Peel off the 1st  
bottom paper



Step 2:  
Position the patch on  
the affected area



Step 3:  
Peel off the 2nd bottom  
paper



Step 4:  
Peel off the 3rd and 4th  
surface film



Step 5:  
Press the patch  
thoroughly

Up to 8 hours



DISTRIBUTED BY: WALGREEN CO.  
DEERFIELD, IL 60015

Walgreens  
**100% SATISFACTION  
GUARANTEED**

walgreens.com 1-800-925-4733  
©2024 Walgreen Co. MADE IN CHINA

NDCXXXX-XXXX-XX  
ITEM 76726 W00000-0000-0



LOT  
EXP

WFPORG0325-F

**WALGREENS LIDOCAINE BACK**

lidocaine patch

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-2178
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
GLYCERIN (UNII: PDC6A3C0OX)	
LAUROCAPRAM (UNII: 1F3X9DRV9X)	
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TARTARIC ACID</b> (UNII: W4888I119H)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>UREA</b> (UNII: 8W8T17847W)	
<b>VANILLYL BUTYL ETHER</b> (UNII: S2ULN37C9R)	
<b>WATER</b> (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2178-01	6 in 1 BOX	10/20/2024	
1		1 in 1 BAG		
1		7 g in 1 PATCH; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	10/20/2024	

**Labeler** - Walgreen Co. (008965063)

**Registrant** - Planet (Anhui) Pharmaceutical Co. Ltd (618456104)

Revised: 4/2025

Walgreen Co.