WALGREENS LIDOCAINE BACK- lidocaine patch Walgreen Co.

Walgreens Lidocaine 4% Patch Back, 6 patches

Drug Facts

Active ingredient

Lidocaine 4%

Purpose

Topical Analgesic

Use

For temporary relief of pain

Warnings

For external use only

Do not use

- More than one patch on your body at a time
- On cut, irritated or swollen skin
- On puncture wounds
- For more than one week without consulting a doctor
- If you are allergic to any active or inactive ingredients
- If pouch is damaged or opened

When using this product

- Use only as directed
- Read and follow all directions and warnings
- Do not allow contact with the eyes
- Do not use at the same time as other topical anesthetics
- Do not bandage tightly or apply local heat (such as heating pads) to the area of use
- Do not microwave
- Dispose of used patch in manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsen
- Redness is present
- Irritation develops

- Symptoms persist for more than 7 days or clear up and occur again within a few days
- You experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a poison Control Center right away.

Directions

Adults and children 12 years if age and over:

- Clean and dry affected area
- Carefully remove backing from patch
- Apply sticky side of patch to affected area
- Use one patch for up to 8 hours
- Discard patch after single use
- Apply 1 patch at a time to affected area, not more than 3 to 4 times daily

Children under 12 years of age: consult a physician.

Other information

- Store in a clean, dry place outside of direct sunlight
- Protect from excessive moisture

Inactive ingredients

A-tocopherol Acetate, CMC-2Na, Dihydroxyaluminum Aminoacetate, Fumed Silica, Glycerol, Laurocapram, PEG-40 Hydrogenated Castor Oil, Phenoxyethanol, Polyacrylic Acid, Propylene Glycol, Sodium Polyacrylate, Tartaric Acid, Titanium Dioxide, Urea, Vanillyl Butyl Ether, Water, 3-2-(Ethylhexyl)oxyl-1, 2-Propanediol.

Package Labelling:



WALGREENS LIDOCAINE BACK

lidocaine patch

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-2178 Route of Administration TOPICAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g		

Inactive Ingredients		
Ingredient Name	Strength	
.ALPHATOCOPHEROL ACETATE (UNII: 9E8X80D2L0)		
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)		
GLYCERIN (UNII: PDC6A3C0OX)		
LAUROCAPRAM (UNII: 1F3X9DRV9X)		
PEG-40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)		

PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TARTARIC ACID (UNII: W4888I119H)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
UREA (UNII: 8W8T17847W)	
VANILLYL BUTYL ETHER (UNII: S2ULN37C9R)	
WATER (UNII: 059QF0KO0R)	

P	Packaging			
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-2178- 01	6 in 1 BOX	10/20/2024	
1		1 in 1 BAG		
1		7 g in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M017	10/20/2024		

Labeler - Walgreen Co. (008965063)

Revised: 11/2024 Walgreen Co.