# RITE AID SUNSCREEN SPF 30- avobenzone homosalate octocrylene oxybenzone lotion RITE AID CORPORATION

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### **Drug Facts**

## **Active Ingredients**

Avobenzone 2.0 %

Homosalate 10.0%

Octisalate 5.0%

Octocrylene 2.0%

Oxybenzone 2.0%

#### **Purpose**

Sunscreen

#### Uses

- helps prevent sunburn
- higher SPF gives more sunburn protection
- retains SPF after 80 minutes of activity in the water

#### Warnings

#### For external use only

#### When using this product

• keep out of eyes. Rinse with water to remove.

#### stop use and ask a doctor if

• rash or irritation develops and lasts.

#### keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- apply generously and evenly before sun exposure and as needed
- children under 6 months of age:ask a doctor
- reapply frequently and after towel drying, swimming or perspiring.

#### Other Information

• may stain some materials.

#### **Inactive Ingredients**

Water, Sorbitan Isostearate, Sorbitol, Polyglyceryl-3 Distearate, Triethanolamine, Stearic Acid, VP/Eicosene Copolymer, Benzyl Alcohol, Dimethicone, Barium Sulfate, Carbomer, Simmondsia Chinensis (Jojoba) Seed Oil, Tocopherol, Disodium EDTA, Cocos Nucifera (Coconut) Oil, Mineral Oil, Octadecene/MA Copolymer, Aloe Barbadensis Leaf Extract, Methylparaben, Propylparaben, Fragrance.

#### **Principal Display Panel**

RITE
AID
SUNSCREEN
LOTION
SPF30
RECOMMENDED
SKIN
CANCER
FOUNDATION
Very Water Resistant
Vitamin E and Aloe
3 FL OZ (89 mL)



RITE
AID
SUNSCREEN
LOTION
SPF
30
Photostable
Broad Spectrum Protection
RECOMMENDED
SKIN
CANCER
FOUNDATION
Very Water Resistant
Vitamin E and Aloe
UVA/UVB Protection



# Drug Facts Active ingredients

Purpose

Avobenzone 2.0%, Homosalate 10.0%, Octisalate 5.0%, Octocrylene 2.0%, Oxybenzone 2.0%

Sunscreen

Uses • helps prevent sunburn • higher SPF gives more sunburn protection • retains SPF after 80 minutes of activity in the water

### Warnings

For external use only

#### When using this product

. keep out of eyes. Rinse with water to remove.

#### Stop use and ask a doctor if

rash or irritation develops and lasts.

Keep out of the reach of children. If swallowed get medical help or contact a Poison Control Center right away.

Directions • apply generously and evenly before sun exposure and as needed • children under 6 months of age: ask a doctor • reapply frequently and after towel drying, swimming or perspiring

Other information • may stain some materials

Inactive ingredients Water, Sorbitol, Sorbitan Isostearate, Polyglyceryl-3 Distearate, Triethanolamine, VP/Eicosene Copolymer, Stearic Acid, Benzyl Alcohol, Dimethicone, Fragrance, Barium Sulfate, Methylparaben, Carbomer, Aloe

Barbadensis Leaf Extract, Propylparaben, Tocopherol, Simmondsia Chinensis (Jojoba) Seed Oil, Disodium EDTA, Octadecene/MA Copolymer.

THE SKIN CANCER FOUNDATION RECOMMENDS THIS PRODUCT AS AN EFFECTIVE UV SUNSCREEN



Distributed by: Rite Aid Corporation 30 Hunter Lane Camp Hill, PA 17011

Made in U.S.A.

avobenzone homosalate octocrylene oxybenzone lotion

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-9007		
Route of Administration	TOPICAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	2 g in 100 g		
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	10 g in 100 g		
OCTISALATE (UNII: 4X49 Y0596 W) (OCTISALATE - UNII:4X49 Y0596 W)	OCTISALATE	5 g in 100 g		
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	2 g in 100 g		
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	2 g in 100 g		

Inactive Ingredients		
Ingredient Name	Strength	
WATER (UNII: 059QF0KO0R)		
SORBITOL (UNII: 506T60A25R)		
STEARIC ACID (UNII: 4ELV7Z65AP)		
TROLAMINE (UNII: 903K93S3TK)		
BARIUM SULFATE (UNII: 25BB7EKE2E)		
BENZYL ALCOHOL (UNII: LKG8494WBH)		
SORBITAN ISOSTEARATE (UNII: 01S2G2C1E4)		
<b>DIMETHICO NE</b> (UNII: 92RU3N3Y1O)		
METHYLPARABEN (UNII: A2I8C7HI9T)		
TOCOPHEROL (UNII: R0ZB2556P8)		
EDETATE DISO DIUM (UNII: 7FLD9 1C8 6 K)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
JOJOBA OIL (UNII: 724GKU717M)		
ALOE VERA LEAF (UNII: ZY8 1Z8 3H0 X)		

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:11822-9007-6	226 g in 1 BOTTLE, PLASTIC			
2 NDC:11822-9007-2	85 g in 1 BOTTLE, PLASTIC			

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph not final	part352	11/16/2012			

Revised: 11/2012 RITE AID CORPORATION