

**YVES SAINT LAURENT ALL HOURS FOUNDATION BROAD SPECTRUM SPF 20
SUNSCREEN LUMINOUS MATTE FOUNDATION- octinoxate and titanium
dioxide lotion
SICOS ET CIE**

Drug Facts

Active ingredientS

Octinoxate 6.7%

Titanium dioxide 3.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Avoid fire, flame and heat during application.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:


- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, isododecane, alcohol denat., trimethylsiloxysilicate, butylene glycol, PEG-10 dimethicone, synthetic fluorophlogopite, perlite, disteardimonium hectorite, nylon-12, HDI/trimethylol hexyllactone crosspolymer, aluminum hydroxide, isopropyl lauroyl sarcosinate, diisopropyl sebacate, bis-PEG/PPG-14/14 dimethicone, magnesium sulfate, phenoxyethanol, disodium stearyl glutamate, aluminum hydroxide, dipentaerythryl tetrahydroxystearate/tetraisoctate, silica silylate, glycerin, tocopherol, caprylic/capric triglyceride, hydrogen dimethicone, silica, BHT, jasminum officinale (jasmine) flower extract, benzyl alcohol, sodium hyaluronate, phenethyl alcohol, linalool, sodium carrageenan, citrus limon (lemon) peel extract, jania rubens extract, fragrance; may contain: iron oxides, titanium dioxide



C1 - Internal use

YVES SAINT LAURENT ALL HOURS FOUNDATION BROAD SPECTRUM

SPF 20 SUNSCREEN LUMINOUS MATTE FOUNDATION

octinoxate and titanium dioxide lotion

Product Information

| | | | |
|--------------------------------|----------------|---------------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:51150-712 |
| Route of Administration | TOPICAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51) | OCTINOXATE | 67 mg in 1 mL |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP) | TITANIUM DIOXIDE | 11 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|---|----------|
| WATER (UNII: 059QF0KO0R) | |
| DIMETHICONE (UNII: 92RU3N3Y1O) | |
| ISODODECANE (UNII: A8289P68Y2) | |
| ALCOHOL (UNII: 3K9958V90M) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN) | |
| BUTYLENE GLYCOL (UNII: 3XUS85K0RA) | |
| MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M) | |
| PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0) | |
| PERLITE (UNII: 0SG101ZGK9) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| NYLON-12 (UNII: 446U8J075B) | |
| HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9) | |
| ISOPROPYL LAUROYL SARCOSINATE (UNII: LYR06W430J) | |
| DIISOPROPYL SEBACATE (UNII: J8T3X564IH) | |
| BIS-PEG/PPG-14/14 DIMETHICONE (UNII: X2I70H0QJE) | |
| MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M) | |
| DIPENTAERYTHRITYL TETRAHYDROXYSTEARATE/TETRAISOSTEARATE (UNII: 230K0823CE) | |
| GLYCERIN (UNII: PDC6A3C0OX) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U) | |
| HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| JASMINUM OFFICINALE FLOWER (UNII: 0Q8K841432) | |
| BENZYL ALCOHOL (UNII: LKG8494WBH) | |
| HYALURONATE SODIUM (UNII: YSE9PPT4TH) | |
| PHENYLETHYL ALCOHOL (UNII: ML9LGA7468) | |
| LINALOOL, (+/-)- (UNII: D81QY6I88E) | |
| CARRAGEENAN (UNII: 5C69YCD2YJ) | |
| LEMON PEEL (UNII: 72O054U628) | |

FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:51150-712-01 | 1 in 1 CARTON | 07/25/2022 | 06/28/2026 |
| 1 | | 25 mL in 1 BOTTLE; Type 0: Not a Combination Product | | |
| 2 | NDC:51150-712-02 | 4.2 mL in 1 PACKAGE; Type 0: Not a Combination Product | 07/25/2022 | 06/28/2026 |
| 3 | NDC:51150-712-03 | 1 mL in 1 PACKET; Type 0: Not a Combination Product | 07/25/2022 | 06/28/2026 |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M020 | 07/25/2022 | 06/28/2026 |

Labeler - SICOS ET CIE (276993581)

Establishment

| Name | Address | ID/FEI | Business Operations |
|--------------|---------|-----------|--|
| SICOS ET CIE | | 276993581 | manufacture(51150-712) , pack(51150-712) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|----------|---------|-----------|---------------------|
| Socoplan | | 276221405 | pack(51150-712) |

Revised: 6/2024

SICOS ET CIE