# WALGREENS ANTICAVITY AND ANTIGINGIVITIS WHITENING - sodium fluoride paste, dentifrice Walgreen

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

# Walgreens Anticavity and Antigingivitis Whitening Fluoride Toothpaste

## **Active Ingredient**

Sodium Fluoride 0.234% (0.15% w/v fluoride ion......Anticavity toothpaste

As with all fluoride toothpastes, **keep out of reach of children under 6 years of age**. If you accidentally swallow more than used for brushing, seek professional help or contact the Poison Control Center immediately.

### **Directions**

Adults and children 6 Brush Teeth throughly, preferably after each meal, or at least twice a day, or as directed by your dentist. Do not swallow

Children between 6 To minimize swallowing, use a pea-sized amount and supervise brushing until good habits are established.

**Children under 6 years** Ask a dentist or physician.

### **Inactive Ingredients**

Sorbitol, Silica, Water, Glycerin, Sodium Laurel Sulphate, Zinc Citrate, Titanium Dioxide, Cellulose Gum, Flavor, PVP, Sodium Benzoate, Tetrasodium Pyrophosphate, Sodium Saccharine, Sodium Hydroxide, Carrageenan, Mica, FDC Blue No. 1.

## **Principal Display Panel**





This product is not manufactured or distributed by Colgate-Palmolive Co., owner of the registered trademark Colgate® ITEM# 523985

EC NO. GUJ/COS/GC-679

### AN ANTICAVITY FLUORIDE DENTIFRICE

USE: Helps protect against cavities.

# Drug Facts (continued)

ACTIVE INGREDIENTS
Sodium Fluoride 0,243% (0,15% w/v fluoride ion), ...Anticavity toothpaste

WARNINGS: As with all fluoride toothpastes, keep out of reach of children under 6 years of age. If you accidentally swallow more than used for brushing, seek professional help or contact a Poison Control Center immediately.

Adults and children
6 years and older
Children between
6 and 12 years
Children under 6 years
Adults and children
Brush teeth thoroughly, preferably after each meal, or at least twice a day, or as directed by your dentist, Do not swallow.
To minimize swallowing, use a peasized amount and supervise brushing until good habits are established.
Children under 6 years
Ask a dentist or physician.

INACTIVE INGREDIENTS: Sorbitol, Silica, Water, Glycerin, Sodium Lauryl Sulphate, Zinc Citrate, Titanium Dioxide, Cellulose Gum, Flavor, PVP, Sodium Benzoate, Tetrasodium Pyrophosphate, Sodium Saccharine, Sodium Hydroxide, Carrageenan, Mica, FD&C Blue No. 1.

#### **USE**

Helps protect against cavities.

### WALGREENS ANTICAVITY AND ANTIGINGIVITIS WHITENING

sodium fluoride paste, dentifrice

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0633

Route of Administration DENTAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Sodium Fluoride (UNII: 8ZYQ1474W7) (FLUORIDE ION - UNII:Q80VPU408O)	Sodium Fluoride	2.43 mg in 1 g

Inactive Ingredients		
	Ingredient Name	Strength
Sorbitol (UNII: 506T60A25R)		
SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)		
Water (UNII: 059QF0KO0R)		

Glycerin (UNII: PDC6A3C0OX)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
Zinc Citrate (UNII: K72I3DEX9B)	
Titanium Dioxide (UNII: 15FIX9V2JP)	
CROSCARMELLOSE SODIUM (UNII: M28 O L 1HH48)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM PYROPHOSPHATE (UNII: O352864B8Z)	
SACCHARIN SO DIUM (UNII: SB8ZUX40TY)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
Carrageenan (UNII: 5C69 YCD2YJ)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	

Product Characteristics			
Color	white	Score	
Shape		Size	
Flavor	MINT	Imprint Code	
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:0363-0633-05	18 1.4 g in 1 TUBE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part355	04/19/2011		

# Labeler - Walgreen (008965063)

Revised: 4/2011 Walgreen