

MULTI-SYMPTOM COLD RELIEF- acetaminophen, dextromethorphan hbr, phenylephrine hcl , guaifenesin, , tablet, film coated
Unifirst First Aid Corporation

Green Guard Cold Relief

Drug Facts

Active ingredients (in each caplet)

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Guaifenesin 100 mg

Phenylephrine HCl 5 mg

Purpose

Pain reliever/fever reducer

Cough suppressant

Expectorant

Nasal decongestant

Uses

Temporarily relieves these symptoms due to the common cold

- headache
- nasal congestion
- cough
- minor aches and pains
- sore throat
- sinus congestion and pressure
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes and make cough more productive

Temporarily reduces fever.

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters

- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- difficulty in urination due to enlargement of the prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough that lasts as occurs with smoking, asthma, chronic bronchitis, or emphysema

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- pain, cough, or nasal congestion gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed**

Adults and children: (12 years and over)

- take 2 caplets every 4 hours
- not to take more than 10 caplets in 24 hours

Children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- tamper evident sealed packets
- do not use any opened or torn packets

Inactive ingredients corn starch, crospovidone, FD&C yellow # 6 aluminum lake, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, silicon dioxide, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments? 1-800-869-6970

Multi-Symptom Cold Relief™

Pull to Open

Tire Para Abrir

Acetaminophen / Acetaminofeno 325 mg

Dextromethorphan HBr / Hidrobromuro de dextrometorfano 10 mg

Guaifenesin / Guaifenesina 100 mg

Phenylephrine HCl / Hidrocloruro de fenilefrina 5 mg

Green Guard®

Pain reliever/Fever reducer

Multi-Symptom Relief

Alivia el dolor/Reduce la fiebre

Alivia multisintomas

Distributed by Green Guard®

St Louis, MO 63045

40 Packets of 2 Caplets

80 Caplets

Order #2580

CONSERVE LA CARTA PARA OBTENER LA INFORMACIÓN COMPLETA DEL PRODUCTO.

Este medicamento contiene acetaminofeno, dextrometorfan hidrobromida, fenylefrina hidrocloreto y guaifenesina. Lea la información de advertencias y precauciones que se encuentran en esta información de medicamentos para obtener información importante sobre el uso seguro de este medicamento.

Advertencias

- No tome más de la dosis recomendada.
- No tome alcohol con este medicamento.
- No tome otros medicamentos que contengan acetaminofeno.
- No tome otros medicamentos que contengan dextrometorfan.
- No tome otros medicamentos que contengan fenylefrina.
- No tome otros medicamentos que contengan guaifenesina.

Usos

- Alivia el dolor, reduce la fiebre, alivia el resaca.
- Alivia los síntomas de la gripe y el resaca.
- Alivia los síntomas de la congestión nasal.
- Alivia los síntomas de la tos.

Información del medicamento (continuación)

Consulte al médico antes de administrarlo si usted tiene:

- enfermedad del hígado
- enfermedad del corazón
- enfermedad de la tiroides
- diabetes
- dificultad al orinar debido al crecimiento de la próstata
- tos que se presenta con fiebre o escasa
- tos que persiste o es crónica como ocurre al fumar, con el asma o en asma o con la bronquitis crónica

Consulte con un médico o farmacéutico antes de administrarlo, si usted toma el medicamento warfarin para el adelgazamiento de la sangre.

Al consumir este medicamento no exceda la dosis de consumo recomendada.

Déjele de tomar este medicamento y consulte con el médico si:

- si produce náuseas, mareos o dificultad para dormir
- si dolor de cabeza o la congestión nasal empeora o persiste por más de 7 días
- si mejora la fiebre o persiste por más de 3 días
- si presenta entumecimiento o hinchazón
- si aparecen nuevos síntomas

Si los síntomas se presentan con sangrado o dolor de cabeza persistentes. Estos pueden ser señales de serios problemas.

Si está embarazada o en periodo de lactancia, consulte la opinión de un médico antes de consumir este producto.

Mantenga este y todos los medicamentos fuera del alcance de los niños. En caso de copiar una sobredosis, comuníquese de inmediato con un médico o llame a un centro de control de envenenamiento (Poison Control Center). La información médica es crítica tanto en adultos como en niños así como cuando usted no sabe señalar a sí mismo.

Instrucciones

- no exceda la dosis de consumo recomendada
- tome 2 comprimidos cada 4 horas
- no consuma más de 10 comprimidos en 24 horas
- consulte al médico

Rev. 7/2022, Mfg. 24

Información del medicamento (continuación)

Otra información

- conserve a temperatura 25°C (77°F); en excursions se permite entre 15°-30°C (59°-86°F)
- empacado con sellado evidente
- no use ningún paquete abierto o roto

Ingredientes Inactivos

amidon de maíz, crospovidona, amarillo FDC #6 lago de aluminio, estearato de magnesio, maltodextrina, celulosa microcristalina, polidimetilsiloxano, alcohol polivinílico, polidimetilsiloxano, dióxido de silicio, óxido de zinc, óxido de aluminio, ácido estearico, sales, dióxido de titanio

¿Tiene alguna pregunta o comentario? Llame al 1-800-869-6379

PMS 124

PMS 286

Drug Facts (continued)

Directions

- do not take more than directed
- Adults and Children 12 years and over: take 2 capsules every 4 hours
- Children under 12 years: ask a doctor

Multi-Symptom Cold relief

Acetaminophen/Acetaminofeno 325 mg
Dextromethorphan Hydrobromide de dextrometorfan 10 mg
Phenylephrine HCl/Hidrocloreto de fenylefrina 5 mg

Pain reliever/fever reducer Multi-Symptom Relief
Alivia el dolor, reduce la fiebre, alivia el resaca

GREEN GUARD

40 Packets of 2 Caplets
Order #2580

Drug Facts (continued)

Active ingredient (in each caplet)

Active ingredient	Purpose
Dextromethorphan Hydrobromide 10 mg	Cough suppressant
Phenylephrine Hydrochloride 5 mg	Nasal decongestant

Uses

- temporarily relieves these symptoms due to the common cold
- headache
- nasal congestion
- cough
- minor aches and pains
- sore throat
- sinus congestion and pressure
- helps loosen phlegm (mucus) and ease bronchial secretions to temporarily reduce fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

MULTI-SYMPTOM COLD RELIEF

acetaminophen, dextromethorphan hbr, phenylephrine hcl , guaifenesin , , tablet, film coated

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:47682-047
Route of Administration	ORAL		

Active Ingredient/Active Moiety	Ingredient Name	Basis of Strength	Strength
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE		5 mg
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN		325 mg
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE		10 mg
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN		100 mg

Inactive Ingredients	Ingredient Name	Strength
CROSPVIDONE (UNII: 2S7830E561)		
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)		
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)		
POVIDONE (UNII: FZ989GH94E)		
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)		
MALTODEXTRIN (UNII: 7CVR7L4A2D)		
STARCH, CORN (UNII: O8232NY3SJ)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		

SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
TALC (UNII: 7SEV7J4R1U)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	

Product Characteristics

Color	orange	Score	no score
Shape	CAPSULE (Caplet)	Size	17mm
Flavor		Imprint Code	44;546
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:47682-047-80	40 in 1 BOX	09/26/2022	
1	NDC:47682-047-99	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:47682-047-47	100 in 1 BOX	09/26/2022	
2	NDC:47682-047-99	2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	09/26/2022	

Labeler - Unifirst First Aid Corporation (832947092)

Revised: 6/2024

Unifirst First Aid Corporation