

ACID REDUCER 150- ranitidine hydrochloride tablets 150mg tablet, coated
Safeway Inc

Drug Facts

Active ingredient (in each tablet)

Ranitidine 150 mg (as ranitidine hydrochloride, USP 168 mg)

Purpose

Acid reducer

Use(s)

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

Warnings

Allergy alert: Do not use if you are allergic to ranitidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

Stop use and ask doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 12 years and over:
 - to **relieve** symptoms, swallow 1 tablet with a glass of water
 - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
 - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

Other information

- do not use if printed foil under bottle cap is open or torn
- store at 20°-25°C (68°-77°F)
- avoid excessive heat or humidity
- protect from light
- this product is sugar free

Inactive ingredients

FD&C red #40 aluminum lake, hypromellose, iron oxide black, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide


Questions

call **1-888-375-3784**

SEALED WITH PRINTED FOIL UNDER CAP FOR YOUR PROTECTION.

IMPORTANT: Read the directions, consumer information leaflet and warnings before use. Keep the carton. It contains important information.

container label



CARTON LABELING - PRINCIPAL DISPLAY PANEL



Signature CareTM
Quality Guaranteed

NDC 21130-404-34

**Maximum Strength
Ranitidine Tablets
USP, 150 mg**

Acid Reducer

Prevents & relieves heartburn associated with acid indigestion & sour stomach

24 TABLETS (24 DOSES)

SEAL WITH PRINTED FOIL UNDER CAP FOR YOUR PROTECTION
IMPORTANT: This label does not contain full product information. See carton for complete information. Read the directions, consumer information leaflet and warnings before use. Retain carton for reference.

Active ingredient (in each tablet): Ranitidine 150 mg (as ranitidine hydrochloride, USP 168 mg). **Purpose:** Acid reducer

Uses: ■ relieves heartburn associated with acid indigestion and sour stomach ■ prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages ■ prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

Warnings: **Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers. Do not use if you are allergic to ranitidine or other acid reducers. Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor, ■ with other acid reducers ■ if you have kidney disease, except under the advice and supervision of a doctor

Do not use: ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a more serious condition. ■ heartburn with lightheadedness, sweating or dizziness ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

Ask a doctor before use if you have: ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain ■ had heartburn over 3 months. This may be a sign of a more serious condition.

Other information: ■ do not use if printed foil under bottle cap is open or torn ■ store at 20°-25°C (68°-77°F) ■ avoid excessive heat or humidity ■ protect from light ■ this product is sodium and sugar free

Inactive ingredients: FD&C red #40 aluminum lake, hypromellose, iron oxide black, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide.

Questions? Call 1-888-375-3784

*This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals, Inc., distributor of Zantac 150[®] Tablets. Zantac 150[®] is a registered trademark of Boehringer Ingelheim Pharmaceuticals, Inc.

RD 15166 S4195



3 21130 78212 4

COATING FREE AREA

31
000033
9416

LOT

EXP

Signature CareTM Quality Guaranteed

**Maximum Strength
Ranitidine Tablets
USP, 150 mg**

Acid Reducer

Actual Size

Prevents & relieves heartburn associated with acid indigestion & sour stomach

24 TABLETS (24 DOSES)

DISTRIBUTED BY: BETTER LIVING BRANDS LLC
P.O. BOX 99 PLEASANTON, CA 94566-0099
1-888-723-3929 www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.

150060428

LOT

EXP

ACID REDUCER 150

ranitidine hydrochloride tablets 150mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-404(NDC:55111-404)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	150 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYPROMELLOSE 2910 (6 MPAS) (UNII: 0WZ8WG20P6)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
magnesium stearate (UNII: 70097M6B30)	
cellulose, microcrystalline (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)	
titanium dioxide (UNII: 15FIX9V2JP)	

Product Characteristics

Color	PINK	Score	no score
Shape	ROUND	Size	9mm
Flavor		Imprint Code	R150
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-404-34	1 in 1 CARTON	05/14/2012	
1		24 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:21130-404-50	1 in 1 CARTON	05/14/2012	
2		50 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:21130-404-02	1 in 1 CARTON	05/14/2012	
3		200 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078192	05/14/2012	

Labeler - Safeway Inc (009137209)