

**ACID REDUCER- ranitidine hydrochloride tablet**  
**Valu Merchandisers Company**

-----  
***Drug Facts***

***ACTIVE INGREDIENT (IN EACH TABLET)***

Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)

***PURPOSE***

Acid reducer

***USES***

- relieves heartburn associated with acid indigestion and sour stomach
- prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

***WARNINGS***

**Allergy alert:** Do not use if you are allergic to ranitidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers
- if you have kidney disease, except under the advice and supervision of a doctor

**Ask a doctor before use if you have**

- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

Ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

## ***DIRECTIONS***

- adults and children 12 years and over:
  - to **relieve** symptoms, swallow 1 tablet with a glass of water
  - to **prevent** symptoms, swallow 1 tablet with a glass of water **30 to 60 minutes before** eating food or drinking beverages that cause heartburn
  - can be used up to twice daily (do not take more than 2 tablets in 24 hours)
- children under 12 years: ask a doctor

## ***OTHER INFORMATION***

- **TAMPER EVIDENT: DO NOT USE IF THE CARTON OR PRINTED FOIL UNDER CAP IS OPEN OR TORN.**
- store at 20° - 25° C (68° - 77° F)
- avoid excessive heat or humidity
- this product is sodium and sugar free

## ***INACTIVE INGREDIENTS***

Colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, talc, titanium dioxide

## ***QUESTIONS?***

Call **1-800-406-7984**

## **PRINCIPAL DISPLAY PANEL**

†Compare to the active ingredient of Zantac 150<sup>®</sup>

***Best Choice<sup>®</sup> ...***

***Maximum Strength***

***ACID REDUCER***

***RANITIDINE TABLETS, USP 150 mg/ACID REDUCER***

***PREVENTS & RELIEVES HEARTBURN associated with acid indigestion and sour stomach***

***50 Tablets***

**DISTRIBUTED BY: VALU MERCHANDISERS, CO.**

**5092929/0112**

**Drug Facts**  
**Active ingredient (in each tablet)**  
 Ranitidine 150 mg (as ranitidine hydrochloride USP, 168 mg)  
**Purpose**  
 Acid reducer

**Uses**  
 ■ relieves heartburn associated with acid indigestion and sour stomach  
 ■ prevents heartburn associated with acid indigestion and sour stomach brought on by certain foods and beverages

**Warnings**  
 Do not use if you are allergic to ranitidine or other acid reducers  
**Allergy alert:** Do not use if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor  
 ■ with other acid reducers  
 ■ if you have kidney disease, except under the advice and supervision of a doctor

HEALTH CARE *Best Choice*

**Maximum Strength**  
**ACID REDUCER**

**RANITIDINE TABLETS, USP 150 mg/ACID REDUCER**

**PREVENTS & RELIEVES HEARTBURN associated with acid indigestion and sour stomach**

**50 Tablets**

*Compare to the active ingredient of Zantac 150®*

HEALTH CARE *Best Choice*

**Maximum Strength**  
**ACID REDUCER**

**RANITIDINE TABLETS, USP 150 mg/ACID REDUCER**

**50 Tablets**

**Directions**  
 adults and children 12 years and over:  
 ■ to relieve symptoms, swallow 1 tablet with a glass of water  
 ■ to prevent symptoms, swallow 1 tablet with a glass of water  
 food or drinking beverages that cause heartburn  
 can be used up to twice daily (do not take more than 2 tablets in 24 hours)  
 children under 12 years: ask a doctor

**Other information**  
 ■ TAMPER EVIDENT: DO NOT USE IF THE CARTON OR PRINTED FOIL UNDER CAP IS OPEN OR TORN.  
 ■ avoid excessive heat or humidity  
 ■ store at 20° - 25° C (68° - 77° F)  
 ■ this product is sodium and sugar free

**Inactive ingredients**  
 colloidal silicon dioxide, croscarmellose sodium, hypromellose, iron oxide red, magnesium stearate, microcrystalline cellulose, polyethylene glycol, talc, titanium dioxide

**Questions?** call 1-800-406-7984

Read the directions, consumer information leaflet and warnings before use. Keep the carton. It contains important information.

Expiration Date:  
 Batch No.



**BEST CHOICE**

0 700381634201 1

PRODUCED AND DISTRIBUTED BY:  
 VALU MERCHANTS, CO.  
 OVERLAND PARK, KS 66210  
 MADE IN INDIA

This product is not manufactured or distributed by Boehringer Ingelheim Pharmaceuticals Inc., owner of the registered trademark Zantac 150®.



www.awgbrands.com

0112

5092929

5092929

**Drug Facts (continued)**  
 Ask a doctor before use if you have  
 ■ frequent chest pain  
 ■ frequent wheezing, particularly with heartburn

## ACID REDUCER

ranitidine hydrochloride tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63941-351
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
RANITIDINE HYDROCHLORIDE (UNII: BK76465IHM) (RANITIDINE - UNII:884KT10YB7)	RANITIDINE	150 mg

### Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	pink	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	9R
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63941-351-08	8 in 1 CARTON		
1		1 in 1 BLISTER PACK		
2	NDC:63941-351-24	24 in 1 CARTON		
2		1 in 1 BLISTER PACK		
3	NDC:63941-351-50	1 in 1 CARTON		
3		50 in 1 BOTTLE		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA200536	03/30/2012	

**Labeler** - Valu Merchandisers Company (868703513)

## Establishment

Name	Address	ID/FEI	Business Operations
Shasun Pharmaceuticals Limited		915786829	manufacture(63941-351)

Revised: 1/2013

Valu Merchandisers Company