

EXCHANGE SELECT ALL DAY ALLERGY- cetirizine hydrochloride tablet, film coated
Army & Air Force Exchange Service

Perrigo Company All Day Allergy Drug Facts

Active ingredient (in each tablet)

Cetirizine HCl 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Inactive ingredients

corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to Zyrtec[®] active ingredient

ORIGINAL PRESCRIPTION STRENGTH

ALL DAY allergy

Cetirizine Hydrochloride Tablets, 10 mg/Antihistamine

INDOOR & OUTDOOR ALLERGIES

24 hour

24 HOUR RELIEF OF:

Sneezing

Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose

Actual Size

45 TABLETS 10 mg EACH

quality value

exchange **select**TM

ORIGINAL PRESCRIPTION STRENGTH

ALL DAY allergy

Cetirizine Hydrochloride Tablets, 10 mg
/Antihistamine

INDOOR & OUTDOOR
ALLERGIES

24
hour

24 HOUR RELIEF OF:

- Sneezing
- Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose



Actual Size

45 TABLETS
10 mg EACH

quality
value

Compare to Zyrtec[®]
active ingredient

Do not use if clamshell is open, or if printed
foil under cap of bottle is broken or missing

Store between 20-25°C (68-77°F).

**SATISFACTION GUARANTEED
OR YOUR MONEY BACK**

Packaged By: Perrigo Company
For: Your Military Exchanges
Allegan, MI USA 49010

Drug Facts

Active ingredient (in each tablet)	Purpose
Cetirizine HCl 10 mg.....	Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose ■ sneezing ■ itchy, watery eyes
■ itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

if pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use



Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	one 10 mg tablet once daily, do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Inactive ingredients corn starch, FD&C blue no. 1 aluminum lake, hypromellose, lactose monohydrate, magnesium stearate, polydextrose, polyethylene glycol, povidone, titanium dioxide, triacetin

Questions or comments? 1-800-719-9260

: 4H295 CZ C3

EXCHANGE SELECT ALL DAY ALLERGY

cetirizine hydrochloride tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:5530 1-076
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CETIRIZINE HYDROCHLORIDE (UNII: 640047KTOA) (CETIRIZINE - UNII:YO726 1ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics

Color	WHITE	Score	no score
Shape	OVAL	Size	10 mm
Flavor		Imprint Code	4H2

Contains**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55301-076-95	1 in 1 PACKAGE	05/13/2016	
1		45 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:55301-076-39	1 in 1 CARTON	08/29/2017	
2		30 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA078336	05/13/2016	

Labeler - Army & Air Force Exchange Service (001695568)

Revised: 12/2019

Army & Air Force Exchange Service