

SODIUM BICARBONATE ANTACID- sodium bicarbonate tablet

Rugby Laboratories

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

4621 - Rugby

Drug Facts

Active ingredient (in each tablet)

Sodium bicarbonate 5 gr (325 mg)

Purpose

Antacid

Uses

relieves

- acid indigestion
- heartburn
- sour stomach
- upset stomach associated with these symptoms

Warnings

Warnings

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

This package for households without young children. This package is intended for in-patient institutional use only. This package is not child resistant.

Each tablet contains: sodium 89 mg

Ask a doctor before use if you have a sodium restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug.

Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if symptoms last more than 2 weeks

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

- do not use the maximum dosage for more than 2 weeks
- tablets may be swallowed whole or dissolved in water prior to use
- **adults 60 years of age and over:** 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours
- **adults under 60 years of age:** 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours

Other information

- **each tablet contains:** sodium 89 mg
- store at room temperature 15° - 30°C (59° - 86° F)

Inactive ingredients

croscarmellose sodium, microcrystalline cellulose, silica, stearic acid, and talc

Questions or comments?

1-800-645-2158

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Distributed by:

Rugby Laboratories

17177 N Laurel Park Drive, Suite 293

Livonia, MI 48152

www.rugbylaboratories.com

Rev. 11/16 R-29

Rugby

NDC 0536-1046-10

Sodium Bicarbonate 5 gr (325 mg)

ANTACID

1000 WHITE TABLETS

THIS PACKAGE IS FOR HOUSEHOLDS WITHOUT YOUNG CHILDREN



THIS PACKAGE IS
FOR HOUSEHOLDS
WITHOUT
YOUNG CHILDREN

NDC 0536-1046-10

Sodium Bicarbonate

5 gr (325 mg)

ANTACID

1000 WHITE
TABLETS

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts	Purpose
Active ingredient (in each tablet) Sodium bicarbonate 5 gr (325 mg)	Antacid
Uses relieves: • acid indigestion • heartburn • sour stomach • upset stomach associated with these symptoms	
Warnings Ask a doctor before use if you have a sodium restricted diet. Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids may interact with certain prescription drugs. Stop use and ask a doctor if symptoms last more than 2 weeks. If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.	
Directions • do not use the maximum dosage for more than 2 weeks • tablets may be swallowed whole or dissolved in water prior to use • adults 60 years of age and over: 2-4 tablets every 4 hours, not more than 24 tablets in 24 hours • adults under 60 years of age: 2-8 tablets every 4 hours, not more than 48 tablets in 24 hours	
Other information • each tablet contains: sodium 89 mg • store at room temperature 15°-30°C (59°-86°F)	
Inactive ingredients croscarmellose sodium, microcrystalline cellulose, silica, stearic acid and talc	
Questions or comments? 1-800-645-2158	

Rev. 11/16 R-29



3 05361 04610 1

Re-order No. 370386

Distributed by:
Rugby Laboratories
17177 N Laurel Park Drive, Suite 233
Livonia, MI 48152
www.rugbylaboratories.com

9594-11-16

Lot / Exp. Date

SODIUM BICARBONATE ANTACID

sodium bicarbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0536-1046
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (SODIUM CATION - UNII:LYR4M0NH37)	SODIUM BICARBONATE	325 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TALC (UNII: 7SEV7J4R1U)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	10 mm

Flavor		Imprint Code	CPC76	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0536-1046-10	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/25/2015	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph final	part331	03/25/2015		

Labeler - Rugby Laboratories (079246066)

Revised: 12/2017

Rugby Laboratories