

**MY MEDIC CALENDULA- calendula officinalis flower extract gel**  
**Sled Distribution, LLC**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**81417-007 MY MEDIC CALENDULA GEL**

***Active ingredients***

Calendula Officinalis Flower Extract (4%)

**Purpose Section**

Relieves muscle pain and stiffness, swelling from injuries, discoloration from bruises.

***Uses***

temporarily relieve muscle pain and stiffness due to:

- minor injuries
- overexertion
- falls
- reduces symptoms of bruising such as
- discoloration
- pain
- swelling

***Warnings***

For external use only.

**Do not use if** you are allergic to Calendula or any of this product's inactive ingredients.

**When using this product**

- avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin
- dryness or irritation may occur
- use only as directed
- do not tightly wrap or bandage the treated area
- do not apply heat or ice to the treated area immediately before or after use.

**Stop use and ask a doctor if**

- conditions persist for more than 3 days or worsens
- symptoms clear up and occur again within a few days

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.

## Other information


do not use if the sachet seal is broken.

## Inactive ingredients

White Petroleum, Water



Topical



3.5 g  
(.125 fl oz)



EXPERIENCE ELEVATED FIRST AID

Drug Facts	
<b>Active ingredients</b> Calendula Officinalis flower extract (4%)	<b>Purpose</b> Relieves muscle pain & stiffness, swelling from injuries, discoloration from bruises
<b>Uses</b> ■ temporarily relieves muscle pain and stiffness due to: ■ minor injuries ■ overexertion ■ falls ■ reduces symptoms of bruising such as: ■ discoloration ■ pain ■ swelling	
<b>Warnings</b> For external use only. <b>Do not use</b> if you are allergic to Calendula or any of this product's inactive ingredients.	
<b>When using this product</b> ■ avoid contact with eyes, mucous membranes, wounds, damaged or irritated skin ■ dryness or irritation may occur ■ use only as directed ■ do not tightly wrap or bandage the treated area ■ do not apply heat or ice to the treated area immediately before or after use.	
<b>Stop use and ask a doctor if</b> ■ conditions persist for more than 3 days or worsen ■ symptoms clear up and occur again within a few days.	
<b>Keep out of reach of children</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>Directions</b> Apply a thin layer of gel to affected area as soon as possible after minor injury. Repeat 3 times a day or as needed. If heat or ice is applied, wait 5 minutes before applying ointment.	
<b>Other information</b> do not use if the sachet seal is broken.	
<b>Inactive ingredients</b> White Petroleum, Water	

MFG:  
EXP:

SCAN ME  
FOR MORE KNOWLEDGE,  
SKILLS, & REFILLS

Designed with ❤️ in Salt Lake City  
MADE IN CHINA [www.mymedic.com](http://www.mymedic.com)  
DISTRIBUTED BY: SLED DISTRIBUTION  
LLC DBA MYMEDIC 100 North Redwood  
Rd, Ste. A, North Salt Lake, UT 84054



## MY MEDIC CALENDULA

calendula officinalis flower extract gel

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81417-007
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>CALENDULA OFFICINALIS FLOWER</b> (UNII: P0M7O4Y7YD) (CALENDULA OFFICINALIS FLOWER - UNII:P0M7O4Y7YD)	CALENDULA OFFICINALIS FLOWER	4 g in 100 g

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>WHITE PETROLATUM</b> (UNII: B6E5W8RQJ4)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:81417-007-01	3.5 g in 1 POUCH; Type 0: Not a Combination Product	08/29/2022	

**Marketing Information**

<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
unapproved homeopathic		08/29/2022	

**Labeler** - Sled Distribution, LLC (079772888)

Revised: 1/2024

Sled Distribution, LLC