ALLERGY AND CONGESTION RELIEF- loratadine, pseudoephedrine sulfate tablet, film coated, extended release Kroger Company

Kroger Co. Allergy & Congestion Relief Drug Facts

Active ingredients (in each tablet)

Loratadine 5 mg

Pseudoephedrine sulfate 120 mg

Purpose

Antihistamine

Nasal decongestant

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
- sneezing
- itchy, watery eyes
- runny nose
- itching of the nose or throat
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing through the nose

Warnings

Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

• do not divide, crush, chew or dissolve the tablet

adults and children 12 years and over	1 tablet every 12 hours; not more than 2 tablets in
	24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- each tablet contains: calcium 25 mg
- do not use if blister unit is broken or torn
- store between 20° to 25°C (68° to 77°F)
- keep in a dry place

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate, hypromellose, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

Questions or comments?

1-800-632-6900

Package/Label Principal Display Panel

COMPARE TO the active ingredients of CLARITIN-D® 12 HOUR

See bottom panel

OUR PHARMACIST RECOMMENDED

Non-Drowsy*

Allergy & Congestion Relief

actual size

RELIEF OF:

Nasal & Sinus Congestion Due to Colds & Allergies

Sneezing; Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose Due to Allergies

Pseudoephedrine Sulfate 120 mg/Nasal Decongestant

Loratadine 5 mg/Antihistamine

Extended-Release Tablets

Indoor & Outdoor Allergies

12 HOUR

30 EXTENDED-RELEASE TABLETS

*When taken as directed. See Drug Facts Panel.



Non-Drowsy* Allergy &

Congestion Relief

Pseudoephedrine Sulfate 120 mg/ Nasal Decongestant Loratadine 5 mg/Antihistamine **Extended-Release Tablets**



When taken as directed See Drug Facts Panel.

COMPARE TO the active ingredients of CLARITIN-D® 12 HOUR **See bottom panel



NDC 30142-786-65

Non-Drowsy* Allergy & **Congestion Relief**

Pseudoephedrine Sulfate 120 mg/ Nasal Decongestant Loratadine 5 mg/Antihistamine **Extended-Release Tablets**

Indoor & Outdoor Allergies

*When taken as directed. See Drug Facts Panel.



RELIEF OF:

Nasal & Sinus Congestion Due to Colds or Allergies

Sneezing; Runny Nose Itchy, Watery Eyes Itchy Throat or Nose **Due to Allergies**

30 EXTENDED-RELEASE

Drug Facts

Active ingredients (in each tablet) Purpose Loratadine 5 mg......

Pseudoephedrine sulfate 120 mg......Nasal decongestant

Uses

- temporarily relievies these symptoms duie to hay fever or other upper respiratory allergies:
- sneezin g itchy, w atery eyes itching of the nose or throat
- temporarily relieves nasal congestion due to fie common cold, hay fever or other upper respiratory allergies ■ reduces s welling of n as al p as sages
- temporarily relieves sinus congestion and pressure
- temporarily restores freer breathing for ough the nose

Warnings

Donot use

- if you have ever had an allergic reaction to this product or any of its ingredients
- i fyou are now taking a prescription monoamine oxidas e i nhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkins on's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist beforetaking this product.

Ask a doctorb efore use if you have

- heart disease thyroid disease high blood pressure
- diabetes trouble urinating due to an enlarged prostate gland liver or kidney diseas e. Your doctor should determine if you ■ diabetes
- næd adiferent dose.

Drug Facts (continued)

When using this product don ot take more than directed. Taking more than directed may cause drows iness

Stop use and ask a doctor if

- an allengic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by
- nervous ness, diz ziness or s leeples sness occurs

If pregnant or breast-feeding, as k a health professional before use. Keep out of reach of children. In case of overdose, getmedical help or contact a Poison Control Cen ter right away (1-800-222-1222).

Directions ■ do not divide, crush, chew ordissolve the tablet 1 tablet every 12 hours; not more than 2 tablets in 24 hours adults and children 12 years and over children under 12 years of age ask adoctor consumers with liver or ask adoctor

Oth er information

- each tab let contain s: calcium 25 mg
- do not use if blister unit is broken or torn store between 2 0° to 25° C (68° to 7 7°F) leep in a dry place

kidnev disease

Inactive ingredients cros carmellose sodium, dibasic calcium phosphate, hypromellos e, lactose monohydrate, magnesium stearate, pharmaceutical ink, povidone, titanium dioxide

Drug Facts (continued)

Questions or comments? 1-800-632-6900

**This product is not manufactured or distributed by BayerHealthCare LLC, distributor of Claritin-D® 12 hour.

DISTRIBUTED BY THE KROGER CO. CINCINNATI, OHIO 45202 QUALITY GUARANTEE 800-632-6900 | www.kroger.com

GLUTEN FREE





ALLERGY AND CONGESTION RELIEF

loratadine, pseudoephedrine sulfate tablet, film coated, extended release

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:30142-786
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Stre	ength Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	5 mg
PSEUDO EPHEDRINE SULFATE (UNII: Y9 DL7QPE6B) (PSEUDO EPHEDRINE - UNII:7CUC9 DDI9F)	PSEUDO EPHEDRIN SULFATE	NE 120 mg

Inactive Ingredients		
Ingredient Name	Strength	
CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)		
ANHYDRO US DIBASIC CALCIUM PHO SPHATE (UNII: L11K75P92J)		
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)		
MAGNESIUM STEARATE (UNII: 70097M6I30)		
PO VIDONE, UNSPECIFIED (UNII: FZ989GH94E)		
TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)		

Product Characteristics			
Color	WHITE (to off-white)	Score	no score
Shape	ROUND	Size	12mm
Flavor		Imprint Code	7U0
Contains			

Packaging			
# Item Code	Package Description	Marketing Start Date	Marketing End Date
1 NDC:30142-786-65	30 in 1 CARTON	05/18/2018	
1	1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076050	05/18/2018	

Revised: 11/2020 Kroger Company