

**PRADA REVEAL SKIN OPTIMIZING FOUNDATION BROAD SPECTRUM SPF 17
SUNSCREEN- ensulizole liquid
L'Oreal USA Products Inc**

Drug Facts

Active ingredient

Ensulizole 2.7%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:


- shake well before use
- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

dimethicone, water, isododecane, alcohol denat., trimethylsiloxysilicate, propylene glycol, PEG/PPG-18/18 dimethicone, glycerin, niacinamide, silica, synthetic fluorophlogopite, polysilicone-11, hydroxyethylpiperazine ethane sulfonic acid, sodium chloride, phenoxyethanol, PEG-10 dimethicone, silica silylate, sodium hydroxide, disodium stearyl glutamate, tocopherol, fragrance, alpha-glucan oligosaccharide, aluminum hydroxide, polymnia sonchifolia root juice, limonene, maltodextrin, alpha-isomethyl ionone, lactobacillus, geraniol, citronellol, citric acid; may contain: titanium dioxide, iron oxides



394

PRADA REVEAL
SKIN OPTIMIZING FOUNDATION

LC10 LN3

MN47 MW40

DN70 DN75

DR. MICRO FILTER™ TECH (0.01%)
INSTANTLY
SWEATENLY
HYDRATING

Defines skin. Optimizes light reflection. Blurs pores and fine lines. All day color wear. Transfer resistant.

[LACTOBACILLUS EXTRACT COMPLEX + NACONAMIDE + VITAMIN E]
HYDRATING

Improves overall skin look. Provides a moisturized skin feel. Refillable skin benefit.

PRADA
REVEAL THE EXPERIENCE

Drug Facts	Drug Facts (continued)	Drug Facts (continued)
Active ingredient Purpose Cinnamylidene 2,2,6,6-tetramethylpiperidine-1-oxyl 3%	Directions For everyday use: • Shake gently. • Apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use in your natural complexion or reapply or reapply. See Precaution Measures.	Other information • Protect the product in its container from excessive heat and direct sun.
Uses • Help prevent sunburn. • If used as directed with other sun protection measures may temporarily decrease the risk of skin cancer and early skin aging caused by the sun.	Warnings For external use only. • Flammable until dry. Do not use near fire, flame or heat. • Avoid contact with eyes. • Do not use on damaged or broken skin. • After using this product, wash your face with soap and water. Stop use and ask a doctor if you notice: • Irritation, redness, or dryness. • Rash, hives, or other allergic reactions. • Prolonged contact with eyes.	Inactive ingredients Cinnamylidene 2,2,6,6-tetramethylpiperidine-1-oxyl, alcohol denat., isobutylacrylate, isopropyl alcohol, PEG-9G, SLS, dimethicone, glycerin, hexamethylsiloxane, synthetic fluorochemical polymers, polybutene-1, dimethylsiloxane, stearic acid, sodium chloride, phenoxyethanol, PEG-10 dimethicone, silica, octyldodecyl myristate, polybutene-1, alpha-glyceryl acrylate, polybutene-1, aluminum hydroxide, phenoxyethanol and zinc, hexamethylsiloxane, dimethylsiloxane, hexadecane, glycerin, cinnamylidene 2,2,6,6-tetramethylpiperidine-1-oxyl, titanium dioxide, zinc oxide.
Precaution Measures • Avoid contact with eyes. • Avoid contact with water. • Avoid contact with other products. • Avoid contact with heat. • Avoid contact with fire.	Directions (continued) • For everyday use: • Shake gently. • Apply liberally 15 minutes before sun exposure. • Reapply at least every 2 hours. • Use in your natural complexion or reapply or reapply. See Precaution Measures.	Other information (continued) • Protect the product in its container from excessive heat and direct sun.

QUESTIONS OR COMMENTS? CONTACT: PRADA BEAUTY, 10 HAZEN TOWER, NEW YORK, NY 10017
NOT FOR SALE FOR AESTHETIC PURPOSES ONLY. QUANTITY MAY VARY FOR SUNSCREEN PROTECTION.



PRADA BEAUTY/COM
6 x 0.55 g (6 x 0.01 OZ.)

USA Distribution: **3 614 273 715 614**

PRADA BEAUTY LUXURY PRODUCTS LLC
NEW YORK, N.Y. 10017
PRADA BEAUTY LUXURY PRODUCTS LLC
PARIS, FRANCE 75001
© 2015 PRADA BEAUTY LUXURY PRODUCTS LLC

MADE IN FRANCE

PRADA REVEAL
SKIN OPTIMIZING FOUNDATION
ENVIRONMENTAL SUNSCREEN
BROAD SPECTRUM SPF 17



PRADA REVEAL SKIN OPTIMIZING FOUNDATION BROAD SPECTRUM SPF 17 SUNSCREEN

ensulizole liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-380
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ENSULIZOLE (UNII: 9YQ9DI1W42) (ENSULIZOLE - UNII:9YQ9DI1W42)		ENSULIZOLE	27 mg in 1 mL

Inactive Ingredients			
Ingredient Name			Strength
DIMETHICONE (UNII: 92RU3N3Y1O)			
WATER (UNII: 059QF0KO0R)			

ISODODECANE (UNII: A8289P68Y2)
ALCOHOL (UNII: 3K9958V90M)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
GLYCERIN (UNII: PDC6A3C0OX)
NIACINAMIDE (UNII: 25X5118RD4)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
HYDROXYETHYLPIPERAZINE ETHANE SULFONIC ACID (UNII: RWW266YE9I)
SODIUM CHLORIDE (UNII: 451W47IQ8X)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
SODIUM HYDROXIDE (UNII: 55X04QC32I)
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)
TOCOPHEROL (UNII: ROZB2556P8)
.ALPHA.-GLUCAN OLIGOSACCHARIDE (UNII: S95658MI3W)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
MALTODEXTRIN (UNII: 7CVR7L4A2D)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
LACTOBACILLUS ACIDOPHILUS BCMC 12130 (UNII: MVC2243UZ X)
GERANIOL (UNII: L837108USY)
CITRONELLOL ACETATE, (S)- (UNII: 78RZL4H51H)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-380-01	1 in 1 CARTON	06/01/2023	05/14/2027
1		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:49967-380-02	3 mL in 1 PACKAGE; Type 0: Not a Combination Product	06/01/2023	02/28/2027
3	NDC:49967-380-03	1 mL in 1 PACKET; Type 0: Not a Combination Product	06/01/2023	
4	NDC:49967-380-04	3 mL in 1 PACKET; Type 0: Not a Combination Product	01/02/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	06/01/2023	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
SICOS ET CIE		276993581	manufacture(49967-380)

Establishment

Name	Address	ID/FEI	Business Operations
BPS 60		272259304	pack(49967-380)

Establishment

Name	Address	ID/FEI	Business Operations
Socoplan		276221405	pack(49967-380)

Revised: 7/2025

L'Oreal USA Products Inc