DG HEALTH DUAL ACTION COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable Dolgencorp Inc

Dolgencorp, LLC Dual Action Complete Drug Facts

Active ingredients (in each chewable tablet)

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

Purpose

Acid reducer

Antacid

Use

relieves heartburn associated with acid indigestion and sour stomach

Warnings

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Stop use and ask a doctor if

• your heartburn continues or worsens

• you need to take this product for more than 14 days

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults and children 12 years and over:
- do not swallow tablet whole: chew completely
- to relieve symptoms, chew 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 330 mg; magnesium 70 mg
- Phenylketonurics: Contains Phenylalanine 2.2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Inactive ingredients

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments?

1-888-309-9030

Principal Display Panel

Compare to the active ingredients of Pepcid Complete®

Dual Action Complete

Famotidine 10mg/Calcium Carbonate 800 mg/Magnesium Hydroxide 165 mg Tablets (Chewable)

Acid Reducer + Antacid

Just One Tablet: Relieves Heartburn Due to Acid Indigestion

Berry Flavor

25 Chewable Tablets

Actual Tablet Size



Compare to the active ingredients of Pepcid Complete®*

Dual Action Complete

Famotidine 10mg/Calcium Carbonate 800mg/ Magnesium Hydroxide 165mg Tablets (Chewable)

Acid Reducer + Antacid Just One Tablet: Relieves Heartburn Due to Acid Indigestion

Berry Flavor

Tips for Managing Heartburn · Do not lie flat or bend over

- after eating
- . Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods. chocolate, caffeine, alcohol, and certain fruits and vegetables
- · Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

25 Chewable **Tablets** Actual Tablet Size

: 32163 VT F2

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredients (in each chewable tablet)

Purpose

Famotidine 10 mg.....Acid reducer Calcium carbonate 800 mg......Antacid Magnesium hydroxide 165 mg......Antacid

Use relieves heartburn associated with acid indigestion and sour stomach

Allergy alert: Do not use if you are allergic to famotidine or other acid reducers

Do not use if you have trouble or pain swallowing food. vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.

with other acid reducers

Ask a doctor before use if you have ■ had heartburn over 3 months. This may be a sign of a more serious condition.

- heartburn with lightheadedness, sweating, or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness ■ frequent chest pain ■ frequent wheezing, particularly with heartburn ■ unexplained weight loss ■ nausea or vomiting ■ stomach pain

Ask a doctor or pharmacist before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Drug Facts (continued)

Directions

- adults and children 12 years and over:
 - do not swallow tablet whole: chew completely
 - to relieve symptoms, chew 1 tablet before swallowing
 - do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

Other information

- each tablet contains: calcium 330 mg; magnesium 70 mg
- Phenylketonurics: Contains Phenylalanine 2.2 mg per tablet
- read the directions and warnings before use
- read the bottle label. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

Drug Facts (continued)

Inactive ingredients anhydrous lactose, artificial berryflavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminu m lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get



medical help or contact a Poison Control Center right away (1-800-222-1222).

PEEL BACK HERE

stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

Questions or comments? 1-888-309-9030

*This product is not manufactured or distributed by McNeil Consumer Pharmaceuticals Co., distributor of Pepcid Complete®.

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072 USA

Satisfaction Guaranteed! (888) 309-9030

DG HEALTH DUAL ACTION COMPLETE

famotidine, calcium carbonate and magnesium hydroxide tablet, chewable

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55910-321

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
FAMO TIDINE (UNII: 5QZO 15J2Z8) (FAMOTIDINE - UNII:5QZO 15J2Z8)	FAMOTIDINE	10 mg
MAGNESIUM HYDRO XIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6 V3LHY838, HYDRO XIDE ION - UNII:9159 UV381P)	MAGNESIUM HYDRO XIDE	165 mg
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	800 mg

Inactive Ingredients Ingredient Name Strength ASPARTAME (UNII: Z0HZ42BBR1) DEXTRATES (UNII: G263MI44RU) GLYCERYL MONOSTEARATE (UNII: 230 OU9 XXE4) MICROCRYSTALLINE CELLULO SE (UNII: OP1R32D61U) ANHYDRO US LACTO SE (UNII: 3S Y5LH9 PMK) LACTO SE MONO HYDRATE (UNII: EWQ57Q815X) MAGNESIUM STEARATE (UNII: 70097M6130) POLYSORBATE 80 (UNII: 6OZP39 ZG8 H) POVIDONE (UNII: FZ989 GH94E) TALC (UNII: 7SEV7J4R1U)

Product Characteristics

Color	PINK (mottled)	Score	no score
Shape	ROUND (bi-layered)	Size	17mm
Flavor	BERRY	Imprint Code	L321
Contains			

Packaging				
# Item Code	Package Description	Marketing Start Date	Marketing End Date	
1 NDC:55910-321-52	10 in 1 BOTTLE; Type 0: Not a Combination Product	07/16/2009		
2 NDC:55910-321-63	25 in 1 BOTTLE; Type 0: Not a Combination Product	06/24/2013		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	07/16/2009	

Labeler - Dolgencorp Inc (068331990)

Revised: 12/2019 Dolgencorp Inc