

**MEDERMA FOR KIDS- allantoin gel**  
**HRA PHARMA AMERICA, INC.**

-----  
**Mederma for kids *DRUG FACTS***

**Active Ingredients**

Allantoin 1%

**Purpose**

Skin Protectant

**Uses**

- Temporarily protects and helps relieve chapped or cracked skin

**Warnings**

- **For external use only**

**When using this product**

- Do not get into eyes

**Stop use and ask a doctor if**

- Condition worsens
- Symptoms last more than 7 days or clear up and occur again within a few days

**Do not use on**

- Deep or punctured wounds
- Animal bites
- Serious burns

**Keep out of reach of children**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply as needed

**Other Information**

- Store at room temperature

### **Inactive Ingredients**

- Water, PEG-4, Xanthan Gum, Alcohol, Allium Cepa (Onion) Bulb Extract, Fragrance, Methylparaben, Sorbic Acid, Ext. Violet 2, Red 4, Sodium Chloride, Sodium Sulfate

### **Questions or Comments?**

- For more information call 1-833-426-6733 or visit [www.mederma.com](http://www.mederma.com)

### **PRINCIPAL DISPLAY PANEL**

MEDERMA® for Kids™

Clinically shown to visibly reduce the appearance of scars

For Ages 2+

goes on purple & rubs in clear

Unique Triple-Action Formula with kid-friendly scent

No 1 Pediatrician recommended scar brand

Skin Protectant

1 x GEL TUBE

NET WT. 0.7 Oz (20g)

Art-Nr. 60149  
 MN 65653  
 MC 602



# MEDERMA<sup>®</sup> for kids<sup>™</sup>

Clinically shown to visibly reduce the appearance of scars

For Ages 2+

goes on purple & rubs in clear



Unique Triple-Action Formula with kid-friendly scent

Effective treatment, with Cepalin<sup>®</sup> botanical extract for old and new scars caused by:

- Cuts & Scrapes ▾
- Stitches ▾
- Burns ▾
- Surgery ▾

Unique Triple-Action Formula penetrates beneath the surface of the skin to help:

- Collagen production ▾
- Cell renewal ▾
- Lock-in moisture ▾

Mederma<sup>®</sup> for Kids<sup>™</sup> is for use on children 2-12 years of age. Ask your doctor before use on children under the age of 2.

#### DRUG FACTS

ACTIVE INGREDIENTS	PURPOSE
Allantoin 1%	Skin Protectant

**USES** • Temporarily protects and helps relieve chapped or cracked skin

**WARNINGS** • For external use only

When using this product • Do not get into eyes

Step use and ask a doctor if • Condition worsens • Symptoms last more than 7 days or clear up and occur again within a few days

Do not use on • Deep or punctured wounds • Animal bites • Serious burns  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

**DIRECTIONS** • Apply as needed

**OTHER INFORMATION** • Store at room temperature

**INACTIVE INGREDIENTS** • Water, PEG-4, Xanthan Gum, Alcohol, Allium Cepa (Onion) Bulb Extract, Fragrance, Methylparaben, Sorbic Acid, Ext. Violet 2, Red 4, Sodium Chloride, Sodium Sulfate

**QUESTIONS OR COMMENTS?** • For more information call 1-833-426-6733 or visit [www.mederma.com](http://www.mederma.com)

#### For best results:

Start to use Mederma<sup>®</sup> for Kids<sup>™</sup> as soon as their wound has closed and apply evenly at least 3 times a day for:

- ▾ 8 weeks on new scars
- ▾ 3 – 6 months on old scars

\*No. 1 recommended brand of scar reduction treatments

**Skin Protectant**  
 1x GEL TUBE  
 NET WT. 0.7 Oz (20g)

**No. 1**  
 Pediatrician recommended scar brand\*

Manufactured for Laboratoire HRA Pharma  
 Distributed by: HRA Pharma America, Inc.  
 Morristown, NJ 07960.  
 Made in Germany.  
 Mederma<sup>®</sup> is a registered trademark of HRA Pharma.

Guaranteed results or your money back

Lot  
 Exp. Date



8 10000 31807 0



## MEDERMA FOR KIDS

allantoin gel

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:73302-202
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
Allantoin (UNII: 344S277G0Z) (Allantoin - UNII:344S277G0Z)	Allantoin	1 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
Water (UNII: 059QF0KO0R)	
Polyethylene Glycol 200 (UNII: R95B8J264J)	
Xanthan Gum (UNII: TTV12P4NEE)	
Alcohol (UNII: 3K9958V90M)	
Onion (UNII: 492225Q21H)	
Methylparaben (UNII: A218C7HI9T)	
Sorbic Acid (UNII: X045VJ989B)	
Ext. D&C Violet No. 2 (UNII: G5UX3K0728)	
Fd&C Red No. 4 (UNII: X3W0AM1JLX)	
Sodium Chloride (UNII: 451W47IQ8X)	
Sodium Sulfate (UNII: 0YPR65R21J)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73302-202-20	1 in 1 CARTON	10/01/2020	
1		20 g in 1 TUBE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M016	10/01/2020	

**Labeler - HRA PHARMA AMERICA, INC. (081160441)**

Revised: 1/2025

HRA PHARMA AMERICA, INC.