

WALGREEN- bismuth subsalicylate tablet, chewable
WALGREEN COMPANY

Walgreen Soothe Bismuth Subsalicylate Chewable Tablets

Drug Facts

Active ingredient (in each chewable tablet)

Bismuth subsalicylate 262 mg

Purpose

Anti-diarrheal / upset stomach reliever

Uses

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- gas
- belching
- fullness

Warnings

Reye's syndrome:Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert:Contains salicylates. Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

Ask a doctor before use if you have

- fever
- mucus in the stool

Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

Directions

- chew or dissolve tablet in mouth
- **adults and children 12 years and over:** 2 tablets every 1/2 to 1 hour as needed. Do not exceed 8 doses (16 tablets) in 24 hours.
- use until diarrhea stops, but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- **children under 12 years:** ask a doctor

Other information

- each tablet contains: **salicylate 102 mg**
- store at room temperature
- avoid excessive heat

Inactive ingredients

flavor, magnesium stearate, maltodextrin, microcrystalline, cellulose, red #27 (Al-lake), sorbitol, sucralose.

Questions or comments?

Call **1- 866-467-2748**

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TEMPERING.

*Walgreen Pharmacist Recommended Walgreens Pharmacist Survey.

††This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Pepto-Bismol[®]

DISTRIBUTED BY: **WALGREEN CO.**

WALGREEN

bismuth subsalicylate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-9124
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD1I8YE, SALICYLIC ACID - UNII:O414PZ4LPZ)	BISMUTH SUBSALICYLATE	262 mg

Inactive Ingredients

Ingredient Name	Strength
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	pink	Score	no score
Shape	ROUND	Size	16mm
Flavor		Imprint Code	RP124
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-9124-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/05/2019	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/05/2019	

Labeler - WALGREEN COMPANY (008965063)

