# WALGREEN- bismuth subsalicylate tablet, chewable WALGREEN COMPANY

-----

## Walgreen Soothe Bismuth Subsalicylate Chewable Tablets

## **Drug Facts**

### Active ingredient (in each chewable tablet)

Bismuth subsalicylate 262 mg

### **Purpose**

Anti-diarrheal / upset stomach reliever

#### Uses

relieves:

- travelers' diarrhea
- diarrhea
- upset stomach due to overindulgence in food and drink, including:
- heartburn
- indigestion
- nausea
- qas
- belching
- fullness

## Warnings

**Reye's syndrome:** Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

**Allergy alert:** Contains salicylates. Do not take if you are:

- allergic to salicylates (including aspirin)
- taking other salicylate products

## Do not use if you have

- an ulcer
- a bleeding problem
- bloody or black stool

## Ask a doctor before use if you have

- fever
- mucus in the stool

## Ask a doctor or pharmacist before use if you are taking any drug for

- anticoagulation (thinning the blood)
- diabetes
- gout
- arthritis

When using this product a temporary, but harmless, darkening of the stool and/or tongue may occur.

#### Stop use and ask a doctor if

- symptoms get worse or last more than 2 days
- ringing in the ears or loss of hearing occurs
- diarrhea lasts more than 2 days

If pregnant or breast-feeding, ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222.

#### **Directions**

- chew or dissolve tablet in mouth
- adults and children 12 years and over: 2 tablets every 1/2 to 1 hour as needed.

Do not exceed 8 doses (16 tablets) in 24 hours.

- use until diarrhea stops, but not more than 2 days
- drink plenty of clear fluids to help prevent dehydration caused by diarrhea
- children under 12 years: ask a doctor

#### Other information

- each tablet contains: salicylate 102 mg
- store at room temperature
- avoid excessive heat

## Inactive ingredients

flavor, magnesium stearate, maltodextrin, microcrystalline, cellulose, red #27 (Al-lake), sorbitol, sucralose.

#### Questions or comments?

Call 1-866-467-2748

# TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TEMPERING.

\*Walgreen Pharmacist Recommended Walgreens Pharmacist Survey.

 $^{\dagger\dagger}$ This product is not manufactured or distributed by Procter & Gamble, owner of the registered trademark Pepto-Bismol $^{\circledR}$ 

DISTRIBUTED BY: WALGREEN CO.

200 WILMOT RD., DEERFIELD, IL 60015

**100% SATISFACTION GUARANTEED** 

walgreens.com © 2018 Walgreen Co.

NDC 0363-9124-30

Walgreens

Soothe<sup>®</sup>

**BISMUTH SUBSALICYLATE, 262 MG** 

**UPSET STOMACH RELIEVER / ANTI-DIARRHEAL** 

**30 CHEWABLE TABLETS** 

Multi-symptom relief of nausea, heartburn, indigestion, upset stomach & diarrhea \*Compare to Pepto-Bismol® active ingredient††



## **WALGREEN**

bismuth subsalicylate tablet, chewable

#### **Product Information**

NDC:0363-9124 **Product Type** HUMAN OTC DRUG Item Code (Source)

**Route of Administration** ORAL

#### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength

BISMUTH SUBSALICYLATE (UNII: 62TEY51RR1) (BISMUTH CATION - UNII:ZS9CD118YE, BISMUTH SALICYLIC ACID - UNII: 0414PZ4LPZ)

SUBSALICYLATE

262 mg

#### **Inactive Ingredients**

Ingred	

Strength

MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
<b>D&amp;C RED NO. 27</b> (UNII: 2LRS185U6K)	
SORBITOL (UNII: 506T60A25R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics			
Color	PINK	Score	no score
Shape	ROUND	Size	16mm
Flavor		Imprint Code	RP124
Contains			

ı	Packaging			
	# Item Code	Package Description	Marketing Start Date	Marketing End Date
	1 NDC:0363- 9124-30	30 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	03/05/2019	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M008	03/05/2019	

## Labeler - WALGREEN COMPANY (008965063)

Revised: 11/2023 WALGREEN COMPANY