

## **DUAL SWAB SCRUB SWABSTICK- povidone iodine swab**

**Dynarex Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

### **Dual Swab Povidone Iodine Scrub Swabstick**

#### **Active Ingredient**

Active ingredient	Purpose
Povidone iodine 7.5%	Antiseptic

#### **Purpose**

For scrubbing procedure site, prior to antiseptic application

#### **Indications and usage**

For pre-operative patient skin preparation.

#### **Warnings**

**☐For External Use Only**

**Avoid contact with the eyes.** If contact occurs, flush with water.☐☐

#### **Stop use**

**Stop use and ask a healthcare professional if,**

- condition worsens or persists for more than 72 hours
- if pain, irritation, redness or swelling occurs

#### **Ask a doctor**

**Ask a doctor before use if you have**

- deep puncture wounds
- animal bites
- serious wounds

#### **Do not use**

**Do not use:**

- as a first aid antiseptic for more than 1 week
- over large areas of the body

#### **Keep out of reach of children**

**Keep out of reach of children:**

- if swallowed, get medical help or contact a Poison Control Center immediately.

## Dosage and administration

### Directions

#### For preoperative patient skin preparation:

- scrub procedure site as required. Discard after single use and proceed to packet 2.

#### As a first aid antiseptic:

- clean affected area
- apply to wound once or twice daily
- may be covered with a sterile bandage
- if bandaged, let dry first.

Tear at notch, remove applicator, use only once.

### Inactive ingredients

Lauramide DEA, Water

### Other information


- Store at room temperature
- Avoid excessive heat

### Principal Display Panel

Dynarex Dual Swab Povidone Iodine Scrub Swabstick

Item #: 1209

1209 Scrub.jpg



Drug Facts	
<b>Active Ingredient</b>	<b>Purpose</b>
Povidone Iodine Scrub 7.5% w/w	Antiseptic
Povidone Iodine Prep 10% w/w	Antiseptic
<b>Uses</b>	
Povidone-Iodine Scrub Swabstick • For scrubbing procedure site, prior to antiseptic application. Povidone-Iodine Prep Swabstick • For antiseptic application at procedure site.	
<b>Warnings</b>	
<b>For External Use Only.</b>	
<b>Avoid contact with the eyes.</b> If contact occurs, flush eyes with water.	
<b>Do not use</b> • As a first aid antiseptic for more than 1 week • Over large areas of the body	
<b>Ask a doctor before use if you have</b> • Deep or puncture wounds • Animal bites • Serious wounds	
<b>Stop use and ask a healthcare practitioner if</b> • Condition worsens or persists for more than 72 hours • Irritation and redness develops	
<b>Keep out of reach of children</b> • If swallowed, get medical help or contact a Poison Control Center immediately	
<b>Directions</b>	
<b>For preoperative patient skin preparation</b>	
Povidone-Iodine Scrub Swabstick • Scrub procedure site as required. Discard after single use and proceed to packet 2. Povidone-Iodine Prep Swabstick • Apply to procedure site and allow to dry. Discard after single use. If not ready for immediate venipuncture, cover the area with a dry sterile gauze.	
<b>As a first aid antiseptic</b> • Clean affected area • Apply to wound once or twice daily	
• May be covered with a sterile bandage • If bandaged, let dry first	
Tear at notch • Remove applicator • Use only once	
<b>Other Information</b> • Store at room temperature • Avoid excessive heat	
<b>Inactive Ingredients</b> • Povidone Iodine 7.5% Scrub Solution – Lauramide DEA, water • Povidone Iodine 10% Prep Solution – Anhydrous citric acid, disodium hydrogen phosphate, water	

## DUAL SWAB SCRUB SWABSTICK

povidone iodine swab

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:67777-302
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
POVIDONE-IODINE (UNII: 85H0HZU99M) (IODINE - UNII:9679TC07X4)	IODINE	7.5 g in 100 g

**Inactive Ingredients**

Ingredient Name	Strength
LAURIC DIETHANOLAMIDE (UNII: I29I2VHG38)	
WATER (UNII: 059QF0K00R)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:67777-302-01	0.3 g in 1 POUCH; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333C	11/15/2015	

**Labeler** - Dynarex Corporation (008124539)**Registrant** - Dynarex Corporation (008124539)**Establishment**

Name	Address	ID/FEI	Business Operations
Sion Biotext Medical Ltd		532775194	manufacture(67777-302)

Revised: 11/2015

Dynarex Corporation