

NEUTROGENA MINERAL UV TINT FACE MEDIUM DEEP SPF 30- titanium dioxide, zinc oxide lotion

NEUTROGENA MINERAL UV TINT FACE DEEP SPF 30- titanium dioxide, zinc oxide lotion

NEUTROGENA MINERAL UV TINT FACE LIGHT SPF 30- titanium dioxide, zinc oxide lotion

NEUTROGENA MINERAL UV TINT FACE MEDIUM SPF 30- titanium dioxide, zinc oxide lotion

Kenvue Brands LLC

Neutrogena MINERAL UV TINT FACE LIQUID SPF 30

Drug Facts

Active ingredients

Titanium Dioxide 3.2%, Zinc Oxide 21.6%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes . Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Shake well before use
- apply generously 15 minutes before sun exposure
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours

- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging . To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- May stain some fabrics

Inactive ingredients

Water, Isohexadecane, Dicaprylyl Carbonate, Dimethicone, Isopropyl Palmitate, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, C12-15 Alkyl Benzoate, Sodium Chloride, Polyhydroxystearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Sorbitan Sesquioleate, Phenoxyethanol, Ethylhexylglycerin, Dimethiconol, Aluminum Hydroxide, Dimethicone Crosspolymer, Stearic Acid, Xanthan Gum, Iron Oxides

Questions?

Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:

Kenvue Brands LLC

Summit, NJ 07901

PRINCIPAL DISPLAY PANEL - 32 mL Carton Label - LIGHT

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™

MINERAL

UV ● TINT

FACE LIQUID

with

Vitamin E

LIGHT

30

TINTED SUNSCREEN

BROAD SPECTRUM SPF 30
UVA/UVB PROTECTION
 neutral undertone
 for flexible coverage
 water resistant (80 minutes)
 1.1 FL OZ (32mL)

**NEUTROGENA®
 UV-TINT
 LIGHT**

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND



**PURESCREEN+™
 Technology:**
 100% mineral actives +
 vitamin E



Vegan. Formula not
 tested on animals.



Free of:
 Parabens, Chemical actives
 (including no oxybenzone),
 Fragrance-free

Drug Facts (continued)

Directions ■ Shake well before use ■ apply
 generously 15 minutes before sun exposure
 ■ reapply: ■ after 80 minutes of swimming or
 sweating ■ immediately after towel drying ■ at
 least every 2 hours ■ **Sun Protection Measures.**
 Spending time in the sun increases your risk of
 skin cancer and early skin aging. To decrease
 this risk, regularly use a sunscreen with a Broad
 Spectrum SPF value of 15 or higher and other
 sun protection measures including:
 ■ limit time in the sun, especially from
 10 a.m. – 2 p.m. ■ wear long-sleeved shirts,
 pants, hats, and sunglasses ■ children under 6
 months of age: Ask a doctor

Other information ■ protect this product
 from excessive heat and direct sun ■ May stain
 some fabrics

Inactive ingredients

Water, Isohexadecane, Dicaprylyl Carbonate,
 Dimethicone, Isopropyl Palmitate, Isononyl
 Isononanoate, Cetyl PEG/PPG-10/1
 Dimethicone, C12-15 Alkyl Benzoate, Sodium
 Chloride, Polyhydroxystearic Acid, Tocopheryl
 Acetate, Triethoxycaprylylsilane, Sorbitan
 Sesquiolate, Phenoxyethanol,
 Ethylhexylglycerin, Dimethiconol, Aluminum
 Hydroxide, Dimethicone Crosspolymer, Stearic
 Acid, Xanthan Gum, Iron Oxides

Questions? Call toll-free 800-299-4786 or
 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
Kenvue Brands LLC
 Summit, NJ 07901
 © Kenvue Brands LLC 2024 30057981
 Pat. www.kenvuepats.com

Formula with:
**21.6% Zinc Oxide, 3.2% Titanium
 Dioxide:**

Tinted SPF 30 to blend into skin and
 help protect from sun-induced UV
 damage.

Vitamin E: antioxidant known to
 nourish and condition skin

Flexible shade uniquely designed with
 neutral undertones for ease of
 blending and to complement your
 natural skin tone. Broad Spectrum
 SPF 30 helps protect skin against
 sun-induced aging including wrinkles,
 dark spots, fine lines and
 discoloration. Formulated to easily
 layer under makeup.



Drug Facts

Active ingredients	Purpose
Titanium Dioxide (3.2%).....Sunscreen	
Zinc Oxide (21.6%).....Sunscreen	

Uses ■ helps prevent sunburn
 ■ if used as directed with other sun
 protection measures (see **Directions**),
 decreases the risk of skin cancer and
 early skin aging caused by the sun

Warnings
 ■ For external use only ■ Do not use
 on damaged or broken skin ■ **When
 using this product** keep out of eyes.
 Rinse with water to remove. ■ **Stop
 use and ask a doctor** if rash occurs
 ■ **Keep out of reach of children.** If
 swallowed, get medical help or contact
 a Poison Control Center right away

**PURESCREEN+™
 MINERAL
 UV-TINT
 FACE LIQUID**

with
Vitamin E

30

TINTED SUNSCREEN
 BROAD SPECTRUM SPF 30
 UVA/UVB PROTECTION

neutral undertone
 for flexible coverage
 water resistant (80 minutes)

1.1 FL OZ (32 mL)

LIGHT


TINT RANGE DESIGNED TO BE
 INCLUSIVE OF ALL SKIN TONES
 WITH 4 FLEXIBLE SHADES.



FIND YOUR TINT

ACTUAL SIZE

(continued on back panel)



PRINCIPAL DISPLAY PANEL - 32 mL Carton Label - DEEP

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™

MINERAL

UV ● TINT

FACE LIQUID

with

Vitamin E

DEEP

30

TINTED SUNSCREEN

BROAD SPECTRUM SPF 30


UVA/UVB PROTECTION

neutral undertone

for flexible coverage

water resistant (80 minutes)

1.1 FL OZ (32mL)



Drug Facts (continued)

Directions ■ Shake well before use ■ apply generously 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ May stain some fabrics

Inactive ingredients Water, Isohexadecane, Dicaprylyl Carbonate, Dimethicone, Isopropyl Palmitate, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, C12-15 Alkyl Benzoate, Sodium Chloride, Polyhydroxystearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Sorbitan Sesquioleate, Phenoxyethanol, Ethylhexylglycerin, Dimethiconol, Aluminum Hydroxide, Dimethicone Crosspolymer, Stearic Acid, Xanthan Gum, Iron Oxides

Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
Kenvue Brands LLC
Summit, NJ 07901
© Kenvue Brands LLC 2024 30057993
Pat. www.kenvuepats.com



ACTUAL SIZE



Formula with:
21.6% Zinc Oxide, 3.2% Titanium Dioxide:

Tinted SPF 30 to blend into skin and help protect from sun-induced UV damage.

Vitamin E: antioxidant known to nourish and condition skin

Flexible shade uniquely designed with neutral undertones for ease of blending and to complement your natural skin tone. Broad Spectrum SPF 30 helps protect skin against sun-induced aging including wrinkles, dark spots, fine lines and discoloration. Formulated to easily layer under makeup.



Drug Facts

Active ingredients **Purpose**
Titanium Dioxide (3.2%)..Sunscreen
Zinc Oxide (21.6%)..... Sunscreen

Uses ■ helps prevent sunburn
■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

■ **For external use only** ■ **Do not use** on damaged or broken skin ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor** if rash occurs ■ **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

(continued on back panel)

UV-TINT
DEEP

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™
MINERAL UV-TINT
FACE LIQUID

with
Vitamin E

30

TINTED SUNSCREEN
BROAD SPECTRUM SPF 30
UVA/UVB PROTECTION

neutral undertone
for flexible coverage
water resistant (80 minutes)

1.1 FL OZ (32 mL)

DEEP



PURESCREEN+™ Technology:
100% mineral actives + vitamin E



Vegan. Formula not tested on animals.



Free of:
Parabens, Chemical actives (including no oxybenzone),
Fragrance-free

TINT RANGE DESIGNED TO BE INCLUSIVE OF ALL SKIN TONES WITH 4 FLEXIBLE SHADES.



FIND YOUR TINT

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™

MINERAL

UV ● TINT

FACE LIQUID

with

Vitamin E

MEDIUM

30

TINTED SUNSCREEN

BROAD SPECTRUM SPF 30

UVA/UVB PROTECTION

neutral undertone

for flexible coverage

water resistant (80 minutes)

1.1 FL OZ (32mL)





PRINCIPAL DISPLAY PANEL - 32 mL Carton Label - MEDIUM DEEP

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™

MINERAL

UV ● TINT

FACE LIQUID

with

Vitamin E

MEDIUM

DEEP

30

TINTED SUNSCREEN
 BROAD SPECTRUM SPF 30
 UVA/UVB PROTECTION
 neutral undertone
 for flexible coverage
 water resistant (80 minutes)
 1.1 FL OZ (32mL)

NEUTROGENA®
 UV-TINT
 MEDIUM DEEP

NEW

Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND



PURESCREEN+™
 Technology:
 100% mineral actives +
 vitamin E



Vegan. Formula not
 tested on animals.



Free of:
 Parabens, Chemical actives
 (including no oxybenzone),
 Fragrance-free

Drug Facts (continued)

Directions ■ Shake well before use ■ apply generously 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

Other information ■ protect this product from excessive heat and direct sun ■ May stain some fabrics

Inactive ingredients

Water, Isohexadecane, Dicaprylyl Carbonate, Dimethicone, Isopropyl Palmitate, Isononyl Isononanoate, Cetyl PEG/PPG-10/1 Dimethicone, C12-15 Alkyl Benzoate, Sodium Chloride, Polyhydroxystearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Sorbitan Sesquileate, Phenoxyethanol, Ethylhexylglycerin, Dimethiconol, Aluminum Hydroxide, Dimethicone Crosspolymer, Stearic Acid, Xanthan Gum, Iron Oxides

Questions? Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com

Distributed by:
Kenvue Brands LLC
 Summit, NJ 07901
 © Kenvue Brands LLC 2024 30058005
 Pat. www.kenvuepats.com

Formula with:
21.6% Zinc Oxide, 3.2% Titanium Dioxide:

Tinted SPF 30 to blend into skin and help protect from sun-induced UV damage.

Vitamin E: antioxidant known to nourish and condition skin

Flexible shade uniquely designed with neutral undertones for ease of blending and to complement your natural skin tone. Broad Spectrum SPF 30 helps protect skin against sun-induced aging including wrinkles, dark spots, fine lines and discoloration. Formulated to easily layer under makeup.



Drug Facts

Active ingredients	Purpose
Titanium Dioxide (3.2%)..Sunscreen	
Zinc Oxide (21.6%)..... Sunscreen	

Uses ■ helps prevent sunburn

■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

■ For external use only ■ Do not use on damaged or broken skin ■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact

PURESCREEN+™
MINERAL UV-TINT
FACE LIQUID

with
Vitamin E

30


TINTED SUNSCREEN
 BROAD SPECTRUM SPF 30
 UVA/UVB PROTECTION

neutral undertone
 for flexible coverage

MEDIUM DEEP

TINT RANGE DESIGNED TO BE INCLUSIVE OF ALL SKIN TONES WITH 4 FLEXIBLE SHADES.





NEUTROGENA MINERAL UV TINT FACE MEDIUM DEEP SPF 30

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0784
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0784-1	1 in 1 CARTON	12/05/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0784-2	24 in 1 TRAY	03/04/2024	
2		1.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2022	

NEUTROGENA MINERAL UV TINT FACE DEEP SPF 30

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0783
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)
XANTHAN GUM (UNII: TTV12P4NEE)
FERRIC OXIDE RED (UNII: 1K09F3G675)
STEARIC ACID (UNII: 4ELV7Z65AP)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0783-1	1 in 1 CARTON	12/05/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0783-2	24 in 1 TRAY	03/04/2024	
2		1.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2022	

NEUTROGENA MINERAL UV TINT FACE LIGHT SPF 30			
titanium dioxide, zinc oxide lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0781
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)		TITANIUM DIOXIDE	32 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)		ZINC OXIDE	216 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IU0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0781-1	1 in 1 CARTON	12/05/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0781-2	24 in 1 TRAY	03/04/2024	
2		1.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2022	

NEUTROGENA MINERAL UV TINT FACE MEDIUM SPF 30

titanium dioxide, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0782
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	216 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	32 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
XANTHAN GUM (UNII: TTV12P4NEE)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
ISONONYL ISONONANOATE (UNII: S4V5BS6GCX)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
DIMETHICONE CROSSPOLYMER (450000 MPA.S AT 12% IN CYCLOPENTASILOXANE) (UNII: UF7620L1W6)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0782-1	1 in 1 CARTON	12/05/2022	
1		32 mL in 1 TUBE; Type 0: Not a Combination Product		
2	NDC:69968-0782-2	24 in 1 TRAY	03/04/2024	
2		1.4 mL in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/05/2022	

