# ACETAMINOPHEN AND DIPHENHYDRAMINE HCL - acetaminophen and diphenhydramine hcl tablet

### **Carilion Materials Management**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

### Acetaminophen and Diphenhydramine HCl Captabs

### **Active Ingrdient**

(in each captab)

### **PURPOSE**

Pain Reliever/Sleep Aid

### Uses

Temporarily relieves occasional headaches and minor aches and pains with accompanying sleeplessness.

### Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 8 captabs in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using this product.

### Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any other drug containing diphenhydramine, even one used on skin
- in children under 12 years of age Ask a doctor before use if you have
- liver disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis Ask a doctor or pharmacist before use if you are.
- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers
   When using this product
- marked drowsiness will occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- do not drive motor vehicle or operate machinery Stop use and ask a doctor if
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present

- any new symptoms appear
- sleeplessness lasts more than 2 weeks. Insomnia may be a sign of serious underlying medical illness.
   If pregnant or breast feeding, ask a health professional before use.
   Keep out of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children, even if you do not notice any signs or symptoms.

### **Directions**

adults and children 12 years or over:

- take 2 captabs at bedtine if needed
- do not take more than directed

childrens under 12 years do not use

### Other Information

Store at room temperature 15°-30°C (59°-86°F)


### **Inactive Ingredients**

Croscarmellose sodium, FD&C blue #1, hypromellose, microcrystalline cellulose, polyethylene glycol 400, povidone, pregelatinized corn starch, silicon dioxide, stearic acid, titanium dioxide.

### **QUESTIONS**

Call 1-800-645-2158, 9 am – 5 pm ET, Monday – Friday.

### Acetaminophen/Diphenhydramine



# ACETAMINOPHEN AND DIPHENHYDRAMINE HCL acetaminophen and diphenhydramine hcl tablet Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:68151-0703(NDC:0536-3479) Route of Administration ORAL

| Active Ingredient/Active Moiety   |                                  |          |  |
|---|----------------------------------|----------|--|
| Ingredient Name   | Basis of Strength                | Strength |  |
| ACETAMINO PHEN (UNII: 36209 ITL9 D) (ACETAMINO PHEN - UNII: 36209 ITL9 D)                     | ACETAMINOPHEN                    | 500 mg   |  |
| <b>DIPHENHYDRAMINE HYDRO CHLO RIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE<br>HYDROCHLORIDE | 25 mg    |  |

| Inactive Ingredients                            |          |
|---|----------|
| Ingredient Name                                 | Strength |
| CROSCARMELLOSE SODIUM (UNII: M28 OL1HH48)       |          |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD)              |          |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)    |          |
| MICRO CRYSTALLINE CELLULO SE (UNII: OP1R32D61U) |          |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)      |          |
| PO VIDO NE, UNSPECIFIED (UNII: FZ989GH94E)      |          |
| STARCH, CORN (UNII: O8232NY3SJ)                 |          |
| SILICON DIO XIDE (UNII: ETJ7Z6 XBU4)            |          |
| STEARIC ACID (UNII: 4ELV7Z65AP)                 |          |
| TITANIUM DIO XIDE (UNII: 15FIX9 V2JP)           |          |

| Product Characteristics |                   |              |          |
|-------------------------|-------------------|--------------|----------|
| Color                   | BLUE (light blue) | Score        | no score |
| Shape                   | CAPSULE           | Size         | 17mm     |
| Flavor                  |                   | Imprint Code | AP;133   |
| Contains                |                   |              |          |

| ı | Packaging          |   |                             |                           |
|---|--------------------|---|-----------------------------|---------------------------|
| ı | # Item Code        | Package Description                               | <b>Marketing Start Date</b> | <b>Marketing End Date</b> |
| ı | 1 NDC:68151-0703-0 | 1 in 1 PACKAGE; Type 0: Not a Combination Product | 10/06/2010                  |                           |

| Marketing Information   |  |                      |                    |
|-------------------------|--|----------------------|--------------------|
| Marketing Category      | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC MONOGRAPH NOT FINAL | part348                                  | 10/06/2010           |                    |
|                         |  |                      |                    |

## Labeler - Carilion Materials Management (079239644)

| Establishment                 |         |           |                     |  |
|-------------------------------|---------|-----------|---------------------|--|
| Name                          | Address | ID/FEI    | Business Operations |  |
| Carilion Materials Management |         | 079239644 | REPACK(68151-0703)  |  |