

ARTHRITIS THERAPY- apis mellifera, bryonia alba root, calcium fluoride, lithium carbonate, toxicodendron pubescens leaf, ruta graveolens flowering top, salicylic acid tablet, orally disintegrating

TRP Company

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Arthritis Therapy Homeopathic Fast Dissolving Tablets

Active Ingredients		Purpose
Apis mellifica HPUS	6x, 12x, 18x	Pain, Swelling, Inflammation
Bryonia HPUS	6x, 12x, 18x	Pain on movement, Irritability
Calcarea fluorica HPUS	6x, 12x, 18x	Gouty enlarged joints
Lithium carbonicum HPUS	6x, 12x, 18x	Rheumatic pains
Rhus toxicodendron HPUS	6x, 12x, 18x	Stiffness
Ruta graveolens	6x, 12x, 18x	Arthritis from injury, Bursitis
Salicylicum acidum	3x, 6x, 12x	Acute joint rheumatism

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Uses

According to homeopathic indications these ingredients provide temporary relief for general arthritis symptoms such as: • Joint Pain • Stiffness • Swelling • Immobility after diagnosis by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings

USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.

This product is intended to complement, not replace, standard medical treatment.

- Initial worsening of symptoms may occur.
- A physician should always be consulted to rule out serious causes.
- In case of overdose, get medical help or contact a Poison Control Center right away.

Stop use and ask a doctor if:

- You experience worsening symptoms, such as redness or severe swelling.
- If symptoms last longer than 7 days.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children

Directions

- Suitable for adults and children 12 years and above.
- Dissolve entire tablet under tongue.
- Do not chew or swallow whole.
- Take 1 tablet 3 times a day or as directed by a physician.
- Use up to 6 times a day as needed.
- Take at least 10 minutes before or at least 10 minutes after eating or drinking.
- Children under the age of 12: consult a physician before use.
- May take up to 60 days to see results.
- Homeopathic remedies may not be effective for everyone.

Other information

- There are no known contraindications.
- Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects.
- Store in a cool dark location.
- Arthritis Therapy Fast Dissolving Tablets are homeopathic dilutions, see www.thereliefproducts.com for details.

Inactive Ingredients

Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Do not use if tamper evident seal is torn, broken or missing.

Questions or comments? www.thereliefproducts.com, 888-969-6855

TRP the relief products™ NDC # 17312-026-14

Arthritis Therapy
HOMEOPATHIC
FAST DISSOLVING TABLETS™

Tastes Great!
Excelente Sabor!

Temporarily Relieves: • Joint Pain
• Stiffness • Swelling • Immobility

Do not use if tamper evident seal is torn, broken or missing.

70 Tablets Stay Healthy, Naturally.

Active Ingredients
Apis mellifica HPUS 6x, 12x, 18x, Bryonia HPUS 6x, 12x, 18x, Calcarea fluorica HPUS 6x, 12x, 18x, Lithium carbonicum HPUS 6x, 12x, 18x, Rhus toxicodendron HPUS 6x, 12x, 18x, Ruta graveolens HPUS 6x, 12x, 18x, Salicylicum acidum HPUS 3x, 6x, 12x

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Directions
• Suitable for adults and children 12 years and above. • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician. • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • May take up to 60 days to see results. • Homeopathic remedies may not be effective for everyone.

Inactive Ingredients
Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose

Other Information
• There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location. • Arthritis Therapy™ Fast Dissolving Tablets™ are homeopathic dilutions, see www.thereliefproducts.com for details.

Drug Facts are in Spanish on the interior of this carton.

© 2013 All rights reserved to TRP Company, Inc. Manufactured exclusively for: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502. Questions or Comments? www.thereliefproducts.com, 888-969-6855

TRP the relief products™ NDC # 17312-026-14

Arthritis Therapy
HOMEOPATHIC
FAST DISSOLVING TABLETS™

Tastes Great!
Excelente Sabor!

Alivia de forma temporalmente:
• Dolor en las articulaciones • Rigidez
• Hinchazón • Inmovilidad

No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

70 Tablets Cuida su salud de forma natural.

Ingredientes Activos
Apis mellifica HPUS 6x, 12x, 18x, Bryonia HPUS 6x, 12x, 18x, Calcarea fluorica HPUS 6x, 12x, 18x, Lithium carbonicum HPUS 6x, 12x, 18x, Rhus toxicodendron HPUS 6x, 12x, 18x, Ruta graveolens HPUS 6x, 12x, 18x, Salicylicum acidum HPUS 3x, 6x, 12x

"HPUS" indica los ingredientes activos que figuran en la Farmacopea Homeopática de los Estados Unidos (Homeopathic Pharmacopoeia of the United States).

Instrucciones
• Adecuado para adultos y niños mayores de 12 años. • Disolver la tableta entera debajo de la lengua. • No masticar ni tragar entera. • Tomar una tableta 3 veces por día o según lo indique el médico. • Usar hasta 6 veces por día, según sea necesario. • Tomar al menos 10 minutos antes o al menos 10 minutos después de comer o beber. • Debe consultarse a un médico antes de administrar a niños menores de 12 años. • Pueden transcurrir hasta 60 días antes de ver resultados. • Es posible que los remedios homeopáticos no sean efectivos para todos.

Ingredientes inactivos
Advantol® 300, lactosa, estearato de magnesio, manitol, celulosa microcristalina.

Más Información
• No existen contraindicaciones conocidas. • Los ingredientes activos están microdiluidos de acuerdo con lo establecido en la Farmacopea Homeopática de los Estados Unidos y por lo tanto no son tóxicos ni presentan efectos secundarios conocidos. • Guardar en un lugar fresco y seco. • Arthritis Therapy™ Fast Dissolving Tablets™ son diluidos homeopáticos. Consultar más detalles en www.thereliefproducts.com.

En el interior de este envase puede ver la información sobre los fármacos en español.

© 2013 Todos los derechos reservados por TRP Company, Inc. Fabricado exclusivamente para: TRP Company, Inc. 1575 Delucchi Lane #115, Reno, NV 89502. Preguntas o comentarios? www.thereliefproducts.com, 888-969-6855

Drug Facts

Active Ingredients **Purpose**
 Apis mellifica HPUS 6x, 12x, 18x.....Pain, Swelling, Inflammation
 Bryonia HPUS 6x, 12x, 18x.....Pain on movement, Irritability
 Calcarea fluoricum HPUS 6x, 12x, 18x.....Gouty enlarged joints
 Lithium carbonicum HPUS 6x, 12x, 18x.....Rheumatic pains
 Rhus toxicodendron HPUS 6x, 12x, 18x.....Stiffness
 Ruta graveolens HPUS 6x, 12x, 18x.....Arthritis from injury, Bursitis
 Salicylicum acidum HPUS 3x, 6x, 12x.....Acute joint rheumatism

"HPUS" indicates the active ingredients are in the Homeopathic Pharmacopoeia of the United States.

Uses*
 According to homeopathic indications these ingredients provide temporary relief for general arthritis symptoms such as: • Joint Pain • Stiffness • Swelling • Immobility after diagnosis by a physician. *These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

Warnings
USE ONLY AFTER DIAGNOSIS BY A PHYSICIAN AND UNDER THE SUPERVISION OF A PHYSICIAN.
 This product is intended to complement, not replace, standard medical treatment. • Initial worsening of symptoms may occur. • A physician should always be consulted to rule out serious causes. • **If pregnant or breast-feeding**, ask a health professional before use. • **Keep out of reach of children.**
 • In case of overdose, get medical help or contact a Poison Control Center right away. **Stop use and ask a doctor if:**
 • You experience worsening symptoms, such as redness or severe swelling. • Symptoms last longer than 7 days.

Directions
 • Suitable for adults and children 12 years and above.
 • Dissolve entire tablet under tongue. • Do not chew or swallow whole. • Take 1 tablet 3 times a day or as directed by a physician.
 • Use up to 6 times a day as needed. • Take at least 10 minutes before or at least 10 minutes after eating or drinking. • Children under the age of 12: consult a physician before use. • May take up to 60 days to see results. Homeopathic remedies may not be effective for everyone. ▶

Drug Facts (continued)

Other Information
 • There are no known contraindications. • Active ingredients are micro-diluted in accordance with the Homeopathic Pharmacopoeia of the United States and are therefore non-toxic with no known side effects. • Store in a cool dark location.
 • Arthritis Therapy™ Fast Dissolving Tablets™ are homeopathic dilutions: see www.thereliefproducts.com for details.

Inactive Ingredients
 Advantol® 300, Lactose, Magnesium Stearate, Mannitol, Microcrystalline Cellulose.

Información sobre los fármacos

Ingredientes Activos **Propósito**
 Apis mellifica HPUS 6x, 12x, 18x.....Dolor, hinchazón, inflamación
 Bryonia HPUS 6x, 12x, 18x.....Dolor con el movimiento, irritabilidad
 Calcarea fluoricum HPUS 6x, 12x, 18x.....Articulaciones inflamadas a causa de la gota
 Lithium carbonicum HPUS 6x, 12x, 18x.....Dolores reumáticos
 Rhus toxicodendron HPUS 6x, 12x, 18x.....Rigidez
 Ruta graveolens HPUS 6x, 12x, 18x.....Artritis a consecuencia de una lesión, bursitis
 Salicylicum acidum HPUS 3x, 6x, 12x.....Reumatismo agudo en las articulaciones

"HPUS" indica los ingredientes activos que figuran en la Farmacopea Homeopática de los Estados Unidos (Homeopathic Pharmacopoeia of the United States).

Usos*
 De acuerdo con las indicaciones homeopáticas, estos ingredientes proporcionan alivio temporal a síntomas generales de la artritis, como: • Dolor en las articulaciones • Rigidez • Hinchazón • Inmovilidad después del diagnóstico de un médico. *Estas afirmaciones se basan en la práctica homeopática tradicional. No han sido verificadas por la Administración de Alimentos y Medicamentos.

Advertencias
USAR SOLO DESPUÉS DEL DIAGNÓSTICO MÉDICO Y BAJO LA SUPERVISIÓN DE UN DOCTOR.
 • Este producto fue diseñado para complementar el tratamiento médico estándar, no para reemplazarlo. • Puede observarse un empeoramiento inicial de los síntomas. • Siempre debe consultarse a un médico para descartar causas serias. • **En caso de embarazo o lactancia**, consultar con un profesional de la salud antes de usar. • **Mantener fuera del alcance de los niños.**
 • En caso de sobredosis, buscar asistencia médica o comunicarse inmediatamente con un Centro de Control Toxicológico. **Detener el uso y consultar con un médico si:**
 • Sus síntomas empeoran, como enrojecimiento o hinchazón severa. • Los síntomas duran más de 7 días.

Instrucciones
 • Adecuado para adultos y niños mayores de 12 años. • Disolver la tableta entera debajo de la lengua. • No masticar ni tragar entera. • Tomar una tableta 3 veces por día o según lo indique el médico. • Usar hasta 6 veces por día, según sea necesario. • Tomar al menos 10 minutos antes o al menos 10 minutos después de comer o beber. • Debe consultarse a un médico antes de administrar a niños menores de 12 años. • Pueden transcurrir hasta 60 días antes de ver resultados. Es posible que los remedios homeopáticos no sean efectivos para todos.

Más información
 • No existen contraindicaciones conocidas. • Los ingredientes activos están microdiluidos de acuerdo con lo establecido en la Farmacopea Homeopática de los Estados Unidos y por lo tanto no son tóxicos ni presentan efectos secundarios conocidos. • Guardar en un lugar fresco y seco. • Arthritis Therapy™ Fast Dissolving Tablets™ son diluidos homeopáticos. Consultar más detalles en www.thereliefproducts.com.

Ingredientes Inactivos
 Advantol® 300, lactosa, estearato de magnesio, manitol, celulosa microcristalina.

TRP the relief products™

100% Natural/Gluten Free **NEW**
 100% natural/libre de gluten

Arthritis Therapy™
HOMEOPATHIC FAST DISSOLVING TABLETS™



MONEY BACK GUARANTEE
 GARANTÍA DE DEVOLUCIÓN DE SU DINERO

For Arthritis Symptoms
 Para los síntomas de la artritis.

Temporarily Relieves:

- Joint Pain
- Stiffness
- Swelling
- Immobility



Alivia de forma temporalmente:

- Dolor en las articulaciones
- Rigidez
- Hinchazón
- Inmovilidad

Do not use if tamper evident seal is torn, broken or missing.
 No usar si falta el sello contra falsificaciones o si está desgarrado o roto.

MONEY BACK GUARANTEE
 GARANTÍA DE DEVOLUCIÓN DE SU DINERO

NDC # 17312-026-14

Arthritis Therapy™
 Artritis Terapia
HOMEOPATHIC FAST DISSOLVING TABLETS™



Tastes Great! Excelente Sabor!



70 Tablets

ARTHRITIS THERAPY
 apis mellifera, bryonia alba root, calcium fluoride, lithium carbonate, toxicodendron pubescens leaf, ruta graveolens flowering top, salicylic acid tablet, orally disintegrating

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:17312-026
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	APIS MELLIFERA (UNII: 7S82P3R43Z) (APIS MELLIFERA - UNII:7S82P3R43Z)	APIS MELLIFERA	6 [hp_X]
	BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X]
	CALCIUM FLUORIDE (UNII: O3B55K4YK1) (FLUORIDE ION - UNII:Q80VPU408O)	FLUORIDE ION	6 [hp_X]
	LITHIUM CARBONATE (UNII: 2BMD2GNA4V) (LITHIUM CATION - UNII:8H8Z5UER66)	LITHIUM CARBONATE	6 [hp_X]
	TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	6 [hp_X]

RUTA GRAVEOLENS FLOWERING TOP (UNII: N94C2U587S) (RUTA GRAVEOLENS FLOWERING TOP - UNII:N94C2U587S)	RUTA GRAVEOLENS FLOWERING TOP	6 [hp_X]
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	3 [hp_X]

Inactive Ingredients

Ingredient Name	Strength
MANNITOL (UNII: 3OWL53L36A)	
SORBITOL (UNII: 506T60A25R)	
CROSPVIDONE (UNII: 68401960MK)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
COPOVIDONE (UNII: D9C330MD8B)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
LACTOSE (UNII: J2B2A4N98G)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	DIAMOND	Size	13mm
Flavor		Imprint Code	TRP
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:17312-026-14	1 in 1 PACKAGE		
1		70 in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		09/05/2013	

Labeler - TRP Company (105185719)