

**MENSTRUAL RELIEF MAXIMUM STRENGTH- acetaminophen, pamabrom,  
pyrilamine maleate tablet, film coated**  
Family Dollar Services Inc

-----  
**Family Wellness 44-679**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Pamabrom 25 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- headache
- bloating
- cramps
- backache
- muscular aches
- irritability
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- liver disease
- glaucoma

### **Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- excitability may occur, especially in children
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

### **Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water every 6 hours as needed
  - do not exceed 6 caplets in a 24 hour period or as directed by a doctor
- children under 12 years: ask a doctor

### ***Other information***

- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

### ***Inactive ingredients***

corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

### ***Questions or comments?***

**1-800-426-9391**

### ***Principal display panel***

**FAMILY**  
**Wellness™**

\*COMPARE TO THE ACTIVE  
INGREDIENTS IN MAXIMUM  
STRENGTH PAMPRIN®  
MULTI-SYMPATOM

MAXIMUM STRENGTH  
**MENSTRUAL RELIEF**

**Acetaminophen**

Pamabrom, Pyrilamine maleate

Pain Reliever

Diuretic

Antihistamine

Multi-symptom relief of:

- Cramps • Bloating • Irritability
- Headache • Backache

**32 CAPLETS**

ASPIRIN FREE / CAFFEINE FREE

ACTUAL  
SIZE

NDC 55319-979-27

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED  
SAFETY SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed  
by Focus Consumer Healthcare, LLC, owner of  
the registered trademark Maximum Strength  
Pamprin® Multi-Symptom.  
50844      ORG071867927

**DISTRIBUTED BY: MIDWOOD BRANDS LLC,  
500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA**

**NOT 100% SATISFIED?**

Return within 30 days to the store of purchase for a refund (with receipt) or exchange.



**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Drug Facts**  
**Active ingredients (in each caplet)**  
Acetaminophen 500 mg ..... Pain reliever  
Pamabrom 25 mg ..... Diuretic  
Pyrilamine maleate 15 mg ..... Antihistamine

**Purpose**  
for the temporary relief of these symptoms associated with menstrual periods:  
 ■ headache ■ bloating ■ cramps  
 ■ backache ■ muscular aches  
 ■ irritability ■ water-weight gain

**Uses**  
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take  
 ■ more than 4,000 mg of acetaminophen in 24 hours  
 ■ with other drugs containing acetaminophen  
 ■ 3 or more alcoholic drinks every day while using this product

**Warnings**  
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**  
 ■ if you have ever had an allergic reaction to this product or any of its ingredients

SKU 9 13232  
 0 32251 92398 2  
 TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

**FAMILY Wellness™**  
 MAXIMUM STRENGTH  
**MENSTRUAL RELIEF**  
 Acetaminophen  
 Pamabrom, Pyrilamine maleate  
 Pain Reliever  
 Diuretic  
 Antihistamine

\*COMPARE TO THE ACTIVE INGREDIENTS IN MAXIMUM STRENGTH PAMPRIN® MULTI-SYMPOM

Multi-symptom relief of:  
 • Cramps • Bloating • Irritability  
 • Headache • Backache

**32 CAPLETS** ASPIRIN FREE / CAFFEINE FREE NDC 55319-979-27

ACTUAL SIZE

\*This product is not manufactured or distributed by Focus Consumer Healthcare, LLC, owner of the registered trademark Maximum Strength Pamprin® Multi-Symptom. 50844 ORG071867927

DISTRIBUTED BY: MIDWOOD BRANDS LLC, 500 VOLVO PKWY, CHESAPEAKE, VA 23320 USA

**100% SATISFACTION OR YOUR MONEY BACK**

**NOT 100% SATISFIED?**  
 Return within 30 days to the store of purchase for a refund (with receipt) or exchange.

**Drug Facts (continued)**  
 Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 ■ do not take more than directed  
 ■ adults and children 12 years and over:  
 ■ take 2 caplets with water every 6 hours as needed  
 ■ do not exceed 6 caplets in a 24 hour period or as directed by a doctor  
 ■ children under 12 years: ask a doctor

**Other information**  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ see end flap for expiration date and lot number

**Inactive ingredients** corn starch, croscarmellose sodium, crospovidone, FD&C blue #2 aluminum lake, FD&C red #40 aluminum lake, magnesium stearate, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, shellac wax, silicon dioxide, stearic acid, talc, titanium dioxide

**Questions or comments?**  
 1-800-426-9391

**Drug Facts (continued)**  
 ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 ■ difficulty in urination due to enlargement of the prostate gland  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ liver disease ■ glaucoma

**Ask a doctor before use if you have**  
 ■ difficulty in urination due to enlargement of the prostate gland  
 ■ a breathing problem such as emphysema or chronic bronchitis  
 ■ liver disease ■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
 ■ taking sedatives or tranquilizers  
 ■ taking the blood thinning drug warfarin

**When using this product**  
 ■ drowsiness may occur  
 ■ avoid alcoholic beverages  
 ■ excitability may occur, especially in children  
 ■ alcohol, sedatives and tranquilizers may increase drowsiness  
 ■ use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 ■ new symptoms occur  
 ■ redness or swelling is present

These could be signs of a serious condition. If pregnant or breast-feeding, ask a health professional before use.

**Family Wellness 44-679**

**MENSTRUAL RELIEF MAXIMUM STRENGTH**

acetaminophen, pamabrom, pyrilamine maleate tablet, film coated

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55319-979
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
<b>PAMABROM</b> (UNII: UA8U0KJM72) (BROMOTHEOPHYLLINE - UNII:FZG87K1MQ6)	PAMABROM	25 mg
<b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL)	PYRILAMINE MALEATE	15 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)	
<b>FD&amp;C BLUE NO. 2 ALUMINUM LAKE</b> (UNII: 4AQJ3LG584)	
<b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>POLYVINYL ALCOHOL, UNSPECIFIED</b> (UNII: 532B59J990)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

## Product Characteristics

<b>Color</b>	purple	<b>Score</b>	no score
<b>Shape</b>	OVAL	<b>Size</b>	17mm
<b>Flavor</b>		<b>Imprint Code</b>	44;679
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55319-979-27	1 in 1 CARTON	10/31/2019	
1		32 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	10/31/2019	

**Labeler** - Family Dollar Services Inc (024472631)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55319-979)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(55319-979)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55319-979)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55319-979)

## Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(55319-979)

Revised: 1/2025

Family Dollar Services Inc