

**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
CLARO 1 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
CLARO 2 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
MEDIO 1 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
MEDIO 2 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
MEDIO 3 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
MEDIO 4 - BEIGE- octinoxate and zinc oxide lotion**
**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25
MEDIO 5 - BEIGE- octinoxate and zinc oxide lotion**
Ventura Corporation LTD

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ÉSIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25

Drug Facts

<i>Active Ingredients</i>	<i>Purpose</i>
OCTINOXATE 6.5 %	Sunscreen
ZINC OXIDE 3.5 %	Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.
- **For external use only.**
- **Do not use** on damaged or broken skin.
- **When using this product** keep out of eyes. Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. Reapply at least every 2 hours. Use a water resistant sunscreen if swimming or sweating. Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from excessive heat and direct sun

Inactive ingredients

ISODODECANE, DIMETHICONE, POLYSILICONE-11, WATER, ZEA MAYS (CORN) STARCH, PEG-10 DIMETHICONE, GLYCERIN, BENZIMIDAZOLE DIAMOND AMIDOETHYL UREA CARBAMOYL PROPYL POLYMETHYLSILSESQUIOXANE, ALUMINA, SILICA, POLYMETHYLSILSESQUIOXANE, BENTONITE, PHENOXYETHANOL, HDI/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER, METHYLPROPANEDIOL, TOCOPHERYL ACETATE, CAPRYLYL GLYCOL, CHLORPHENESIN, TRIETHOXYCAPRYLYLSILANE, SILANEDIOL SALICYLATE, OLIVE OIL DECYL ESTERS, TROMETHAMINE, LAURETH-12, CERAMIDE 3, CITRIC ACID, HYDRATED SILICA, LACTIC ACID, SQUALENE, CHLORELLA VULGARIS EXTRACT, SEA SALT, TOCOPHEROL. **MAY CONTAIN:** TITANIUM DIOXIDE, IRON OXIDES, MICA.

Dist. by Ventural Corp, Ltd., San Juan, Puerto Rico 00926.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLARO 1 - BEIGE

ésika
PRO

INSTANT PERFECTION
3 EN 1

Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)



PRINCIPAL DISPLAY PANEL - 30 g Tube Box - CLARO 2 - BEIGE

**ésika
PRO**

**INSTANT PERFECTION
3 EN 1**

Face Refining Foundation
SPF 25

Drug Facts (continued)

- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from ▼

Drug Facts (continued)

excessive heat and direct sun

Inactive ingredients

Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diurea, amidoethyl urea, carbamoyl propyl

Drug Facts (continued)

polymethylsiloxane, alumina, silica, polyethylsiloxane, bentonite, phenoxethanol, hydroxyethyl acrylate, crosspolymer, methylcrotonate, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol, salicylate, olive oil, decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

Drug Facts (continued)

PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00905. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. 38A Bicksp USA, Miami, FL 33196. Made in Colombia.

**ésika
PRO**

**INSTANT PERFECTION
3 EN 1**

Base Perfeccionadora para
Rostro FPS 25

Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts (continued)

polymethylsiloxane, alumina, silica, polyethylsiloxane, bentonite, phenoxethanol, hydroxyethyl acrylate, crosspolymer, methylcrotonate, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylsilane, silanediol, salicylate, olive oil, decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

Drug Facts (continued)

PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00905. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. 38A Bicksp USA, Miami, FL 33196. Made in Colombia.

Net Wt. 1 oz e (30 g)



PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 1 - BEIGE

ésika
PRO

INSTANT PERFECTION
3 EN 1

Face Refining Foundation

SPF 25

Net Wt. 1 oz e (30 g)



Drug Facts (continued)

- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating.
- Children under 6 months of age: Ask a doctor.

Other information

- Protect the product in this container from

Drug Facts

Active Ingredients Purpose

Ocinoxate 6.5% Sunscreen
Zinc Oxide 3.6% Sunscreen

Uses

- Helps prevent sunburn.

Warnings

- **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

- For external use only.

- Do not use on damaged or broken skin.

Drug Facts (continued)

excessive heat and direct sun

Inactive Ingredients

Isododecane, dimethylsiloxane, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amidoethyl urea carbamoyl propyl

ésika
PRO

INSTANT PERFECTION
3 EN 1

Base Perfeccionadora para
Rostro FPS 25
Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts (continued)

polymethylsiloxane, alumina, silica, polymethylsiloxoxane, bentonite, phenylethanol, hydroxymethyl hexyl lactone crosspolymer, methylpropanediol, cocophenyl acetate, caprolyl glycol, chlorophenol, triethoxycyclohexane, silanediol salicylate, olive oil dical esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalane, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia. U.S.A.: Dist. by Ventura Int. Ltd. DBA. Esika USA, Miami, FL 33126. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 2 - BEIGE

ésika
PRO

INSTANT PERFECTION

3 EN 1

Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)



PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 3 - BEIGE

ésika
PRO

INSTANT PERFECTION
3 EN 1

Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts

Active Ingredients
Octinoxate 6.5% Sunscreen
Zinc Oxide 3.6% Sunscreen

Uses

■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ For external use only.

■ Do not use on damaged or broken skin. ▶

Drug Facts (continued)

■ When using this product keep out of eyes. Rinse with water to remove.

■ Stop use and ask a doctor if rash occurs.

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other information

■ Protect the product in this container from ▶

Drug Facts (continued)

excessive heat and direct sun

Inactive ingredients

Isododecane, dimethicone, polysilicone-11, water, tea mayb (corn) starch, Peg-10 dimethicone, glycerin, benzimidazolol, diamond, amidobethyl urea, carbamoyl propyl▶

ésika
PRO

INSTANT PERFECTION
3 EN 1

Base Perfeccionadora para
Rostro FPS 25
Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts (continued)

polymethylsilsequioxane, alumina, silica, polymethylsilsequioxane, benzoic acid, phenoxysthanol, hydroxymethyl heptyl lactone crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorophanesin, triethoxyacetyl silane, silanediol laurylate, olive oil decyl esters, tromethamine, laureth-12, ceramides 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocophenol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00908. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. DBA. Baskys USA, Miami, FL 33176. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 4 - BEIGE

ésika

PRO

INSTANT PERFECTION

3 EN 1

Face Refining Foundation

SPF 25

Net Wt. 1 oz e (30 g)



Drug Facts

Active Ingredients *Purpose*
 Octinoxate 6.5% Sunscreen
 Zinc Oxide 3.6% Sunscreen

Uses
 ■ Helps prevent sunburn.

Warnings
 ■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, **not** skin cancer or early skin aging.

■ For external use only.
 ■ Do not use on damaged or broken skin. ▶

Drug Facts (continued)

■ When using this product keep out of eyes. Rinse with water to remove.
 ■ Stop use and ask a doctor if rash occurs.
 ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions
 ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating.
 ■ Children under 6 months of age: Ask a doctor.

Other Information
 ■ Protect the product in this container from ▶

Drug Facts (continued)

excessive heat and direct sun
Inactive Ingredients
 Isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diurea, amidoethyl urea, carboxymyl propyl▶

ésika
 PRO

INSTANT PERFECTION
 3 EN 1
 Base Perfeccionadora para
 Rostro FPS 25
 Face Refining Foundation
 SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts (continued)

polymethylsiloxane, alumina, silica, polyethylsiloxane, bentonite, phenoxethanol, hydroxyethyl acrylate, crosspolymer, methylcrotonate, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxyethylsilane, silanediol, salicylate, olive oil, decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.
 PUERTO RICO: Dist. by Ventura Corp., Ltd., San Juan, Puerto Rico 00905. Made in Colombia. U.S.A.: Dist. by Ventura Int'l Ltd. 38A Balfour USA, Miami, FL 33196. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 30 g Tube Box - MEDIO 5 - BEIGE

ésika
 PRO

INSTANT PERFECTION
 3 EN 1

Face Refining Foundation
 SPF 25

Net Wt. 1 oz e (30 g)



Drug Facts

Active Ingredients

Octinoxate 6.5% Sunscreen
Zinc Oxide 3.6% Sunscreen

Uses

■ Helps prevent sunburn.

Warnings

■ **Skin Cancer / Skin Aging Alert:** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

■ For external use only.

■ Do not use on damaged or broken skin.

Drug Facts (continued)

■ When using this product keep out of eyes. Rinse with water to remove.

■ Stop use and ask a doctor if rash occurs.

■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant sunscreen if swimming or sweating.

■ Children under 6 months of age: Ask a doctor.

Other information

■ Protect the product in this container from

Drug Facts (continued)

excessive heat and direct sun

Inactive ingredients

Isododecane, dimethicone, polysilicone-11, water, tea mays (corn) starch, Peg-10 dimethicone, glycerin, benzimidazole diarnoni amidobethyl urea carbamoyl propyl

ésika
PRO

INSTANT PERFECTION
3 EN 1

Base Perfeccionadora para
Rostro FPS 25
Face Refining Foundation
SPF 25

Net Wt. 1 oz e (30 g)

Drug Facts (continued)

polyethylsiloxane, alumina, silica, polymethylsiloxane, bentonite, phenoxethanol, hydroxyethyl acrylate, crosspolymer, polypropylene glycol, tocopheryl acetate, glycol, chlorophanesin, triethoxypropylsilane, silanediol salicylate, olive oil decyl esters, tromethamine laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PUERTO RICO: Distr. by Ventura Corp., Ltd., San Juan, Puerto Rico 00906. Made in Colombia. U.S.A.: Distr. by Ventura Int'l Ltd. 3084 Bockley USA, Miami, FL 33156. Made in Colombia.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - CLARO 1 - BEIGE

ésika
PRO

INSTANT
PERFECTION 3 EN 1

**Face Refining
Foundation SPF 25**

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:** Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - CLARO 2 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:**
Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 1 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:** Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. **May contain:** titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 2 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:**
Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 3 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:** Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 4 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:**
Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

PRINCIPAL DISPLAY PANEL - 3 g Tube Box - MEDIO 5 - BEIGE

ésika

PRO

INSTANT

PERFECTION 3 EN 1

Face Refining

Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

Drug Facts

Active Ingredients

Octinoxate 6.5 %
Zinc Oxide 3.6 %

Purpose

Sunscreen
Sunscreen

Uses ■ Helps prevent sunburn.

Warnings ■ **Skin Cancer / SkinAging Alert:** Spending time in the sun increases your risk of ▶

Drug Facts (continued)

skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging. ■ **For external use only.** ■ **Do not use** on damaged or broken skin. ■ **When using this product** keep out of eyes. Rinse with water to remove. ■ **Stop use and ask a doctor if** rash occurs. ■ **Keep out of reach of children.** If swallowed, get medical help or ▶

Drug Facts (continued)

contact a Poison Control Center right away.

Directions ■ Apply liberally and evenly 15 minutes before sun exposure. ■ Reapply at least every 2 hours. ■ Use a water resistant ▶

Drug Facts (continued)

sunscreen if swimming or sweating. ■ Children under 6 months of age: Ask a doctor.

Other Information ■ Protect the product in this container from excessive heat and direct sun ▶

ésika
PRO

INSTANT
PERFECTION 3 EN 1

Base Perfeccionadora
para Rostro FPS 25

Face Refining
Foundation SPF 25

Net Wt. 0.10 oz. e (3 g)

PUERTO RICO: Dist. by Ventura Corp. Ltd., San Juan, Puerto Rico 00926. Made in Colombia.
U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. Made in Colombia.

Drug Facts (continued)

Inactive ingredients isododecane, dimethicone, polysilicone-11, water, zea mays (corn) starch, peg-10 dimethicone, glycerin, benzimidazole diamond amide/ethyl urea carbamoyl propyl polymethylsilsesquioxane, aluminum a, silica, polymethylsilsesquioxane, bentonite, phenoxyethanol, hexyltrimethylhexylsiloxane ▶

Drug Facts (continued)

crosspolymer, methylpropanediol, tocopheryl acetate, caprylyl glycol, chlorphenesin, triethoxycaprylylsilane, silanediol salicylate, olive oil decyl esters, tromethamine, laureth-12, ceramide 3, citric acid, hydrated silica, lactic acid, squalene, chlorella vulgaris extract, sea salt, tocopherol. May contain: titanium dioxide, iron oxides, mica.

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 1 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-853
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-853-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-853-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 2 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-854
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-854-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-854-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 1 - BEIGE

octinoxate and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-855
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength

ISODODECANE (UNII: A8289P68Y2)
DIMETHICONE (UNII: 92RU3N3Y1O)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)
WATER (UNII: 059QF0KO0R)
STARCH, CORN (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
GLYCERIN (UNII: PDC6A3C0OX)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-855-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-855-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 2 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-856
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-856-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-856-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

**ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION
SPF 25 MEDIO 3 - BEIGE**

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-857
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y10)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	

TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-857-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-857-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 4 - BEIGE
octinoxate and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-858
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	

STARCH, CORN (UNII: O8232NY3SJ)
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)
GLYCERIN (UNII: PDC6A3C0OX)
ALUMINUM OXIDE (UNII: LM26O6933)
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-858-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-858-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 5 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-859
--------------	----------------	--------------------	---------------

Route of Administration

TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-859-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-859-01	30 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 1 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-860
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	

HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-860-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-860-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 CLARO 2 - BEIGE

octinoxate and zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-861
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients	
Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	

SILICON DIOXIDE (UNII: ETJ7Z6XBU4)
BENTONITE (UNII: A3N5ZCN45C)
PHENOXYETHANOL (UNII: HE492ZZ3T)
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)
METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-861-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-861-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 1 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-862
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-862-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-862-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 2 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-863
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	

SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-863-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-863-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 3 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-864
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	

METHYLPROPANEDIOL (UNII: N8F53B3R4R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
CHLORPHENESIN (UNII: I670DAL4SZ)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)
SILANEDIOL SALICYLATE (UNII: C054DF30K0)
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)
TROMETHAMINE (UNII: 023C2WHX2V)
LAURETH-12 (UNII: OAH19558U1)
CERAMIDE NP (UNII: 4370DF050B)
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)
HYDRATED SILICA (UNII: Y6O7T4G8P9)
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)
SQUALENE (UNII: 7QWM220FJH)
CHLORELLA VULGARIS (UNII: RYQ4R60M02)
SEA SALT (UNII: 87GE52P74G)
TOCOPHEROL (UNII: R0ZB2556P8)
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-864-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-864-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 4 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-865
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-865-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-865-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

ESIKA PRO INSTANT PERFECTION 3 EN 1 FACE REFINING FOUNDATION SPF 25 MEDIO 5 - BEIGE

octinoxate and zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-866
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.065 g in 1 g
Zinc Oxide (UNII: SOI2LOH54Z) (Zinc Oxide - UNII:SOI2LOH54Z)	Zinc Oxide	0.036 g in 1 g

Inactive Ingredients

Ingredient Name	Strength
ISODODECANE (UNII: A8289P68Y2)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
WATER (UNII: 059QF0KO0R)	
STARCH, CORN (UNII: O8232NY3SJ)	
PEG-10 DIMETHICONE (600 CST) (UNII: 8PR7V1SVM0)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALUMINUM OXIDE (UNII: LM26O6933)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
BENTONITE (UNII: A3N5ZCN45C)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
HEXAMETHYLENE DIISOCYANATE/TRIMETHYLOL HEXYLACTONE CROSSPOLYMER (UNII: WB5K9Y35Y9)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
TRIETHOXYCAPRYLSILANE (UNII: LDC331P08E)	
SILANEDIOL SALICYLATE (UNII: C054DF30K0)	
OLIVE OIL DECYL ESTERS (UNII: 3AQ222F18X)	
TROMETHAMINE (UNII: 023C2WHX2V)	
LAURETH-12 (UNII: OAH19558U1)	
CERAMIDE NP (UNII: 4370DF050B)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
HYDRATED SILICA (UNII: Y6O7T4G8P9)	
LACTIC ACID, UNSPECIFIED FORM (UNII: 33X04XA5AT)	
SQUALENE (UNII: 7QWM220FJH)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
SEA SALT (UNII: 87GE52P74G)	
TOCOPHEROL (UNII: R0ZB2556P8)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-866-02	1 in 1 BOX	12/16/2016	
1	NDC:13537-866-01	3 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	12/16/2016	

Labeler - Ventura Corporation LTD (602751344)

Establishment

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-853, 13537-854, 13537-855, 13537-856, 13537-857, 13537-858, 13537-859, 13537-860, 13537-861, 13537-862, 13537-863, 13537-864, 13537-865, 13537-866)

Revised: 12/2016

Ventura Corporation LTD