

CAPSIMIDE- capsaicin 0.025% topical patch patch
Sola Pharmaceuticals

Capsimide Patch

Active Ingredients

Capsaicin 0.025%

Purpose

Topical Analgesic

Uses

Temporarily relieves minor pain.

Warnings

For external use only

Do not use

- more than one patch on your body at a time
- on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor
- if you are allergic to any active or inactive ingredients
- if pouch is damaged or opened

When using this product

- use only as directed
- read and follow all directions and warnings on this carton
- do not allow contact with the eyes
- do not use at the same time as other topical analgesics
- do not bandage tightly or apply local heat (such as heating pads) to the area of use
- do not microwave
- dispose of used patch in a manner that always keeps product away from children and pets. Used patches still contain the drug product that can produce serious adverse effects if a child or pet chews or ingests this patch.

Stop use and ask a doctor if

- condition worsens
- redness is present

- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days
- you experience signs of skin injury, such as pain, swelling or blistering where the product was applied.

If pregnant or breast-feeding

ask a health professional before use.

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and over: Clean and dry affected area. Carefully remove backing from patch starting at a corner. Apply sticky side of patch to affected area. Use one patch for up to 12 hours. Discard patch after single use. Children under 12 years of age: consult a physician.

Other Information

Store in a clean, dry place outside of direct sunlight. Protect from excessive moisture.

Other Ingredients

Glycerin, Sodium polyacrylate, Dihydroxyaluminum aminoacetate, Edetate disodium, Kaolin, Carboxymethylcellulose sodium, Titanium dioxide, L-Tartaric acid, Polyacrylic acid, Propylene glycol, Polysorbate 80, Isopropyl Myristate, Hydroxyacetophenone, Water, and PVP

Questions or comments?

866-747-7365

Manufactured for:

SOLA PHARMACEUTICALS LLC

Baton Rouge, LA 70810

www.solameds.us


Made in China

Capsimide Patch

NDC 70512-016-10

Qty: 10 Patches

(1 per pouch) x 10



CAPSIMIDE

capsaicin 0.025% topical patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70512-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CAPSAICIN (UNII: S07O44R1ZM) (CAPSAICIN - UNII:S07O44R1ZM)	CAPSAICIN	0.025 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
WATER (UNII: 059QF0KO0R)	
DIHYDROXYALUMINUM AMINOACETATE (UNII: DO250MG0W6)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
KAOLIN (UNII: 24H4NWX5CO)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
POVIDONE (UNII: FZ989GH94E)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TARTARIC ACID (UNII: W4888I119H)	
POLYACRYLIC ACID (8000 MW) (UNII: 73861X4K5F)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)	
GLYCERIN (UNII: PDC6A3C0OX)	

Product Characteristics

Color		Score	
Shape	RECTANGLE	Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70512-016-10	10 in 1 BOX	09/07/2022	
1		9 g in 1 POUCH; Type 2: Prefilled Drug Delivery Device/System (syringe, patch, etc.)		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/07/2022	

Labeler - Sola Pharmaceuticals (080121345)

Revised: 1/2024

Sola Pharmaceuticals