FORTICEPT ANTIFUNGAL COOLING- clotrimazole liquid Cosco International, Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredient/Purpose

Clotrimazole USP 1%.....Antifungal

Uses

- cures most athlete's foot infections (tinea pedis), jock itch (tinea cruris), and ringworm (tinea corporis) infections
- relieves itching, burning, cracking, scaling and discomfort which accompany these conditions

Warnings

For external use only

Do not use Don children under 2 years of age unless directed by a doctor.

When using this product avoid contact with eyes.

Stop use and ask a doctor if irritation occurs or there is no improvement within 4 weeks (for athlete's foot or ringworm) or 2 weeks (for jock itch).

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Wash affected area and dry thoroughly
- Spray a thin layer over affected area twice daily (morning and night)
- Supervise children in the use of this product
- For athlete's foot, pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change socks at least once daily
- For athlete's foot and ringworm, use daily for 4 weeks; for jock itch, use daily for 2 weeks
- if condition persists longer, ask a doctor. This product is not effective on the scalp or nails

Other Information store between 20° - 25°C (68° - 77°F)

Inactive ingredients:

Aquaxyl, Dicaprylyl Carbonate, Dimethicone, Eucalyptus Oil, Glycerin, Lavender Oil, Montanov L, Oat Milk, Polyhexanide, Sepimax Zen, Simulgel INS100, Sodium Phytate, Sunflower Oil, Tea Tree Oil, Water

60g



NET WT 2oz./60g

FORTICEPT[™] ANTIFUNGAL COOLING SPRAY

	c tive Ingredient otrimazole USP 1%	Purpose Antifunga
• ((ti • r	ses cures most athlete's foot infections (tinea pedis), jock itch (tinea crur nea corporis) infections elleves itching, burning, cracking, scaling and discomfort which company these conditions	is), and ringworm
Fo Do W St im Ke	Varnings r external use only o not use on children under 2 years of age unless directed by a doctor hen using this product avoid contact with eyes. op use and ask a doctor if irritation occurs there is no provement within 4 weeks (for athlete's foot or ringworm) or 2 week sep out of reach of children. If swallowed, get medical help or cont nter right away.	s (for jock itch).
D	irections	
•	Wash affected area and dry thoroughly	
•	Spray a thin layer over affected area twice daily (morning and nigh	it)
•		
•	For athlete's foot, pay special attention to spaces between the toes fitting, ventilated shoes and change socks at least once daily	, wear well-
•	For athlete's foot and ringworm, use daily for 4 weeks; for jock itcl weeks	n, use daily for 2
•	if condition persists longer, ask a doctor. This product is not effecti or nails	ve on the scalp
0	ther Information store between 20° - 25°C (68° - 77°F)	
Ac Oi Sc	r questions, please call:	

FORTICEPTTM is registered Trade Mark of Lidan, Inc. all rights reserved 2016 **PATENT PENDING**

120g



FORTICEPT[™] ANTIFUNGAL COOLING SPRAY

	ctive Ingredient otrimazole USP 1%		Purpose Antifunga		
• c (tii • r	ses cures most athlete's foot infectior nea corporis) infections relieves itching, burning, cracking company these conditions				
Fo Do Wi Ste im Ke	Varnings or external use only o not use on children under 2 ye hen using this product avoid c op use and ask a doctor if irri provement within 4 weeks (for a sep out of reach of children. If enter right away.	ontact with eyes. tation occurs there is thlete's foot or ringworm	no 1) or 2 weeks (for jock itch).		
Di	irections				
•	Wash affected area and dry th	oroughly			
•	Spray a thin layer over affected area twice daily (morning and night)				
•	Supervise children in the use of	upervise children in the use of this product			
•	For athlete's foot, pay special a fitting, ventilated shoes and ch	or athlete's foot, pay special attention to spaces between the toes, wear well- tting, ventilated shoes and change socks at least once daily			
•	For athlete's foot and ringworn weeks	n, use daily for 4 weeks;	for jock itch, use daily for 2		
•	if condition persists longer, asl or nails	k a doctor. This product	s not effective on the scalp		
0	ther Information store bet	tween 20º - 25ºC (68º -	77°F)		
	nactive Ingredients: quaxyl, Dicaprylyl Carbonate, l, Montanov L, Oat Milk, Polyl odium Phytate, Sunflower Oil,	hexanide, Sepimax Ze			
Oi	, , ,				
Oi So					
Oi Sc For	r questions, please call:				
Oi Sc For +1					

FORTICEPT[™] is registered Trade Mark of Lidan, Inc. all rights reserved 2016 **PATENT PENDING**

FORTICEPT ANTIFUNGAL COOLING

NET WT 4oz./120g

clotrimazole liquid

Product Information					
Product TypeHUMAN OTC DRUGItem Code (Source)NDC:52261-0502					
Route of Administration	Route of Administration TOPICAL				
Active Ingredient/Active M	Ioiety				
Ingredient Name Basis of Strength					Strength
CLOTRIMAZOLE (UNII: G07GZ97H65) (CLOTRIMAZOLE - UNII:G07GZ97H65) CLOTRIMAZOLE				10 g in 1000 g	
Inactive Ingredients					
	Ingredient Nam	e			Strength
water (UNII: 059QF0KO0R)					858.5 g in 1000 g
glycerin (UNII: PDC6A3C0OX)					20 g in 1000 g

oat (UNII: Z6J799EAJK)	$15\ g$ in $1000\ g$
C14-22 Alcohols (UNII: B1K89384RJ)	15 g in 1000 g
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	10 g in 1000 g
sunflower oil (UNII: 3W1JG795YI)	10 g in 1000 g
polydextrose (UNII: VH2XOU12IE)	10 g in 1000 g
polihexanide hydrochloride (UNII: 4XI6112496)	10 g in 1000 g
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (45000 MPA.s at 1%) (UNII: 86FQE96TZ4)	3.4 g in 1000 g
isohexadecane (UNII: 918X1OUF1E)	3.3 g in 1000 g
polysorbate 60 (UNII: CAL22UVI4M)	3.3 g in 1000 g
lavender oil (UNII: ZBP1YXW0H8)	3 g in 1000 g
CARBOXYPOLYMETHYLENE (UNII: 0 A5MM307FC)	3 g in 1000 g
PHYTATE SODIUM (UNII: 88496G1ERL)	2 g in 1000 g
eucalyptus oil (UNII: 2R04ONI662)	2 g in 1000 g
Tea Tree oil (UNII: VIF565UC2G)	1.5 g in 1000 g

Pac	kaging
	0 0

#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:52261-0502- 0	60 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	05/04/2016		
2	NDC:52261-0502- 1	120 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	0 5/0 4/20 16		
N	farketing In	formation			
	Iarketing In Tarketing Catego		Marketing Start Date	Marketing End Date	

Labeler - Cosco International, Inc. (016433141)

Registrant - Cosco International, Inc. (016433141)

Establishment					
Name	Address	ID/FEI	Business Operations		
Cosco International, Inc.		016433141	manufacture(52261-0502), label(52261-0502), pack(52261-0502)		

Revised: 5/2016

Cosco International, Inc.