

**EXTRA STRENGTH PAIN RELIEF PM - acetaminophen 500mg diphenhydramine hcl
25mg tablet, coated
Discount Drug Mart**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

ACTIVE INGREDIENT(S)

Acetaminophen 500 mg

Diphenhydramine HCl 25 mg

PURPOSE

Pain reliever

Nighttime sleep aid

USE(S)

Temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

WARNINGS

Liver warning

This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

DO NOT USE

- With any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- with any product containing diphenhydramine, even one used on skin
- in children under 12 years of age
- if you have ever had an allergic reaction to this product or any of its ingredients

ASK A DOCTOR BEFORE USE IF

You have

- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- trouble urinating due to an enlarged prostate gland
- glaucoma

ASK A DOCTOR OR PHARMACIST BEFORE USE IF

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

WHEN USING THIS PRODUCT

- drowsiness will occur
- avoid alcoholic drinks
- do not drive a motor vehicle or operate machinery

STOP USE AND ASK DOCTOR IF

- Sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur

These could be signs of a serious condition.

PREGNANCY/BREASTFEEDING

Ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

Overdose warning

Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

DIRECTIONS

- do not take more than directed (see overdose warning)

adults and children 12 years and over	<ul style="list-style-type: none">• take 2 caplets at bedtime• do not take more than 2 caplets of this product in 24 hours
children under 12 years	do not use this adult product in children under 12 years of age; this will provide more than the recommended dose (overdose) and may cause liver damage

STORAGE

- store between 20-25°C (68-77°F)
- do not use if carton is opened, or neck wrap or foil inner seal imprinted "Safety Seal®" is broken or missing
- see end panel for lot number and expiration date

INACTIVE INGREDIENT SECTION

Croscarmellose sodium, FD&C blue #1, Hypromellose, Microcrystalline cellulose, Polyethylene glycol, Stearic acid, Titanium Dioxide.

PRINCIPAL DISPLAY PANEL

Carton Label PDP

Drug mart
 EXTRA STRENGTH
 PAIN RELIEF PM
 NON-ASPIRIN PAIN RELIEVER/ SLEEP AID
 CAPLETS
 ACETAMINOPHEN 500 mg
 DIPHENHYDRAMINE HCl 25 mg
 50 COATED CAPLETS



Bottle Label PDP
 Drug mart
 EXTRA STRENGTH
 PAIN RELIEF PM
 NON-ASPIRIN PAIN RELIEVER/ SLEEP AID

CAPLETS

ACETAMINOPHEN 500 mg

DIPHENHYDRAMINE HCl 25 mg

50 COATED CAPLETS

drug mart
FOOD FAIR

SEE NEW WARNINGS INFORMATION

EXTRA STRENGTH PAIN RELIEF PM

ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg

50 COATED CAPLETS*
*CAPSULE-SHAPED TABLETS

DO NOT USE IF IMPRINTED FOIL UNDER CAP IS BROKEN OR MISSING. RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active ingredients (in each caplet)	Purpose
Acetaminophen 500 mg	Pain reliever
Diphenhydramine HCl 25 mg	Sleep aid

Uses for the temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings **Liver Warning:** This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 5 or more alcoholic drinks every day while using this product

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ with any other product containing diphenhydramine, even ones used on skin ■ in children under 12 years of age ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have ■ liver cirrhosis

Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose Warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**

Directions ■ do not take more than recommended (see overdose warning)

adults and children 12 years and over	■ take 2 caplets at bedtime ■ do not take more than 2 caplets in 24 hours
children under 12 years	■ do not use this adult product in children under 12 years of age; this will provide more than recommended dose (overdose) and may cause liver damage

www.discount-drugmart.com
Distributed By: DRUG MART-FOOD FAIR, MEDINA, OHIO 44256

LOT NO:
EXP:

ISS: 05/13

CARTON LABEL PDP

Drug mart

EXTRA STRENGTH

PAIN RELIEF PM

NON-ASPIRIN PAIN RELIEVER/ SLEEP AID

CAPLETS

ACETAMINOPHEN 500 mg

DIPHENHYDRAMINE HCl 25 mg

100 COATED CAPLETS

DISCOUNT
drug mart
FOODS

SEE NEW WARNINGS INFORMATION

EXTRA STRENGTH PAIN RELIEF PM

ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg

100 COATED CAPLETS*
*CAPSULE-SHAPED TABLETS

DO NOT USE IF IMPRINTED FOIL UNDER CAP IS BROKEN OR MISSING. RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active Ingredients (in each caplet)
Acetaminophen 500 mg... Pain reliever
Diphenhydramine HCl 25 mg... Sleep aid

Uses for the temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ with any other product containing diphenhydramine, even ones used on skin ■ in children under 12 years of age ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have ■ liver cirrhosis

Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin

Keep out of reach of children.

Overdose Warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**

Directions ■ do not take more than recommended (see overdose warning)

adults and children 12 years and over	■ take 2 caplets at bedtime
children under 12 years	■ do not take more than 2 caplets in 24 hours
	■ do not use this adult product in children under 12 years of age; this will provide more than recommended dose (overdose) and may cause liver damage

www.discount-drugmart.com
Distributed by:
DRUG MART-FOOD FAIR
MEDINA, OHIO 44256

LOT NO:
EXP:

ISS: 05/13

Bottle Label PDP
Drug mart
EXTRA STRENGTH
PAIN RELIEF PM
NON-ASPIRIN PAIN RELIEVER/ SLEEP AID
CAPLETS
ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg
300 COATED CAPLETS

SEE NEW WARNINGS INFORMATION

DISCOUNT
drug mart
FOODS

EXTRA STRENGTH PAIN RELIEF PM

NON-ASPIRIN PAIN RELIEVER / SLEEP AID

ACETAMINOPHEN 500 mg
DIPHENHYDRAMINE HCl 25 mg
CAPLETS*

300 COATED CAPLETS*
*CAPSULE-SHAPED TABLETS

Compare to the active ingredients of EXTRA STRENGTH TRICOROL PM**

Drug Facts

Active Ingredients (in each caplet)
Acetaminophen 500 mg... Pain reliever
Diphenhydramine HCl 25 mg... Sleep aid

Uses for the temporary relief of occasional headaches and minor aches and pains with accompanying sleeplessness

Warnings Liver Warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether it does contain acetaminophen, ask a doctor or pharmacist ■ with any other product containing diphenhydramine, even ones used on skin ■ in children under 12 years of age ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have ■ liver cirrhosis ■ a breathing problem such as emphysema or chronic bronchitis ■ trouble urinating due to an enlarged prostate gland ■ glaucoma

Ask a doctor or pharmacist before use if you are ■ taking the blood thinning drug warfarin ■ taking sedatives or tranquilizers

When using this product ■ drowsiness will occur ■ avoid alcoholic drinks ■ do not drive a motor vehicle or operate machinery

Stop use and ask a doctor if ■ sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness ■ pain gets worse or lasts for more than 10 days ■ fever gets worse or lasts more than 3 days ■ redness or swelling is present ■ new symptoms occur ■ these could be signs of a serious condition

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.

Overdose Warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). **Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.**

Directions ■ do not take more than recommended (see overdose warning)

adults and children 12 years and over	■ take 2 caplets at bedtime
children under 12 years	■ do not take more than 2 caplets in 24 hours
	■ do not use this adult product in children under 12 years of age; this will provide more than recommended dose (overdose) and may cause liver damage

Other information ■ store at 20°-25° (68°-77°)

Inactive ingredients croscarmellose sodium, FD&C blue # 1, hypromellose, microcrystalline cellulose, polyethylene glycol, stearic acid, titanium dioxide

Questions? Ask your drug over cart 1-888-291-7337

www.discount-drugmart.com
Distributed by: DRUG MART-FOOD FAIR
MEDINA, OHIO 44056

SATISFACTION GUARANTEED
IF DISAPPOINTED, RETURN UNOPENED PRODUCT AND RECEIVE FULL REFUND. NO RESTRICTIONS. MONEY BACK GUARANTEE. SEE INSIDE FOR RESTRICTIONS. NAME, ADDRESS AND PHONE NUMBER OF THE COMPANY MUST BE PRINTED ON THE EMPTY PACKAGE TO OBTAIN FULL REFUND. NO CASH REFUND. LOCAL MEDINA, OHIO 44056

LOT NO: 8
EXP: 0 93351 101251

**This product is not manufactured or distributed by McNeil-PPC, owner of the registered trademark Tylenol® PM.

EXTRA STRENGTH PAIN RELIEF PM

acetaminophen 500mg diphenhydramine hcl 25mg tablet, coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-024
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
FD&C BLUE NO. 1 (UNII: HBR47K3TBD)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
POLYETHYLENE GLYCOLS (UNII: 3WJQ0SDW1A)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	

Product Characteristics

Color	BLUE	Score	no score
Shape	CAPSULE	Size	18mm
Flavor		Imprint Code	P24
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-024-50	1 in 1 CARTON		
1		50 in 1 BOTTLE		
2	NDC:53943-024-01	1 in 1 CARTON		
2		100 in 1 BOTTLE		

3	NDC:53943-024-03	300 in 1 BOTTLE		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC MONOGRAPH NOT FINAL	part343	06/20/2013		

Labeler - Discount Drug Mart (047741335)

Registrant - Discount Drug Mart (047741335)

Revised: 6/2013

Discount Drug Mart