

CLEARASIL ULTRA ACNE PLUS MARKS SPOT- salicylic acid lotion
RB Health (US) LLC

Clearasil® Ultra
Acne+Marks Spot Lotion

Drug Facts

Active Ingredient

Salicylic acid 2%

Purpose

Acne Medication

Use

for the treatment of acne

Warnings

For external use only

When using this product

- Avoid contact with eyes, lips and mouth. If contact occurs, rinse thoroughly with water
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time
- Limit use to the face and neck
- Wash hands after use
- **Sun Alert:** Because this product may make your skin more sensitive to the sun, be certain you have adequate sunscreen protection while using this product and for a week after you discontinue use

Stop use and ask a doctor if skin or eye irritation develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- clean the skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then

gradually increase to two or three times daily if needed or as directed by a doctor.

- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

- Keep tightly closed
- Store at 20-25°C (68-77°F)

Inactive ingredients

Water, Alcohol Denat., Octyldodecanol, Dimethicone, Niacinamide, Sodium Lactate, Isohexadecane, Polyacrylamide, Sodium Hydroxide, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Hexyldecanol, C13-14 Isoparaffin, Magnesium Aluminum Silicate, Fragrance, Laureth-7, Disodium EDTA, Dipotassium Glycyrrhizate, Bisabolol, Cetylhydroxyproline Palmitamide, Stearic Acid, Brassica Campestris (Rapeseed) Sterols, Titanium Dioxide

Questions?

Call 1-866-25-CLEAR (1-866-252-5327).

You may also report side effects to this phone number.

Distributed by: Reckitt Benckiser LLC

Parsippany, NJ 07054-0224

Made in USA

PRINCIPAL DISPLAY PANEL - 30 mL Tube Carton

Clearasil®

ULTRA

Acne + Marks

Spot Lotion

Salicylic Acid 2% Acne Medication

REDUCES

MARKS

Helps to clear
pimples fast
and reduce the
appearance of
acne marks

1 FL. OZ. (30 mL)

Clearasil Ultra® Skin science:
Acne marks actually start to form when a pimple appears and can take weeks to go away.

How Clearasil® works with your skin:
With dermatologist-inspired science, this Lotion uses salicylic acid to clear pimples from the start. The ingredient complex has Vitamin B3, known to reduce the appearance of acne marks, and lactic acid, known to enhance the skin renewal process.

To help prevent breakouts, try Clearasil Ultra® Rapid Action Cleansers

Drug Facts

Active Ingredient	Purpose
Salicylic acid 2%	Acne Medication

Use for the treatment of acne

Warnings
For external use only

When using this product

- Avoid contact with eyes, lips and mouth. If contact occurs, rinse thoroughly with water.
- Skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- Limit use to the face and neck.
- Wash hands after use.
- **Sun Alert:** Because this product may make your skin more sensitive to the sun, be certain you have adequate sunscreen protection while using this product and for a week after you discontinue use.

Stop use and ask a doctor if skin or eye irritation develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Clean the skin thoroughly before applying this product.
- Cover the entire affected area with a thin layer one to three times daily.
- Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor. ■ If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

Other information

- Keep tightly closed.
- Store at 20-25°C (68-77°F).

Inactive ingredients
Water, Alcohol Denat., Octyldodecanol, Dimethicone, Niacinamide, Sodium Lactate, Isohexadecane, Polyacrylamide, Sodium Hydroxide, Acrylates C10-30 Alkyl Acrylate Crosspolymer, Xanthan Gum, Hexyldecyl, C13-14 Isoparaffin, Magnesium Aluminum Silicate, Fragrance, Laureth-7, Disodium EDTA, Dipotassium Glycyrrhizate, Bisabolol, Cetylhydroxypropylene Palmitamide, Stearic Acid, Brassica Campestris (Rapeseed) Sterols, Titanium Dioxide

Questions?
Call 1-866-25-CLEAR (1-866-252-5327).
You may also report side effects to this phone number.

www.clearasil.com
For best before date, see tube crimp.

0264303
0346042 072611

Clearasil

ULTRA

Acne + Marks Spot Lotion

Salicylic Acid 2% Acne Medication

REDUCES MARKS

Helps to clear pimples fast and reduce the appearance of acne marks

1 FL. OZ. (30 mL)

PULL EDGE TO TEAR

Distributed by: Bechtel Bancostar LLC
Parsippany, NJ 07054-0024
Made in USA © FEB 2011

Bechtel Bancostar

CLEARASIL ULTRA ACNE PLUS MARKS SPOT

salicylic acid lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63824-347
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
NIACINAMIDE (UNII: 25X51I8RD4)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
ISOHEXADECANE (UNII: 918X1OUF1E)	

SODIUM HYDROXIDE (UNII: 55X04QC32I)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HEXYLDECANOL (UNII: 151Z7P1317)	
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
LAURETH-7 (UNII: Z95S6G8201)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
LEVOMENOL (UNII: 24WE03BX2T)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63824-347-01	1 in 1 CARTON	08/01/2011	09/01/2024
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	08/01/2011	09/01/2024

Labeler - RB Health (US) LLC (081049410)

Revised: 10/2023

RB Health (US) LLC