

**COUGH CONTROL DM MAX- dextromethorphan hbr, guaifenesin liquid**  
**Select Brand Dist.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active ingredients (in each 5 mL, 1 teaspoon)**

Dextromethorphan HBr, USP 10 mg

Guaifenesin, USP 200 mg

**Purpose**

Cough suppressant

Expectorant

**Uses**

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

**Warnings**

**Do not use**

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema

**When using this product**

- **do not use more than directed**

**Stop use and ask a doctor if**

cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep this and all drugs out of the reach of children.**

In case of accidental overdose, seek professional assistance or contact a Poison Control Center (1-800-222-1222) immediately.

**Directions**

- **shake well before using**
- do not exceed 6 doses in a 24-hour period
- this adult product is not intended for use in children under 12 years of age
- tsp = teaspoon, mL = milliliter

age	dose
adults and children 12 years and over	2 teaspoonfuls (10 mL) every 4 hours
children under 12 years	do not use

**Other information**

- each teaspoon contains: **sodium 5 mg**
- store at room temperature
- alcohol-free
- dosage cup provided

**Inactive ingredients**

anhydrous citric acid, carboxymethylcellulose sodium, flavors, glycerin, high fructose corn syrup, menthol, microcrystalline cellulose, polyethylene glycol, povidone, propylene glycol, purified water, red 33, red 40, saccharin sodium, sodium benzoate, sorbitol, xanthan gum

**Principal Display Panel****COUGH CONTROL DM MAX**

Cough Suppressant (Dextromethorphan HBr)

Expectorant (Guaifenesin)

Maximum Strength for MUCUS RELIEF

NON-DROWSY

- Controls Coughs
- Relieves Mucus/Chest Congestion

ALCOHOL-FREE

For Adults

\*Compare to the active ingredients in Robitussin® DM Max

**SEE NEW DOSING INFORMATION**

FL OZ (mL)

\*This product is not manufactured or distributed by Wyeth Consumer Healthcare, distributors of Robitussin® DM Max.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON THE BOTTLE IS BROKEN OR MISSING.**

Distributed by: SELECT BRAND DISTRIBUTORS

Pine Bluff, AR 71603 USA AC (870) 535-3635

MADE IN THE USA

Package Label

<p><b>Drug Facts</b> (continued)</p> <p><b>Directions</b> • shake well before using</p> <ul style="list-style-type: none"> <li>do not exceed 6 doses in a 24-hour period</li> <li>this adult product is not intended for use in children under 12 years of age</li> <li>tsp = teaspoon, mL = milliliter</li> </ul> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:50%;">age</th> <th style="width:50%;">dose</th> </tr> </thead> <tbody> <tr> <td>adults and children 12 years and over</td> <td>2 teaspoonfuls (tsp) every 4 hours</td> </tr> <tr> <td>children under 12 years</td> <td>do not use</td> </tr> </tbody> </table> <p><b>Other information</b></p> <ul style="list-style-type: none"> <li>each teaspoon contains: sodium 5 mg</li> <li>store at room temperature</li> <li>alcohol-free • dosage cup provided</li> </ul> <p><b>Inactive ingredients</b> anhydrous citric acid, carboxymethylcellulose sodium, flavors, glycerin, high fructose corn syrup, menthol, microcrystalline cellulose, polyethylene glycol, povidone, propylene glycol, purified water, red 33, red 40, saccharin sodium, sodium benzoate, sorbitol, xanthan gum</p> <div style="border: 1px solid black; padding: 2px; text-align: center; margin-top: 10px;"> <p>TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL ON THE BOTTLE IS BROKEN OR MISSING.</p> </div> <div style="text-align: center; margin-top: 10px;">  </div> <p style="text-align: center; margin-top: 10px;">Distributed By: <b>SELECT BRAND DISTRIBUTORS</b> Pine Bluff, AR 71603 USA AC 870 535-3635 <b>MADE IN THE USA</b></p>	age	dose	adults and children 12 years and over	2 teaspoonfuls (tsp) every 4 hours	children under 12 years	do not use	<p style="text-align: center;">NDC 15127-864-04</p> <div style="text-align: center; border: 2px solid black; padding: 5px; margin-bottom: 10px;"> <p><b>select brand</b> the lower price name brand</p> </div> <div style="text-align: center; background-color: black; color: white; padding: 10px; margin-bottom: 10px;"> <p><b>COUGH CONTROL</b></p> </div> <div style="text-align: center; margin-bottom: 10px;"> <p><b>DM</b> COUGH SUPPRESSANT (Dextromethorphan HBr)</p> <p><b>MAX</b> EXPECTORANT (Guaifenesin)</p> </div> <div style="text-align: center; background-color: red; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>Maximum Strength for MUCUS RELIEF</b></p> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>NON-DROWSY</b></p> <ul style="list-style-type: none"> <li>CONTROLS COUGHS</li> <li>RELIEVES MUCUS/ CHEST CONGESTION</li> </ul> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>ALCOHOL-FREE For Adults</b></p> </div> <div style="text-align: center; background-color: yellow; padding: 2px; margin-bottom: 10px;"> <p>*Compare to the active ingredients of ROBITUSSIN® DM Max <i>SEE NEW DOSING INFORMATION</i></p> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px;"> <p><b>4 FL OZ (118 mL)</b></p> </div>	<p style="text-align: center;">NDC 15127-864-04</p> <div style="text-align: center; border: 2px solid black; padding: 5px; margin-bottom: 10px;"> <p><b>select brand</b> the lower price name brand</p> </div> <div style="text-align: center; background-color: black; color: white; padding: 10px; margin-bottom: 10px;"> <p><b>COUGH CONTROL</b></p> </div> <div style="text-align: center; margin-bottom: 10px;"> <p><b>DM</b> COUGH SUPPRESSANT (Dextromethorphan HBr)</p> <p><b>MAX</b> EXPECTORANT (Guaifenesin)</p> </div> <div style="text-align: center; background-color: red; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>Maximum Strength for MUCUS RELIEF</b></p> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>NON-DROWSY</b></p> <ul style="list-style-type: none"> <li>CONTROLS COUGHS</li> <li>RELIEVES MUCUS/ CHEST CONGESTION</li> </ul> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px; margin-bottom: 10px;"> <p><b>ALCOHOL-FREE For Adults</b></p> </div> <div style="text-align: center; background-color: yellow; padding: 2px; margin-bottom: 10px;"> <p>*Compare to the active ingredients of ROBITUSSIN® DM Max <i>SEE NEW DOSING INFORMATION</i></p> </div> <div style="text-align: center; background-color: green; color: white; padding: 5px;"> <p><b>4 FL OZ (118 mL)</b></p> </div>	<p><b>Drug Facts</b></p> <table border="1" style="width:100%; border-collapse: collapse;"> <thead> <tr> <th style="width:70%;">Active ingredients (in each 5 mL, 1 teaspoon)</th> <th style="width:30%;">Purpose</th> </tr> </thead> <tbody> <tr> <td>Dextromethorphan HBr, USP 10 mg.....</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin, USP 200 mg.....</td> <td>Expectorant</td> </tr> </tbody> </table> <p><b>Uses</b> • temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold • helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes</p> <p><b>Warnings</b></p> <p><b>Do not use</b> if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you have</b></p> <ul style="list-style-type: none"> <li>cough that occurs with too much phlegm (mucus)</li> <li>cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis or emphysema</li> </ul> <p><b>When using this product</b></p> <ul style="list-style-type: none"> <li>do not use more than directed</li> </ul> <p><b>Stop use and ask a doctor if</b> cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding</b>, ask a health professional before use.</p> <p><b>Keep this and all drugs out of the reach of children.</b> In case of accidental overdose, seek professional assistance or contact a Poison Control Center (1-800-222-1222) immediately.</p> <p style="font-size: small; text-align: center;">*This product is not manufactured or distributed by Wyeth Consumer Healthcare, distributors of Robitussin® DM Max.</p>	Active ingredients (in each 5 mL, 1 teaspoon)	Purpose	Dextromethorphan HBr, USP 10 mg.....	Cough suppressant	Guaifenesin, USP 200 mg.....	Expectorant
age	dose														
adults and children 12 years and over	2 teaspoonfuls (tsp) every 4 hours														
children under 12 years	do not use														
Active ingredients (in each 5 mL, 1 teaspoon)	Purpose														
Dextromethorphan HBr, USP 10 mg.....	Cough suppressant														
Guaifenesin, USP 200 mg.....	Expectorant														
<div style="text-align: center; margin-bottom: 10px;">  <p>47-02430A 0 15127 02430 3</p> </div>	<p><b>Select Brand Cough Control DM Max Liquid</b></p>														

**COUGH CONTROL DM MAX**

dextromethorphan hbr, guaifenesin liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:15127-864
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg in 5 mL

GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)

GUAIFENESIN

200 mg  
in 5 mL**Inactive Ingredients**

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
GLYCERIN (UNII: PDC6A3C0OX)	
HIGH FRUCTOSE CORN SYRUP (UNII: XY6UN3QB6S)	
MENTHOL (UNII: L7T10EIP3A)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POVIDONE (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
WATER (UNII: 059QF0K00R)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
SACCHARIN SODIUM (UNII: SB8ZUX40TY)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SORBITOL (UNII: 506T60A25R)	
XANTHAN GUM (UNII: TTV12P4NEE)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:15127-864-04	1 in 1 BOX	09/08/2010	12/31/2020
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
2	NDC:15127-864-08	1 in 1 BOX	09/08/2010	12/31/2020
2		236 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part341	09/08/2010	12/31/2020

**Labeler** - Select Brand Dist. (012578514)

Revised: 8/2019

Select Brand Dist.