

INON- aluminum hydroxide, magnesium carbonate, sodium bicarbonate granule
Sato Pharmaceutical Co., Ltd.

Inon Granules

Active ingredients [in each packet (1.92g)]

Aluminum hydroxide 400 mg
Magnesium carbonate 400 mg
Sodium bicarbonate 700 mg

Purpose

Aluminum hydroxide Antacid
Magnesium carbonate Antacid
Sodium bicarbonate Antacid

Uses relieves these symptoms

■ heartburn ■ sour stomach ■ acid indigestion

Warnings

If pregnant or breast-feeding, ask a health professional before use.

When using this product

■ Do not take more than 3 packets in 24-hours period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor

■ May have laxative effect

Ask a doctor before use if you have

■ a sodium-restricted diet

Ask a doctor or pharmacist before use if you are

■ taking a prescription drug Antacids may interact with certain prescription drugs.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ Adults and children 12 years of age and over: Take 1 packet at a time 3 times daily between meals or after meals, or as directed by a doctor

■ Children under 12 years: Ask a doctor

Other information ■ Each packet contains: sodium 175 mg, magnesium 95 mg

Inactive ingredients colloidal silicon dioxide, flavor, partially hydrolyzed polyvinyl alcohol, sugar, starch

inongrncart.jpg



INON			
aluminum hydroxide, magnesium carbonate, sodium bicarbonate granule			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49873-045
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0) (ALUMINUM HYDROXIDE -		ALUMINUM	400 mg

UNII:5QB0T2IUN0)	HYDROXIDE	in 1.92 g
MAGNESIUM CARBONATE (UNII: 0E53J927NA) (CARBONATE ION - UNII:7UJQ5OPE7D)	MAGNESIUM CARBONATE	400 mg in 1.92 g
SODIUM BICARBONATE (UNII: 8MDF5V39QO) (BICARBONATE ION - UNII:HN1Z RA3Q20)	SODIUM BICARBONATE	700 mg in 1.92 g

Inactive Ingredients

Ingredient Name	Strength
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYVINYL ALCOHOL (UNII: 532B59J990)	
SUCROSE (UNII: C151H8M554)	
STARCH, POTATO (UNII: 8I089SAH3T)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	PEPPERMINT	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49873-045-01	12 in 1 CARTON	05/31/1989	
1		1.92 g in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	05/31/1989	

Labeler - Sato Pharmaceutical Co., Ltd. (690575642)

Establishment

Name	Address	ID/FEI	Business Operations
Sato Pharmaceutical Co., Ltd.		715699133	manufacture(49873-045) , label(49873-045) , pack(49873-045)

Revised: 12/2023

Sato Pharmaceutical Co., Ltd.