

BASIC CARE ACETAMINOPHEN- acetaminophen tablet, film coated, extended release

Amazon.com Services LLC

Amazon Acetaminophen Drug Facts

Active ingredient (in each caplet)

Acetaminophen 650 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - minor pain of arthritis
 - muscular aches
 - backache
 - premenstrual and menstrual cramps
 - the common cold
 - headache
 - toothache
- temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 6 caplets in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have

liver disease

Ask a doctor or pharmacist before use if you are

taking the blood thinning drug warfarin

Stop use and ask a doctor if

- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults	<ul style="list-style-type: none"> • take 2 caplets every 8 hours with water • swallow whole; do not crush, chew, split or dissolve • do not take more than 6 caplets in 24 hours • do not use for more than 10 days unless directed by a doctor
under 18 years of age	<ul style="list-style-type: none"> • ask a doctor

Other information

- store at 20-25°C (68-77°F)

- meets the requirements of USP *Dissolution Test 4*

Inactive ingredients

carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polysorbate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments?

1-800-719-9260

Principal Display Panel

amazon

basic care

Arthritis Pain

Compare to Tylenol® 8HR Arthritis Pain active ingredient

Push & Turn Cap

Acetaminophen Extended-Release Tablets, 650 mg

Pain Reliever/Fever Reducer

LASTS UP TO 8 HOURS

For the Temporary Relief of Minor Arthritis Pain

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

actual size

400 CAPLETS* - 650 mg EACH

*Capsule-Shaped Tablets



Arthritis Pain
NDC 72288-544-79
Push & Turn Cap

Compare to Tylenol® 8HR Arthritis Pain active Ingredient**

Acetaminophen

Extended-Release Tablets, 650 mg
Pain Reliever/Fever Reducer
LASTS UP TO 8 HOURS
For the Temporary Relief of Minor Arthritis Pain



DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

400 CAPLETS* - 650 mg EACH
*Capsule-Shaped Tablets

DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Pain reliever/fever reducer

Drug Facts
Active ingredient (in each caplet)
Acetaminophen 650 mg

Uses
Temporarily relieves minor aches and pains due to:

- muscle pain or arthritis
- the common cold
- headache
- temporarily reduces fever

Warnings
Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 6 caplets in 24 hours, which is the maximum daily amount.
 Do not use if you have had liver disease or if you are taking other drugs that may harm the liver.
 Do not use if you are taking 3 or more alcoholic drinks every day while using this product.
Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 skin redness, blisters, rash
 If a skin reaction occurs, stop use and seek medical help right away.
Do not use
 with any other drug containing acetaminophen (prescription or nonprescription), if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 if you are allergic to acetaminophen or any of the inactive ingredients in this product.
Ask a doctor before use if you have liver disease
Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin
Stop use and ask a doctor if
 pain gets worse or lasts more than 10 days
 fever gets worse or lasts more than 3 days
 new symptoms occur
 These could be signs of a serious condition.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.
Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions
 do not take more than directed (see overdose warning)
 adults
 take 2 caplets every 8 hours with water
 swallow whole; do not crush, chew, split or dissolve
 do not take more than 6 caplets in 24 hours
 do not use for more than 10 days unless directed by a doctor
 under 18 years of age
 ask a doctor
Other information
 store at 20-25°C (68-77°F)
 meets the requirements of USP Dissolution Test 2

Inactive ingredients carnauba wax, colloidal silicon dioxide, croscarmellose sodium, hypromellose, magnesium stearate, maltodextrin, microcrystalline cellulose, polyethylene glycol, polyacrylate 80, povidone, pregelatinized starch, stearic acid, titanium dioxide

Questions or comments? 1-800-719-9299

Contains No Aspirin U.S. Patent 7,881,172
 *This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., McKel Consumer Healthcare Division, distributor of Tylenol® 8HR Arthritis Pain.
 DISTRIBUTED BY: ANAZONCON SERVICES LLC
 10000 W. 16th Ave., Suite 1000, Denver, CO 80202
 © 2024 AMAZON.COM, INC. OR ITS AFFILIATES.
 ALL RIGHTS RESERVED.
 GLUTEN FREE

EXP LOT
 : 54479 BN F4

3 70030-11457 3

BASIC CARE ACETAMINOPHEN

acetaminophen tablet, film coated, extended release

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72288-544
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg

Inactive Ingredients

Ingredient Name	Strength
CARNAUBA WAX (UNII: R12CBM0EIZ)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSCARMELLOSE SODIUM (UNII: M28OL1HH48)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTODEXTRIN (UNII: 7CVR7L4A2D)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	WHITE	Score	no score
--------------	-------	--------------	----------

Shape	OVAL	Size	19mm
Flavor		Imprint Code	L544
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72288-544-79	400 in 1 BOTTLE; Type 0: Not a Combination Product	08/10/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075077	08/10/2021	

Labeler - Amazon.com Services LLC (128990418)

Revised: 5/2025

Amazon.com Services LLC