

**NIGHTTIME WAL FLU SEVERE COLD AND COUGH- acetaminophen,  
diphenhydramine, phenylephrine powder, for solution  
WALGREEN CO.**

-----  
**Walgreens Nighttime Wal-Flu Severe Cold and Cough Honey Lemon 6 Packets**

**Active ingredients (in each packet)**

Acetaminophen, 650 mg

Diphenhydramine hydrochloride 25 mg

Phenylephrine hydrochloride 10 mg

**Purposes**

Pain reliever / fever reducer

Antihistamine / Cough Suppressant

Nasal Decongestant

**Uses**

- temporarily relieves these symptoms due to a cold:
  - minor aches and pains
  - minor sore throat pain
  - headache
  - nasal and sinus congestion
  - runny nose
  - sneezing
  - itchy nose or throat
  - itchy, watery eyes due to hay fever
  - cough due to minor throat and bronchial irritation
- temporarily reduces fever

**Warnings**

**Liver warning:**This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:**acetaminophen may cause severe skin reactions, Symptoms may include:

- skin reddening
- blisters
- rash

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting consult a doctor promptly.

### **Do not use**

- in a child under 12 years of age
- if you are allergic to acetaminophen
- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or a pharmacist.
- with any other product containing diphenhydramine, even one used on the skin
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.

### **Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema, asthma or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

### **Ask a doctor or pharmacist before use if you are**

- taking sedatives or tranquilizers
- taking the blood thinning drug warfarin

### **When using this product**

- **do not exceed recommended dosage**
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

### **Stop use and ask a doctor if**

- nervousness, dizziness, or sleeplessness occurs
- fever gets worse or lasts more than 3 days
- redness or swelling is present

- new symptoms occur
- symptoms do not get better or worsen
- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with fever, rash or headache that lasts. There could be signs of a serious condition.

**If pregnant or breast- feeding,**

ask a health care professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not use more than directed**
- take every 4 hours while symptoms persist, not to exceed 5 packets in 24 hours unless directed by a doctor

Age	Dose
children under 12 years of age	do not use unless directed by a doctor
adults and children 12 years of age and over	one packet

- dissolve contents of one packet into 8 oz. hot water: sip while hot. Consume entire drink within 10 - 15 minutes.
- if using a microwave, add contents of one packet to 8 oz. of cool water: stir briskly before and after heating, Do not overheat.

**Other information**

- each packet contains: **potassium 6 mg**
- store at room temperature. Protect from excessive heat and moisture.

**Inactive ingredients**

citric acid, FD& C yellow#6, flavors, maltodextrin, potassium chloride, silica, sucralose, sucrose,

**Questions or comments?**

**1-866-467-2748**

## **Additional Information Listed On Other Panels**

Walgreens

**Compare to Theraflu® Nighttime Severe Cold & Cough active ingredient††**

NIGHTTIME

Wal-Flu® Severe

Cold & Cough

**ACETAMINOPHEN**/PAIN RELIEVER/ FEVER REDUCER

DIPHENHYDRAMINE HCl /

ANTIHISTAMINE/ COUGH SUPPRESSANT

PHENYLEPHRINE HCl / NASAL DECONGESTANT

**ASPARTAME FREE**

**SODIUM FREE**

- Relieves nasal congestion, cough, body ache, sore throat pain, runny nose, sneezing, headache & fever.

Honey Lemon Flavor Infused with Chamomile & White Tea Flavors

**6 PACKETS**

**READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE, KEEP  
CARTON FOR REFERENCE, DO NOT DISCARD,**

**TAMPER EVIDENT INNER UNIT: DO NOT USE IF SEALED PACKET IS TORN OR  
BROKEN.**

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

Walgreens.com ©2018 Walgreen Co,

WALGREENS PHARMACIST RECOMMENDED‡

‡Walgreens Pharmacist Survey

\*This product is not manufactured or distributed by GSK Consumer Healthcare,  
distributor of Theraflu® Nighttime Severe Cold & Cough.

**Principal Display**

**READ ALL WARNINGS AND DIRECTIONS ON CARTON BEFORE USE. KEEP CARTON FOR REFERENCE. DO NOT DISCARD.**

**Drug Facts**

**Active ingredients (in each packet)** **Purposes**

Acetaminophen 650 mg.....Pain relief/fever reducer  
 Diphenhydramine HCl 25 mg.....Antihistamine to help suppressant  
 Phenylephrine HCl 10 mg.....Nasal decongestant

**Uses**

- temporarily relieves these symptoms due to a cold:
  - runny nose
  - sneezing
  - cough
  - throat irritation
  - nasal congestion
- temporarily relieves these symptoms due to a cold:
  - minor aches and pains
  - minor sore throat pain
  - headache
  - nasal and sinus congestion
  - many aches
  - runny nose or throat
  - itchy, watery eyes due to hay fever
  - cough due to minor throat and bronchial irritation
  - temporarily reduces fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours.

**Do not take more than 2 packets in 24 hours unless directed by a doctor.**

**Do not take with other drugs containing acetaminophen.**

**Do not take with other drugs containing diphenhydramine, even one used on the skin.**

**Do not take with a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains a MAOI, ask a doctor or pharmacist before taking this product.**

**Ask a doctor before use if you have:**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- glaucoma
- prostate problems due to an enlarged prostate gland
- breathing problems such as emphysema or chronic bronchitis
- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma or emphysema

**Ask a doctor or pharmacist before use if you are:**

- taking medicines or treated with:
- drinking alcohol or treated with:
- taking the blood thinning drug warfarin

**When using this product:**

- do not exceed recommended dosage
- avoid alcoholic drinks
- marked drowsiness may occur
- alcohol, sedatives and tranquilizers may increase drowsiness
- no alcohol when driving a motor vehicle or operating machinery
- restlessness may occur, especially in children

**Stop use and ask a doctor if:**

- fever persists or returns
- fever gets worse or lasts more than 3 days
- restlessness or swelling is present
- new symptoms occur

**Drug Facts (continued)**

- pain, cough or nasal congestion gets worse or lasts more than 7 days
- cough comes back or occurs with rash or wheezing that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Prompt medical attention is critical for adults as well as for children. Even if you do not notice any signs or symptoms.

**Directions**

- do not use more than directed
- take every 4 hours, while symptoms persist. Do not take more than 2 packets in 24 hours unless directed by a doctor.

Age	Dose
adults and children 12 years of age and over	one packet
children under 12 years of age	do not use

**Other information**

- each packet contains: acetaminophen 650 mg, diphenhydramine HCl, sodium free
- store at room temperature. Protect from heat and moisture.

**Inactive ingredients:** citric acid, FD&C Yellow No. 5, flavors, maltodextrin, potassium chloride, silica, sucralose, sucrose

**Questions or comments? 1-855-487-4748**

**DANGER: EVIDENT TAMPERING: DO NOT USE IF SEALED PACKET IS TORN OR BROKEN.**

Our pharmacists recommend this Walgreens brand. We invite you to compare to national brands. This product is not manufactured or distributed by SSK Consumer Healthcare, distributor of Theraflu Nighttime Severe Cold & Cough.







NDC 0363-5410-06

Compare to the active ingredients in Theraflu Nighttime Severe Cold & Cough\*

## NIGHTTIME Severe Cold & Cough

### COLD & COUGH

ACETAMINOPHEN / PAIN RELIEVER / FEVER REDUCER  
 DIPHENHYDRAMINE HCl / ANTIHISTAMINE / COUGH SUPPRESSANT  
 PHENYLEPHRINE HCl / NASAL DECONGESTANT

Aspartame Free    Sodium Free

- Relieves nasal congestion, cough, body ache, sore throat pain, runny nose, sneezing, headache & fever



Honey Lemon  
infused with chamomile & white tea flavors



W30R0122-F

**6 PACKETS**

DISTRIBUTED BY: WALGREEN CO.  
 205 WILMOT RD., DEERFIELD, IL 60015  
 100% SATISFACTION GUARANTEED  
 walgreens.com  
 ©2021 Walgreen Co.

ITEM 878380 W00000-0000-0  
 3 11917 20155 9

54106WAGFC

Lot: \_\_\_\_\_  
 Exp: \_\_\_\_\_

NIGHTTIME WAL FLU SEVERE COLD AND COUGH			
acetaminophen, diphenhydramine, phenylephrine powder, for solution			
Product Information			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-5410
<b>Route of Administration</b>	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg	
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg	
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg	

Inactive Ingredients	
Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>MALTODEXTRIN</b> (UNII: 7CVR7L4A2D)	
<b>POTASSIUM CHLORIDE</b> (UNII: 660YQ98I10)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	

Product Characteristics			
<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	HONEY, LEMON	<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-5410-06	6 in 1 CARTON; Type 0: Not a Combination Product	05/29/2018	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	05/29/2018	

**Labeler** - WALGREEN CO. (008965063)