HYPERTONIC SALINE 7.2 %- hypertonic saline 7.2 % injection, solution Vedco

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

HYPERTONIC SALINE 7.2 %- hypertonic saline 7.2 % injection, solution

Vedco

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA.

Hypertonic Saline Solution 7.2%

Sterile - Preservative Free

KEEP OUT OF REACH OF CHILDREN

ACTIVE INGREDIENT

Each 100 mL of sterile aqueous solution contains:

Sodium Chloride......7.2 g

Milliequivalents per liter:

Cations Sodium	1232 mEq/L
Anions Chloride	1232 mEg/L

Total osmolarity is 2464 milliosmoles per litter.

INDICATION

For use in replacement therapy of sodium, chloride and water which may become depleted in many diseases.

DOSAGE AND AND ADMINISTRATION

50 to 100 mL per lb bodyweight. Warm to body temperature and administer slowly by intravenous or subcutaneous injection. The amount and rate of administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

CAUTION

This product contains no preservatives. Do not use if solution is not clear. Use entire contents when first opened. Discard any unused solution.

Federal law restricts this drug to use by or on the order of a licensed veterinarian.

STORAGE

Store between 15° C - 30° C (59° F - 86° F).

Distributed By

VEDCO, INC.

St. Joseph, MO 64507

Made in El Salvador

Net Contents: 1000 mL

TABLE

CONTENTS	NDC	VINV #
1000 mL	50989-884-17	VINV-EQUI-7HSS

PRINCIPAL DISPLAY PANEL

NDC 50989-884-17

ULTIGIENE

TERMINALLY STERILIZED

HYPERTONIC SALINE SOLUTION 7.2%

NET CONTENTS: 1000 mL

VEDCO

FOR ANIMAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION: Federal Law (U.S.A) restricts this drug to use by or on the order of a licensed veterinarian

INDICATIONS: For use replacement therapy of sodium, chloride and water which may become depleted in many diseases

DOSAGE AND ADMINISTRATION: Warm to body temperature and administer slowly by intravenous or subcutaneous injection. The amount and rate of administration must be judged by the veterinarian in relation to the condition being treated and the clinical response of the animal, being careful to avoid overhydration.

WARNING: This product contains no preservatives. Use entire contents when first opened. Discard any

unused solution.

Distributed By VEDCO, INC St. Joseph, MO 64507 Made in El Salvador



FOR VETERINARY USE ONLY COMPOSITION: Each 100 mL of sterile aqueous solution contains:

Sodium Chloride

Millieguivalents per liter Cations

Sodium 1232 m Eq/L Anions Chloride 1232 mEq/L

Total osmolarity is 2464 milliosmoles per liter.

KEEP OUT OF REACH OF CHILDREN Store between 15°C and 30°C (59°F-86°F)



Lot No.:

Exp. Date:

HYPERTONIC SALINE 7.2 %

hypertonic saline 7.2 % injection, solution

Prod	nct	Into	rma	tion

Product Type PRESCRIPTION ANIMAL DRUG Item Code (Source) NDC:50989-884 INTRAVENOUS, SUBCUTANEOUS **Route of Administration**

Active Ingredient/Active Moiety Ingredient Name Basis of Strength SODIUM CHLORIDE (UNII: 451W47IQ8X) (CHLORIDE ION - UNII:Q32ZN48698) SODIUM CHLORIDE 7.2 g in 100 mL

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50989-884-17	1000 mL in 1 BOTTLE		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved drug other		01/09/2019		

Labeler - Vedco (021634266)

Registrant - Vedco (021634266)

Establishment				
Name	Address	ID/FEI	Business Operations	
Laboratorios Biogalenic		851259507	manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
K+S Minerals and Agriculture GmbH		507531213	api manufacture	

Revised: 1/2020 Vedco