

XPECT STOPAIN CLINICAL- menthol spray
Cintas Corporation

Xpect Stopain Clinical Maximum Performance Pain Relief

Active ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with:

- simple backache
- arthritis
- strains
- bruises
- sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

Contents under pressure: do not puncture or incinerate. Do not store at temperature above 120°F.

When using the product

- use only as directed
- do not bandage tightly or use a heating pad
- do not apply to wounds or damaged skin

Stop use and ask a doctor if

- condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days
- redness is present
- excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply directly onto affected area, not more than 3 to 4 times daily
- wash hands after use

Other information

- Store at room temperature

boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP).

Questions or comments?

1-877-973-2811

Principal Dispay 42961-257-01

Stopain[®]

CLINICAL SPRAY

**MAXIMUM PERFORMANCE
PAIN RELIEF**


Immediate, Penetrating

Relief from:

- Arthritis
- Muscle Aches
- Joint & Back Pain

10% Menthol

With MSM & Glucosamine

Xpect[®]
First aid 

3 FL OZ (88mL)

Drug Facts

Active ingredient

Menthol 10.0%

Purpose

Topical Analgesic

Uses

For the temporary relief of minor aches and pains of muscles and joints associated with: ■ simple backache ■ arthritis ■ strains ■ bruises ■ sprains

Warnings

For external use only. Avoid contact with eyes.

Flammable: Keep away from fire or flame.

Contents under pressure: do not puncture or incinerate. Do not store at temperature above 120°F.

When using the product ■ use only as directed ■ do not bandage tightly or use a heating pad ■ do not apply to wounds or damaged skin

Stop use and ask a doctor if ■ condition worsens, or if symptoms persist for more than 7 days or clear up and occur again within a few days ■ redness is present ■ excessive irritation of the skin develops

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 2 years of age and older:

- apply directly onto affected area, not more than 3 to 4 times daily
- wash hands after use

Children under 2 years of age: do not use, consult a doctor.

Other information ■ Store at room temperature

Inactive ingredients

boswellia serrata extract, dimethylsulfone (MSM), eucalyptus oil, glucosamine sulfate, glycerin, PEG-8 dimethicone, pentylene glycol, peppermint oil, SD alcohol 39C, water (USP).

Questions or comments? 1-877-973-2811

M 5655
DOT-SP 20590

MADE IN USA

NOT FOR RE-SALE
©2025 Troy Healthcare, LLC
02/25 #102899

Manufactured for:
chnd's • Mason, OH 45040
1-877-973-2811 • www.cntas.com

2.5" UNDERLAP

Xpect Stopain Clinical Spray Label

XPECT STOPAIN CLINICAL

menthol spray

Product Information

Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:42961-257
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)			MENTHOL	100 mg in 1 mL
Inactive Ingredients				
Ingredient Name				Strength
BOSWELLIA SERRATA OIL (UNII: 5T1XCE6K8K)				
DIMETHYL SULFONE (UNII: 9H4PO4Z4FT)				
EUCALYPTUS OIL (UNII: 2R04ONI662)				
GLUCOSAMINE SULFATE (UNII: 1FW7WLR731)				
GLYCERIN 1,2-DIMETHYL ETHER (UNII: 21JG3RIJ74)				
PEG-8 DIMETHICONE (UNII: GIA7T764OD)				
PENTYLENE GLYCOL (UNII: 50C1307PZG)				
PEPPERMINT OIL (UNII: AV092KU4JH)				
ALCOHOL (UNII: 3K9958V90M)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:42961-257-01	88 mL in 1 CAN; Type 0: Not a Combination Product	05/13/2025	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017		05/13/2025	

Labeler - Cintas Corporation (056481716)