

CHILDRENS ALLERGY RELIEF- diphenhydramine hcl liquid
Marc Glassman, Inc.

Drug Facts

Active ingredient

Active ingredient

(in each 5 mL teaspoonful)

Diphenhydramine HCL 12.5 mg

Purpose

Antihistamine

Keep out of reach of children.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Uses

- temporarily relieves these symptoms due to hay fever or other respiratory allergies:
- sneezing
- itching of the nose or throat
- runny nose
- itchy watery eyes
- temporarily relieves these symptoms due to the common cold:
- sneezing
- runny nose

Warnings

Do not use • With any other product containing diphenhydramine, even one used on skin

- to make a child sleepy

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- excitability may occur, especially in children
- sedatives and tranquilizers may increase drowsiness

Directions

- if needed, take every 4 to 6 hours
- do not take more than 6 doses in 24 hours

Age (yr)	Dose (mL or tsp)
Children under 4 years	do not use
Children 4 to under 6 years	do not use unless directed by a doctor
Children 6 to under 12 years	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Other Information

- Keep carton for full directions for use
- each teaspoonful contains: sodium 10 mg
- store at 20° - 25° C (68° - 77° F)
- dosage cup provided

Inactive ingredients

Citric acid, D and C Red # 33 FD and C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Marc's Children's Allergy Relief Product Label

NDC 68998-505-24

Compare to the active ingredient in children's Benadryl® allergy liquid*

Marc's

Children's

Allergy

Relief

Antihistamine

Diphenhydramine HCL

Oral Solution

Relieves:

Sneezing, Runny Nose,

Itchy Watery Eyes,

Itchy Throat

Alcohol-Free

CHERRY FLVOR

4 FL OZ (118 mL)

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

* This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of "Children's Benadryl Allergy Liquid."

Distributed By:

Marc Glassman, Inc.

West 130th Street

Cleveland, OH 44130

BX-044

Internal Label - LR-075 Lot: Exp:

DO NOT USE IF PRINTED SEAL
UNDER CAP IS TORN OR MISSING

Drug Facts	
Active ingredient (in each 5 mL teaspoonful) Diphenhydramine HCl 12.5mg.....	Purpose Antihistamine
Uses ■ temporarily relieves these symptoms due to hay fever or other respiratory allergies: <ul style="list-style-type: none">■ sneezing■ itching of the nose or throat■ runny nose■ itchy watery eyes ■ temporarily relieves these symptoms due to the common cold: <ul style="list-style-type: none">■ sneezing■ runny nose	
Warnings Do not use ■ with any other product containing diphenhydramine, even one used on skin ■ to make a child sleepy	
Ask a doctor before use if the child has <ul style="list-style-type: none">■ glaucoma■ a breathing problem such as chronic bronchitis	
Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers	
When using this product <ul style="list-style-type: none">■ marked drowsiness may occur■ excitability may occur, especially in children■ sedatives and tranquilizers may increase drowsiness	
Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.	
Directions ■ if needed, take every 4 to 6 hours ■ do not take more than 6 doses in 24 hours	
Age (yr)	Dose (mL or tsp)
Children under 4 years	do not use
Children 4 to under 6 years	do not use unless directed by a doctor
Children 6 to under 12 years	1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Drug Facts (continued)
Other Information <ul style="list-style-type: none">■ Keep carton for full directions for use■ each teaspoonful contains: sodium 10 mg■ store at 20° - 25° C (68° - 77° F)■ dosage cup provided
Inactive ingredients Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

* This product is not manufactured or distributed by McNeil-PPC, Inc., distributor of "Children's Benadryl Allergy Liquid."

Distributed by:
Marc Glassman, Inc.
West 130th Street
Cleveland, OH 44130

BX-044

NDC 68998-505-24 Compare to the active ingredient in children's Benadryl® allergy liquid*

Marc's

Children's

Allergy Relief

Antihistamine

Diphenhydramine HCL Oral Solution

Relieves:
Sneezing, Runny Nose,
Itchy Watery Eyes,
Itchy Throat

Alcohol-Free

CHERRY FLAVOR

4 FL OZ (118 mL)



DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING

Active Ingredient (in each 5 mL teaspoonful) Diphenhydramine HCl 12.5mg..... Antihistamine

Purpose Antihistamine

Uses temporarily relieves these symptoms due to hay fever or other respiratory allergies: ▶ sneezing ▶ itching of the nose or throat ▶ runny nose ▶ itchy watery eyes ▶ temporarily relieves these symptoms due to the common cold: ▶ sneezing ▶ runny nose

Warnings
 Do not use with any other product containing diphenhydramine, even one used on skin to make a child sleepy.
 Ask a doctor before use if the child has
 ▶ glaucoma ▶ a breathing problem such as chronic bronchitis or tranquilizers

When using this product
 ▶ marked drowsiness may occur ▶ excitability may occur, especially in children ▶ sedatives and tranquilizers may increase drowsiness

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions ▶ if needed, take every 4-6 hours
 ▶ do not take more than 6 doses in 24 hours
 Children under 4 years of age: do not use
 Children 4 to under 6 years of age: do not use unless directed by a doctor
 Children 6 to under 12 years of age: 1 to 2 teaspoonfuls (12.5 mg to 25 mg)

Other Information
 ▶ Keep carton for full directions for use ▶ each teaspoonful contains: sodium 10 mg ▶ store at 20° - 25°C (68° - 77°F) ▶ dosage cup provided

Inactive ingredients Citric acid, D&C Red # 33, FD&C Red # 40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

* This product is not manufactured or distributed by McNeil-PPC, Inc., the distributor of "Children's Benadryl® Allergy Liquid".

Distributed by:
 Marc Glassman, Inc.
 West 130th Street
 Cleveland, OH 44130

Lot: LR-075
 Exp: LR-075

res

CHILDRENS ALLERGY RELIEF

diphenhydramine hcl liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68998-505
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
D&C RED NO. 33 (UNII: 9DBA0SBB0L)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLOXAMER 407 (UNII: TUF21VW3M2)	
WATER (UNII: 059QF0KO0R)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color		Score	
Shape		Size	
Flavor	CHERRY (CHERRY)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68998-505-24	118 mL in 1 BOTTLE; Type 0: Not a Combination Product	12/02/2014	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/02/2014	

Labeler - Marc Glassman, Inc. (094487477)

Revised: 12/2025

Marc Glassman, Inc.