

PHYTOGEL- arnica montana, calendula officinalis, hypericum perforatum, bellis perennis, calcarea fluorica, ferrum phosphoricum, ledum palustre, natrum sulphuricum, rhus tox, sulphuricum acidum, symphytum officinale gel
Energetix Corp

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Phytogel

Active ingredients

2 oz contains 1.638% of Arnica 30C, Bellis 12X, Calc fluor 30X, Ferrum phos 30X, Hypericum 30C, Ledum 12X, Nat sulphuricum 30C, Rhus tox 30X, Sulphuricum ac 12X, Symphytum 6X; 0.54% of Arnica 1X, Calendula 1X, Hypericum 1X.

Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.

Uses Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches.

Warnings

- If swallowed, get medical help or contact a Poison Control Center right away.
- If pregnant or breast feeding, ask a health professional before use.
- For external use only. Do not apply to open wounds.

- Keep out of reach of children.

Directions

- Apply topically three times daily or as directed by a healthcare professional.
- Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

Other information

- Store at room temperature out of direct sunlight.
- Do not use if tamper evident seal is broken or missing.

Inactive ingredients Aloe Barbadensis (Aloe Vera) Leaf Juice, Purified Water, Ethanol, Carbomer, remaining ingredients at $\leq 1\%$: Potassium Sorbate, Phenoxyethanol, Ethylhexylglycerin, Sodium Hydroxide.

Distributed by Energetix Corp.
Dahlonega, GA 30533
Questions? Comments?
800.990.7085
www.energetix.com


energetix

PhytoGel

Topical, homeopathic

pain-relief gel

Pain related to sprains, strains,
bruises, joints, burns,
sunburns, insect bites, skin
irritations, and muscle aches.

	
<h1>PhytoGel[®]</h1>	
<h2>Topical, homeopathic pain-relief gel</h2>	
Pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches	
2 oz (56.7 g)	

Drug Facts Active ingredients 2 oz contains 1.838% of Arnica 30C, Bellis 12X, Calc fluor 30X, Ferrum phos 30X, Hypericum 30C, Ledum 12X, Nat sulphuricum 30C, Rhus tox 30X, Sulphuricum ac 12X, Symphytum 6X, 0.54% of Arnica 1X, Calendula 1X, Hypericum 1X. Purpose Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches. Uses Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches. Warnings • If swallowed, get medical help or contact a Poison Control Center right away. • If pregnant or breast-feeding ask a health professional be- fore use. • Keep out of reach of children. • For external use only. Do not apply to open wounds. ©08-22 09022	Drug Facts (continued) Directions • Apply topically three times daily or as directed by a healthcare professional. • Consult a physician for use in children under 12 years of age or if symptoms worsen or persist. Other information • Store at room tem- perature out of direct sunlight. • Do not use if tamper evident seal is broken or missing. Inactive ingredients Aloe Babadiensis (Aloe Vera) Leaf Juice, Purified Water, Ethanol, Carbonic, remaining ingredients at 5.1%: Potassium Sorbate, Phenoxyethanol, Ethyl- hexylglycerin, Sodium Hydroxide. Claims based on traditional homeopathic practice, not accepted medical evidence. Not FDA evaluated.
---	---

3 64578 09022 2

Distributed by Energetix Corp.
Dahlonega, GA 30533
Questions? Comments?
800.990.7085
www.energetix.com

2 oz (56.7 g)

Drug Facts


Active ingredients
2 oz contains 1.638% of Arnica 30C, Bellis 12X, Calc fluor 30X, Ferrum phos 30X, Hypericum 30C, Ledum 12X, Nat sulphuricum 30C, Rhus tox 30X, Sulphuricum ac 12X, Symphytum 6X; 0.54% of Arnica 1X, Calendula 1X, Hypericum 1X.

Purpose Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches.

Uses Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches.

Warnings
• If swallowed, get medical help or contact a Poison Control Center right away. • If pregnant or breast-feeding, ask a health professional before use. • Keep out of reach of children. • For external use only. Do not apply to open wounds.

r08-22 09/22



3 64578 09022 2

Distributed by Energetix Corp.
Dahlonega, GA 30533
Questions? Comments?
800.596.7885
www.energetix.com


Drug Facts (continued)

Directions • Apply topically three times daily or as directed by a healthcare professional. • Consult a physician for use in children under 12 years of age or if symptoms worsen or persist.

Other information
• Store at room temperature out of direct sunlight. • Do not use if tamper evident seal is broken or missing.

Inactive ingredients Aloe Barbadensis (Aloe Vera) Leaf Juice, Purified Water, Ethanol, Carbonar, remaining ingredients at ≤ 1%, Potassium Sorbate, Phenoxyethanol, Ethylhexylglycerin, Sodium Hydroxide.

Claims based on traditional homeopathic practice, not accepted medical evidences. Not FDA evaluated.



PhytoGel®

Topical, homeopathic pain-relief gel

Pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches

2 oz (56.7 g)

Purpose Temporary relief of pain related to sprains, strains, bruises, joints, burns, sunburns, insect bites, skin irritations, and muscle aches

PHYTOGEL

arnica montana, calendula officinalis, hypericum perforatum, bellis perennis, calcarea fluorica, ferrum phosphoricum, ledum palustre, natrum sulphuricum, rhus tox, sulphuricum acidum, symphytum officinale gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:64578-0127
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ARNICA MONTANA (UNII: O80TY208Z W) (ARNICA MONTANA - UNII:O80TY208Z W)	ARNICA MONTANA	1 [hp_X] in 1 g
CALENDULA OFFICINALIS FLOWERING TOP (UNII: 18E7415PXQ) (CALENDULA OFFICINALIS FLOWERING TOP - UNII:18E7415PXQ)	CALENDULA OFFICINALIS FLOWERING TOP	1 [hp_X] in 1 g
HYPERICUM PERFORATUM (UNII: XK4IUX8MNB) (HYPERICUM PERFORATUM - UNII:XK4IUX8MNB)	HYPERICUM PERFORATUM	1 [hp_X] in 1 g
BELLIS PERENNIS (UNII: 2HU33I03UY) (BELLIS PERENNIS - UNII:2HU33I03UY)	BELLIS PERENNIS	12 [hp_X] in 1 g

CALCIUM FLUORIDE (UNII: O3B55K4YKI) (FLUORIDE ION - UNII:Q80VPU408O)	CALCIUM FLUORIDE	30 [hp_X] in 1 g
FERRUM PHOSPHORICUM (UNII: 91GQH8I5F7) (FERROSO FERRIC PHOSPHATE - UNII:91GQH8I5F7)	FERRUM PHOSPHORICUM	30 [hp_X] in 1 g
LEDUM PALUSTRE TWIG (UNII: 877L01IZ0P) (LEDUM PALUSTRE TWIG - UNII:877L01IZ0P)	LEDUM PALUSTRE TWIG	12 [hp_X] in 1 g
SODIUM SULFATE (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	30 [hp_C] in 1 g
TOXICODENDRON PUBESCENS LEAF (UNII: 6IO182RP7A) (TOXICODENDRON PUBESCENS LEAF - UNII:6IO182RP7A)	TOXICODENDRON PUBESCENS LEAF	30 [hp_X] in 1 g
SULFURIC ACID (UNII: O40UQP6WCF) (SULFURIC ACID - UNII:O40UQP6WCF)	SULFURIC ACID	12 [hp_X] in 1 g
COMFREY ROOT (UNII: M9VVZ08EKQ) (COMFREY ROOT - UNII:M9VVZ08EKQ)	COMFREY ROOT	6 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
WATER (UNII: 059QF0KO0R)	
CARBOMER HOMOPOLYMER TYPE C (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 4Q93RCW27E)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:64578-0127-1	57 g in 1 TUBE; Type 0: Not a Combination Product	06/15/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/15/2016	

Labeler - Energetix Corp (969572502)

Revised: 12/2023

Energetix Corp