

LANANA CREEK FARMS PAIN RELIEF TOPPER- sodium salicylate liquid
Animal Science Products, Inc.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Active Ingredient

Sodium Salicylate (internal analgesic)42mg per ml. in a non-tablet liquid

Purpose

To relieve pain, reduce inflammation, and lower fever

Uses

Dogs Greater 1 Year of Age and over 6lbs

Warnings

Not proven safe in pregnant animals or those intended for breeding. Avoid in dogs sensitive to aspirin, with gastrointestinal issues, ulcers, bleeding liver or kidney problems. Stop use if lameness persists after 3 days: consult Vet for vomiting, diarrhea, depression, loss of appetite, or darkened stools. ONLY FOR DOGS; GIVE WITH A MEAL. Do not mix with other anti-inflammatory drugs. Contact professional in case of overdose. Not for puppies under six months old. Keep away from children and pets.

Directions

Dispense Aspirin Food Topper on dog food twice daily.
Refer to dosage chart based on dog's weight on label.

| DOG WEIGHT | DOSAGE FOR EACH MEAL |
|------------------|----------------------------------|
| LESS THAN 10 LBS | 1/2 PUMP (APPROXIMATELY 1ML) |
| 10 LBS | 1 PUMP (APPROXIMATELY 2 ML) |
| 20 LBS | 2 PUMP (APPROXIMATELY 4 ML) |
| 30 LBS | 3 PUMP (APPROXIMATELY 6 ML) |
| 40 LBS | 4 PUMP (APPROXIMATELY 8 ML) |
| Over 40 LBS | 1 PUMP PER 10 LBS OF BODY WEIGHT |

Inactive Ingredients

Water, Dried fish collagen protein digest, chicken digest, dried yeast, sodium acid

pyrophosphate, citric acid, white willow, disodium phosphate, monopotassium phosphate, turmeric extract, black pepper extract, polysorbate 20, calcium propionate, vegetable oil, natural mixed tocopherols, lecithin, Rosemary extract, and sodium propionate.

Product label

WARNINGS

Not proven safe in pregnant animals or those intended for breeding. Avoid in dogs sensitive to aspirin, with gastrointestinal issues, ulcers, bleeding, liver or kidney problems. Stop use if lameness persists after three days; consult a vet for vomiting, diarrhea, depression, loss of appetite, or darkened stools.

Only for dogs; give with a meal. Do not mix with other anti-inflammatory drugs. Contact a professional in case of overdose. Not for puppies under six months old. **Keep away from children and pets.**

Refrigerate after opening

INSTRUCTIONS FOR USE:
Dispense Aspirin Food Topper on dog food at mealtime, twice daily.

| DOG WEIGHT | DOSEAGE FOR EACH MEAL |
|--------------|---|
| UP TO 10 LBS | 1/2 TEASPOON (APPROXIMATELY 1 ML) |
| 10-20 LBS | 1 TEASPOON (APPROXIMATELY 5 ML) |
| 20-30 LBS | 1 1/2 TEASPOONS (APPROXIMATELY 7.5 ML) |
| 30-40 LBS | 2 TEASPOONS (APPROXIMATELY 10 ML) |
| 40-50 LBS | 2 1/2 TEASPOONS (APPROXIMATELY 12.5 ML) |
| OVER 50 LBS | 3 TEASPOONS (APPROXIMATELY 15 ML) |

Only for use in dogs over 1 year of age (adult dogs) over 6 lbs in weight.

ACTIVE INGREDIENTS
Sodium salicylate (sterilized liquid) 42 mg per ml
(in 228 mL bottle liquid)

INGREDIENTS
Water, Dried Fish Collagen Protein Digest, Chicken Digest, Dried Yeast, Sodium Acid Pyrophosphate, Citric Acid (preservative), White Willow (Salix alba bark extract), Disodium Phosphate, Monopotassium Phosphate, Turmeric Extract, Black Pepper Extract, Polysorbate 20, Calcium Propionate, Vegetable Oil, Natural Mixed Tocopherols, Lecithin, Rosemary Extract, and Sodium Propionate.

lananacreekfarms.com

WARNINGS

Not proven safe in pregnant animals or those intended for breeding. Avoid in dogs sensitive to aspirin, with gastrointestinal issues, ulcers, bleeding, liver or kidney problems. Stop use if lameness persists after three days; consult a vet for vomiting, diarrhea, depression, loss of appetite, or darkened stools.

Only for dogs; give with a meal. Do not mix with other anti-inflammatory drugs. Contact a professional in case of overdose. Not for puppies under six months old. **Keep away from children and pets.**

Refrigerate after opening

INSTRUCTIONS FOR USE:
Dispense Aspirin Food Topper on dog food at mealtime, twice daily.

| DOG WEIGHT | DOSEAGE FOR EACH MEAL |
|--------------|---|
| UP TO 10 LBS | 1/2 TEASPOON (APPROXIMATELY 1 ML) |
| 10-20 LBS | 1 TEASPOON (APPROXIMATELY 5 ML) |
| 20-30 LBS | 1 1/2 TEASPOONS (APPROXIMATELY 7.5 ML) |
| 30-40 LBS | 2 TEASPOONS (APPROXIMATELY 10 ML) |
| 40-50 LBS | 2 1/2 TEASPOONS (APPROXIMATELY 12.5 ML) |
| OVER 50 LBS | 3 TEASPOONS (APPROXIMATELY 15 ML) |

Only for use in dogs over 1 year of age (adult dogs) over 6 lbs in weight.

ACTIVE INGREDIENTS
Sodium salicylate (sterilized liquid) 42 mg per ml
(in 228 mL bottle liquid)

INGREDIENTS
Water, Dried Fish Collagen Protein Digest, Chicken Digest, Dried Yeast, Sodium Acid Pyrophosphate, Citric Acid (preservative), White Willow (Salix alba bark extract), Disodium Phosphate, Monopotassium Phosphate, Turmeric Extract, Black Pepper Extract, Polysorbate 20, Calcium Propionate, Vegetable Oil, Natural Mixed Tocopherols, Lecithin, Rosemary Extract, and Sodium Propionate.

lananacreekfarms.com

LANANA CREEK FARMS PAIN RELIEF TOPPER

sodium salicylate liquid

Product Information

| | | | |
|--------------------------------|-----------------|---------------------------|---------------|
| Product Type | OTC ANIMAL DRUG | Item Code (Source) | NDC:57932-007 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------|---------------|
| SODIUM SALICYLATE (UNII: WQ1H85SYP) (SALICYLIC ACID - UNII:O414PZ4LPZ) | SODIUM SALICYLATE | 42 mg in 1 mL |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| MARINE COLLAGEN, SOLUBLE (UNII: 8JC99XGU4W) | |
| CHICKEN (UNII: 0X8Q245Y7B) | |
| SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) | |
| SODIUM ACID PYROPHOSPHATE (UNII: H5WWD9LZUD) | |
| CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP) | |
| SALIX ALBA BARK (UNII: 205MXS71H7) | |
| SODIUM PHOSPHATE, DIBASIC, ANHYDROUS (UNII: 22ADO53M6F) | |
| MONOBASIC POTASSIUM PHOSPHATE (UNII: 4J9FJ0HL51) | |
| TURMERIC (UNII: 856YO1Z64F) | |
| BLACK PEPPER (UNII: KM66971LVF) | |
| POLYSORBATE 20 (UNII: 7T1F30V5YH) | |
| CALCIUM PROPIONATE (UNII: 8AI80040KW) | |
| CORN OIL (UNII: 8470G57WFM) | |
| TOCOPHEROL (UNII: R0ZB2556P8) | |
| SOYBEAN LECITHIN (UNII: 1DI56QDM62) | |
| ROSEMARY (UNII: IJ67X351P9) | |
| SODIUM PROPIONATE (UNII: DK6Y9P42IN) | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|----------------------|----------------------|--------------------|
| 1 | NDC:57932-007-01 | 1 in 1 BOX | | |
| 1 | | 228 mL in 1 CANISTER | | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------------|--|----------------------|--------------------|
| unapproved drug other | | 04/20/2025 | |

Labeler - Animal Science Products, Inc. (151824091)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------------|---------|-----------|------------------------------|
| Animal Science Products, Inc. | | 151824091 | manufacture, api manufacture |

