

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 1 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 3 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 5 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 7 - BEIGE- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 8 - BROWN- octinoxate and titanium dioxide lotion**  
**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 9 - BROWN- octinoxate and titanium dioxide lotion**  
**Ventura Corporation LTD**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **LBEL EFFET PARFAIT signs of age appearance minimizer foundation SPF 20 FM**

### ***Drug Facts***

<b><i>Active Ingredients</i></b>	<b><i>Purpose</i></b>
OCTINOXATE 7.00%,	Sunscreen
TITANIUM DIOXIDE 2.44%	Sunscreen

### **Uses**

- Helps prevent sunburn

### **Warnings**

- Skin Cancer / Skin Aging Alert; Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.
- For external use only.
- Do not use on damage or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

### **Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor.
- Reapply at least every 2 hours.
- Use a water resistant sunscreen if swimming or sweating.

#### **Other information**

- Protect the product in this container from excessive heat and direct sun.

#### **Inactive ingredients**

WATER, CYCLOPENTASILOXANE, POLYMETHYL METHACRYLATE, DIMETHICONE, CYCLOHEXASILOXANE, CETYL PEG/PPG-10/1 DIMETHICONE, POLYGLYCERYL-4 ISOSTEARATE, HEXYL LAURATE, TRIMETHYLSILOXYSILICATE, GLYCERIN, SODIUM CHLORIDE, PEG/PPG-19/19 DIMETHICONE, HYDROXYACETOPHENONE, PHENOXYETHANOL, COFFEA ARABICA (COFFEE) SEEDCAKE EXTRACT, PEG/PPG-18/18 DIMETHICONE, ALUMINA, BUTYLENE GLYCOL, OCTYLDODECANOL, CAPRYLYL GLYCOL, TOCOPHERYL ACETATE, CHLORPHENESIN, METHICONE, BHT, MICROCRYSTALLINE WAX, BENZYL ALCOHOL, PETROLATUM, PHOSPHOLIPIDS, POTASSIUM SORBATE, CARBOMER, CHOLESTEROL, POLYSORBATE 20, EUPHORBIA CERIFERA (CANDELILLA) WAX, BEESWAX, CETEARYL ALCOHOL, CETEARYL GLUCOSIDE, COPERNICIA CERIFERA (CARNAUBA) WAX, POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE, GLYCOSPHINGOLIPIDS, PALMITOYL TRIPEPTIDE-1, PALMITOYL TETRAPEPTIDE-7.

MAY CONTAIN:

TITANIUM DIOXIDE, IRON OXIDES, TRIETHOXYCAPRYLYLSILANE.

Dist. by Ventura Corp,  
Ltd., San Juan, Puerto Rico 00926.

#### **PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 1 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

### Drug Facts

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

#### Uses

- Helps prevent sunburn

#### Warnings

**Skin Cancer / Skin Aging Alert;** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

### Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

EFFET  
PARFAIT

signs of age  
appearance  
minimizer  
**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 2 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 3 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

### Drug Facts

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

#### Uses

- Helps prevent sunburn

#### Warnings

**Skin Cancer / Skin Aging Alert;** Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

#### Other information

- Protect the product in this container from excessive heat and direct sun.

#### Inactive Ingredients

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

### Drug Facts (continued)


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7.  
**MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia.  
www.belcorp.com

EFFET  
PARFAIT

signs of age  
appearance  
minimizer  
**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - CLAIRE 4 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)



**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 5 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 6 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - MEDIUM 7 - BEIGE**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 8 - BROWN**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)



**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**PRINCIPAL DISPLAY PANEL - 30 ml Bottle Box - OBSCURE 9 - BROWN**

**L'BEL**

EFFET  
PARFAIT

signs of age  
appearance  
minimizer

**foundation**  
SPF 20 FM

1 fl.oz. e (30 ml)

**Drug Facts**

**Active Ingredients Purpose**  
Octinoxate 7.00% ..... sunscreen  
Titanium Dioxide 2.44% ..... sunscreen

**Uses**

- Helps prevent sunburn

**Warnings**

**Skin Cancer / Skin Aging Alert;**  
Spending time in the sun increases your risk of skin cancer and early skin aging. This product has been shown only to help prevent sunburn, not skin cancer or early skin aging.

**For external use only.**

**Do not use** on damage or broken skin.

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- Apply liberally and evenly 15 minutes before sun exposure.
- Children under 6 months of age: Ask a doctor
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating.

**Other information**

- Protect the product in this container from excessive heat and direct sun.

**Inactive Ingredients**

water, cyclopentasiloxane, polymethyl methacrylate, dimethicone, cyclohexasiloxane, cetyl peg/ppg-10/1 dimethicone, polyglyceryl-4 isostearate, hexyl laurate, trimethylsiloxysilicate, glycerin, sodium chloride, peg/ppg-19/19 dimethicone, hydroxyacetophenone, phenoxyethanol, coffea arabica (coffee) seedcake extract, peg/ppg-18/18 ▶

**Drug Facts (continued)**


dimethicone, alumina, butylene glycol, octyldodecanol, caprylyl glycol, tocopheryl acetate, chlorphenesin, methicone, bht, microcrystalline wax, benzyl alcohol, petrolatum, phospholipids, potassium sorbate, carbomer, cholesterol, polysorbate 20, euphorbia cerifera (candelilla) wax, beeswax, cetearyl alcohol, cetearyl glucoside, copernicia cerifera (carnauba) wax, polyglyceryl-2 dipolyhydroxystearate, glycosphingolipids, palmitoyl tripeptide-1, palmitoyl tetrapeptide-7. **MAY CONTAIN:** titanium dioxide, iron oxides, triethoxycaprylsilane.


U.S.A.: Dist. by Ventura Int Ltd, DBA Belcorp USA, Miami, FL 33126. PUERTO RICO: Dist. by Ventura Corp, Ltd., San Juan, Puerto Rico 00926. Made in Colombia. www.belcorp.com

**EFFET PARFAIT**

signs of age appearance minimizer **foundation** SPF 20 FM

1 fl.oz. e (30 ml)





**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER  
FOUNDATION SPF 20 FM CLAIRE 1 - BEIGE**

octinoxate and titanium dioxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-681
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
------------------------	-----------------

WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-681-02	1 in 1 BOX		
1	NDC:13537-681-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

# LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 2 - BEIGE

octinoxate and titanium dioxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-682
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>PHENOXYETHANOL</b> (UNII: HIE49ZZZ3T)	
<b>COFFEE BEAN</b> (UNII: JFH385Y744)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	

CETEARYL GLUCO SIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYL YLSILANE (UNII: LDC331P08E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-682-02	1 in 1 BOX		
1	NDC:13537-682-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 3 - BEIGE

octinoxate and titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-683
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y10)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE49ZZZ3T)	

COFFEE BEAN (UNII: JFH385Y744)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
OCTYLDODECANOL (UNII: 461N1O614Y)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-683-02	1 in 1 BOX		
1	NDC:13537-683-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM CLAIRE 4 - BEIGE

octinoxate and titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-684
Route of Administration	TOPICAL		



**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0TH5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>COFFEE BEAN</b> (UNII: JFH385Y744)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MMB07FC)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-684-02	1 in 1 BOX		
1	NDC:13537-684-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER  
FOUNDATION SPF 20 FM MEDIUM 5 - BEIGE**

octinoxate and titanium dioxide lotion

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-685
<b>Route of Administration</b>	TOPICAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0TH5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>COFFEE BEAN</b> (UNII: JFH385Y744)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	

MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-685-02	1 in 1 BOX		
1	NDC:13537-685-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 6 - BEIGE

octinoxate and titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-686
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
CYCLOMETHICONE 5 (UNII: 0THT5PC10R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
COFFEE BEAN (UNII: JFH385Y744)	
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)	
ALUMINUM OXIDE (UNII: LM26O6933)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
OCTYLDODECANOL (UNII: 461N1O614Y)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PETROLATUM (UNII: 4T6H12BN9U)	
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)	
CHOLESTEROL (UNII: 97C5T2UQ7J)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
CANDELILLA WAX (UNII: WL0328HX19)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)	
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-686-02	1 in 1 BOX		
1	NDC:13537-686-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

# LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM MEDIUM 7 - BEIGE

octinoxate and titanium dioxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:13537-687
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0K00R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THF5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYGLYCERYL-4 ISOSTEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>COFFEE BEAN</b> (UNII: JFH385Y744)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MM307FC)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	

CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-687-02	1 in 1 BOX		
1	NDC:13537-687-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

## LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER FOUNDATION SPF 20 FM OBSCURE 8 - BROWN

octinoxate and titanium dioxide lotion

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:13537-689
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
Octinoxate (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
Titanium Dioxide (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
CYCLOMETHICONE 5 (UNII: 0TH5PCI0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
CYCLOMETHICONE 6 (UNII: XHK3U310BA)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
GLYCERIN (UNII: PDC6A3C0OX)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
PEG/PPG-19/19 DIMETHICONE (UNII: EHH90CO7TL)	

PHENOXYETHANOL (UNII: HIE492ZZ3T)
COFFEE BEAN (UNII: JFH385Y744)
PEG/PPG-18/18 DIMETHICONE (UNII: 9H0AO7T794)
ALUMINUM OXIDE (UNII: LM26O6933)
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)
OCTYLDODECANOL (UNII: 461N1O614Y)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
CHLORPHENESIN (UNII: I670DAL4SZ)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
MICROCRYSTALLINE WAX (UNII: XOF597Q3KY)
BENZYL ALCOHOL (UNII: LKG8494WBH)
PETROLATUM (UNII: 4T6H12BN9U)
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
CARBOXYPOLYMETHYLENE (UNII: 0A5MM307FC)
CHOLESTEROL (UNII: 97C5T2UQ7J)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
CANDELILLA WAX (UNII: WL0328HX19)
YELLOW WAX (UNII: 2ZA36H0S2V)
CETOSTEARYL ALCOHOL (UNII: 2DMT128MIS)
CETEARYL GLUCOSIDE (UNII: 09FUA47KNA)
CARNAUBA WAX (UNII: R12CBM0EIZ)
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)
PALMITOYL TRIPEPTIDE-1 (UNII: RV743D216M)
PALMITOYL TETRAPEPTIDE-7 (UNII: Q41S464P1R)
FERRIC OXIDE RED (UNII: 1K09F3G675)
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-689-02	1 in 1 BOX		
1	NDC:13537-689-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

**LBEL EFFET PARFAIT SIGNS OF AGE APPEARANCE MINIMIZER  
FOUNDATION SPF 20 FM OBSCURE 9 - BROWN**  
octinoxate and titanium dioxide lotion

Product Information			
Product Type		Item Code (Source)	
HUMAN OTC DRUG		NDC:13537-690	

**Route of Administration**

TOPICAL

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>Octinoxate</b> (UNII: 4Y5P7MUD51) (Octinoxate - UNII:4Y5P7MUD51)	Octinoxate	0.07 g in 1 mL
<b>Titanium Dioxide</b> (UNII: 15FIX9V2JP) (Titanium Dioxide - UNII:15FIX9V2JP)	Titanium Dioxide	0.0244 g in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>CYCLOMETHICONE 5</b> (UNII: 0THT5PCI0R)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>CYCLOMETHICONE 6</b> (UNII: XHK3U310BA)	
<b>POLYGLYCERYL-4 ISO STEARATE</b> (UNII: 820DPX33S7)	
<b>HEXYL LAURATE</b> (UNII: 4CG9F9W01Q)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PEG/PPG-19/19 DIMETHICONE</b> (UNII: EHH90CO7TL)	
<b>PHENOXYETHANOL</b> (UNII: HE492ZZ3T)	
<b>COFFEE BEAN</b> (UNII: JFH385Y744)	
<b>PEG/PPG-18/18 DIMETHICONE</b> (UNII: 9H0AO7T794)	
<b>ALUMINUM OXIDE</b> (UNII: LM26O6933)	
<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>OCTYLDODECANOL</b> (UNII: 461N1O614Y)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>CHLORPHENESIN</b> (UNII: I670DAL4SZ)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>MICROCRYSTALLINE WAX</b> (UNII: XOF597Q3KY)	
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>POTASSIUM SORBATE</b> (UNII: 1VPU26JZZ4)	
<b>CARBOXYPOLYMETHYLENE</b> (UNII: 0A5MMB07FC)	
<b>CHOLESTEROL</b> (UNII: 97C5T2UQ7J)	
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)	
<b>CANDELILLA WAX</b> (UNII: WL0328HX19)	
<b>YELLOW WAX</b> (UNII: 2ZA36H0S2V)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>CETEARYL GLUCOSIDE</b> (UNII: 09FUA47KNA)	
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>PALMITOYL TRIPEPTIDE-1</b> (UNII: RV743D216M)	
<b>PALMITOYL TETRAPEPTIDE-7</b> (UNII: Q41S464P1R)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	



**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13537-690-02	1 in 1 BOX		
1	NDC:13537-690-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH FINAL	part352	11/23/2015	

**Labeler** - Ventura Corporation LTD (602751344)

**Establishment**

Name	Address	ID/FEI	Business Operations
Bel Star S.A. (Colombia)		880160197	MANUFACTURE(13537-681, 13537-682, 13537-683, 13537-684, 13537-685, 13537-686, 13537-687, 13537-689, 13537-690)

Revised: 2/2016

Ventura Corporation LTD