BERKLEY AND JENSEN ALLERGY RELIEF- loratadine tablet BIWC

BJWC Allergy Relief Drug Facts

Active ingredient (in each tablet)

Loratadine 10 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product

do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

adults and children 6 years and over	1 tablet daily; not more than 1 tablet in 24 hours
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lactose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments?

1-800-934-1204

Principal Display Panel

Compare to the active ingredient in Claritin®

berkley jensen®

ORIGINAL PRESECRIPTION STRENGTH

24 HOUR • NON-DROWSY*

ALLERGY RELIEF

LORATADINE TABLETS, 10 mg

ANTIHISTAMINE

INDOOR & OUTDOOR ALLERGIES

24 HOUR RELIEF OF:

- SNEEZING
- RUNNY NOSE
- ITCHY, WATERY EYES
- ITCHY THROAT OR NOSE

ACTUAL SIZE

100% MONEY-BACK GUARANTEE

365 TABLETS

*When taken as directed. See Drug Facts Panel.

Compare to the active ingredient in Claritin®**



ORIGINAL PRESCRIPTION STRENGTH

24 HOUR • NON-DROWSY* ALLERGY RELIEF

LORATADINE TABLETS, 10mg

ANTIHISTAMINE

INDOOR & OUTDOOR ALLERGIES



24 HOUR RELIEF OF:

- SNEEZING
- RUNNY NOSE
- ITCHY, WATERY EYES
- ITCHY THROAT OR NOSE





365

*When taken as directed. See Drug Facts Panel.

Drug Facts

Active ingredient (in each tablet) Purpose Loratadine 10 mg......Antihi stamine

Uses temporarily relieves these symptoms due to hayfever or other upper respiratory allergies:

■ runny nose ■ it chy, watery eyes

■ sneezing ■ itching of the nose or throat

Warnings

Do not use if you have ever had an allengic reaction to this product or any of its ingredients

Ask a doctor before use if you have liver or kidney disease. Your obctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an all ergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions adults and children 6 years and over 1 tablet daily; not more than 1 tablet in 24 hours children under 6 years of age ask a doctor consumers with liver or ask a doctor

Other information

kidney disease

- do not use if printed foil under cap is broken or missing
- store between 20° to 25°C (68° to 77°F)

Inactive ingredients

lact ose monohydrate, magnesium stearate, povidone, pregelatinized starch

Questions or comments? 1-800-934-1204

**This product is not manufactured or distributed by Bayer Health Care LLC, distributor of Claritin®.

GLUTEN FREE

Contains 1 Bottle with 365 Tablets for 365 Days of Relief



Every Berkley Jensen product com es with our 100 % Money-Back Guarantee.

Distributed by: BJ's Wholesale Club, Inc. 350 Campus Drive Maribo rough, MA 01752



BERKLEY AND JENSEN ALLERGY RELIEF

loratadine tablet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:68391-314

Route of Administration ORAL

Active Ingredient/Active Moiety

- 10 and 0 and 10 and 1		
Ingredient Name	Basis of Strength	Strength
LORATADINE (UNII: 7AJO3BO7QN) (LORATADINE - UNII:7AJO3BO7QN)	LORATADINE	10 mg

Inactive Ingredients			
Ingredient Name	Strength		
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
POVIDONE, UNSPECIFIED (UNII: FZ 989GH94E)			

Product Characteristics			
Color	WHITE	Score	no score
Shape	OVAL	Size	8mm
Flavor		Imprint Code	L612
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:68391-314- 87	1 in 1 PACKAGE	04/17/2009	08/01/2015		
1		300 in 1 BOTTLE; Type 0: Not a Combination Product				
2	NDC:68391-314- 88	1 in 1 PACKAGE	09/09/2011			
2		365 in 1 BOTTLE; Type 0: Not a Combination Product				

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA076301	04/17/2009	

Labeler - BJWC (159082692)

Revised: 11/2022 BJWC