

**SINGLE ANTIBIOTIC WITH NEOMYCIN- neomycin sulfate ointment**  
**Safetec of America**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Drug Facts**

**Active Ingredient (in each gram)**

Neomycin Sulfate (3.5 mg Neomycin)

**Purpose**

First Aid Antibiotic

**Uses:**

First aid to help prevent infection in minor cuts, scrapes, and burns.

**Warnings:**

**For external use only.**

**Keep out of reach of children.**

If ingested, get medical help or contact a Poison Control Center directly.

**Do Not Use:**

- in the eyes or over large areas of the body, or on puncture wounds, animal bites or serious burns
- for more than 1 week unless directed by a doctor
- if allergic to any of the ingredients

**Stop use, ask a doctor if:**

- condition persists or gets worse
- a rash or allergic reaction develops

**Directions:**

- clean affected area
- apply a small amount of this product (equal to the surface area of the tip of finger) 1 to 3 times daily
- may cover with a sterile bandage

**Inactive ingredients:**

mineral oil, petrolatum

**Questions or Comments? 1-800-456-7077**

**Principal Display Panel - Box Label**

NDC 61010-6700-2

# Safetec

## First Aid

### Single Antibiotic Ointment

- with Neomycin
- First Aid to Help Prevent Infection In Minor Cuts, Scrapes, and Burns


Reorder No. 53610

To reorder:

Call: 1-800-456-7077

Fax: 716-895-2969

Online: [www.safetec.com](http://www.safetec.com)



**Principal Display Panel - Pouch Label**

**Safetec**

**Single Antibiotic  
Ointment**

**(Neomycin)**

0.9 g (1/32 oz.)

Safetec of America, Inc.

Buffalo, NY 14215

800-456-7077

 **Safetec**  
**Single Antibiotic  
Ointment**  
(Neomycin)

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077

**Drug Facts**

<b>Active ingredient</b> (in each gram)	<b>Purpose</b>
Neomycin Sulfate (3.5 mg Neomycin).	First Aid Antibiotic

**Use** first aid to help prevent infection in minor scrapes, cuts, and burns

**Warnings**  
For external use only ▶

**Drug Facts** (continued)

**Warnings** (continued)

**Do not use** ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

**Stop use and ask a doctor if** ■ a rash or allergic reaction develops ■ condition worsens or persists

**Keep out of reach of children**  
If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive ingredients**  
mineral oil, petrolatum

**Principal Display Panel - Box Label**

NDC 61010-6700-3

**Safetec**


First Aid

## Single Antibiotic Ointment

- with Neomycin
- First Aid to Help Prevent Infection In Minor Cuts, Scrapes, and Burns

25 Packets

Each Packet Net. Wt. 0.9gm



## Principal Display Panel - Pouch Label

**Safetec**

**Single Antibiotic  
Ointment**

**(Neomycin)**

0.9 g (1/32 oz.)

Safetec of America, Inc.

Buffalo, NY 14215

800-456-7077



# Single Antibiotic Ointment

(Neomycin)

0.9 g (1/32 oz.)

Safetec of America, Inc.  
Buffalo, NY 14215  
800-456-7077

## Drug Facts

Active ingredient (in each gram)	Purpose
Neomycin Sulfate (3.5 mg Neomycin).	First Aid Antibiotic

**Use** first aid to help prevent infection in minor scrapes, cuts, and burns

**Warnings**  
For external use only ▶

## Drug Facts (continued)

### Warnings (continued)

**Do not use** ■ in eyes ■ over large areas of the body or on puncture wounds, animal bites or serious burns ■ for more than 1 week unless directed by a doctor ■ if you are allergic to any of the ingredients

**Stop use and ask a doctor if** ■ a rash or allergic reaction develops ■ condition worsens or persists

**Keep out of reach of children**  
If ingested, contact a Poison Control Center right away.

**Directions** ■ clean affected area ■ apply a small amount 1 to 3 times daily ■ may cover with a sterile bandage

**Inactive ingredients**  
mineral oil, petrolatum

## SINGLE ANTIBIOTIC WITH NEOMYCIN

neomycin sulfate ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:61010-6700
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
neomycin sulfate (UNII: 057Y626693) (neomycin - UNII:I16QD7X297)	neomycin	3.5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
petrolatum (UNII: 4T6H12BN9U)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:61010-6700-2	144 in 1 BOX	11/13/2008	
1	NDC:61010-6700-1	0.9 g in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:61010-6700-3	25 in 1 BOX	11/13/2008	
2	NDC:61010-6700-1	0.9 g in 1 POUCH; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333B	11/13/2008	

**Labeler** - Safetec of America (874965262)

## Establishment

Name	Address	ID/FEI	Business Operations
Safetec of America, Inc.		874965262	MANUFACTURE(61010-6700)

Revised: 12/2019

Safetec of America