

**NEUTROGENA MINERAL ULTRA SHEER DRY TOUCH SPF 30- titanium dioxide,  
zinc oxide lotion  
Kenvue Brands LLC**

-----  
**Neutrogena Mineral Ultra Sheer Dry Touch Lotion SPF 30**

***Drug Facts***

<b><i>Active ingredients</i></b>	<b><i>Purpose</i></b>
Titanium Dioxide (6.6%) Zinc Oxide (18.0%)	<b>Sunscreen</b>

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away

**Directions**

- apply liberally 15 minutes before sun exposure
- reapply:
  - after 80 minutes of swimming or sweating
  - immediately after towel drying
  - at least every 2 hours
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
  - children under 6 months of age: Ask a doctor

**Other information**

- protect this product from excessive heat and direct sun
- may stain some fabrics

## **Inactive ingredients**

Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Sodium Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

## **Questions?**

Call toll-free **800-299-4786** or **215-273-8755** (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)

Distributed by: **JOHNSON & JOHNSON CONSUMER INC.** Skillman, NJ 08558

## **PRINCIPAL DISPLAY PANEL - 88 mL Tube Label**

Neutrogena®

**DERMATOLOGIST RECOMMENDED BRAND**

**PURESCREEN+™**

**MINERAL**

**ULTRA**

**SHEER®**

**DRY-TOUCH LOTION**

**30**

**SUNSCREEN**

**BROAD SPECTRUM SPF 30**

**UVA/UVB PROTECTION**

lightweight clean feel

100% mineral actives + vitamin e

water resistant (80 minutes)

3.0 FL OZ (88 mL)



**NEUTROGENA®  
MINERAL ULTRA SHEER® SPF 30**

Broad spectrum UVA/UVB protection  
• Fragrance-free • Sensitive skin • Non-chalky  
• Shine-free • Lightweight clean feel  
• Skin nourishing formula



Formulated with antioxidant vitamin e and a dry-touch finish.

**Drug Facts**

**Active ingredients** Purpose  
Titanium Dioxide (6.64%) , Zinc Oxide (18.096%) Sunscreen

**Uses** ■ helps prevent sunburn ■ if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**  
■ For external use only ■ Do not use on damaged or broken skin  
■ When using this product keep out of eyes. Rinse with water to remove. ■ Stop use and ask a doctor if rash occurs ■ Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

**Directions** ■ apply liberally 15 minutes before sun exposure ■ reapply: ■ after 80 minutes of swimming or sweating ■ immediately after towel drying ■ at least every 2 hours ■ Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: ■ limit time in the sun, especially from 10 a.m. – 2 p.m. ■ wear long-sleeved shirts, pants, hats, and sunglasses ■ children under 6 months of age: Ask a doctor

**Other information** ■ protect this product from excessive heat and direct sun ■ may stain some fabrics

**Inactive ingredients**  
Water, Isohexadecane, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Dimethicone, Ethylhexyl methoxycrylene, Caprylyl Methicone, Glyceryl Stearate, PEG-100 Stearate, Calcium Sodium Borosilicate, VP/Hexadecene Copolymer, Styrene/Acrylates Copolymer, Triethoxycaprylsilane, Aluminum Hydroxide, Xanthan Gum, Stearic Acid, Trisiloxane, Polyester-7, Phenoxyethanol, Polyhydroxystearic Acid, Caprylyl Glycol, Ethylhexylglycerin, Neopentyl Glycol Diheptanoate, Behenyl Alcohol, Tocopheryl Acetate, Disodium EDTA, Silica

**Questions?** Call toll-free 800-299-4786 or 215-273-8755 (collect) or visit www.neutrogena.com



Distributed by: JOHNSON & JOHNSON CONSUMER INC., Skillman, NJ 08558 © J&JCI 2023 Pat. www.jjciipats.com

Free of: Chemical actives (including no oxybenzone)



Vegan. Formula not tested on animals.



PURESCREEN+™: 100% mineral actives + vitamin e



Neutrogena®

DERMATOLOGIST RECOMMENDED BRAND

PURESCREEN+™  
**MINERAL  
ULTRA  
SHEER®  
DRY-TOUCH LOTION**

**30** SUNSCREEN  
BROAD SPECTRUM SPF 30  
UVA/UVB PROTECTION

lightweight clean feel  
100% mineral actives + vitamin e  
water resistant (80 minutes)

3.0 FL OZ (88 mL)

**NEUTROGENA MINERAL ULTRA SHEER DRY TOUCH SPF 30**  
titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0776
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
	Ingredient Name	Basis of Strength	Strength
	ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	180 mg in 1 mL
	TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	66 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ISOHEXADECANE</b> (UNII: 918X1OUF1E)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>CAPRYLYL TRISILOXANE</b> (UNII: Q95M2P1KJL)	
<b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>NEOPENTYL GLYCOL DIHEPTANOATE</b> (UNII: 5LKW3C543X)	
<b>ETHYLHEXYL METHOXYCRYLENE</b> (UNII: S3KFG6Q5X8)	
<b>VINYLPYRROLIDONE/HEXADECENE COPOLYMER</b> (UNII: KFR5QEN0N9)	
<b>BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER</b> (UNII: V5RS026Q0H)	
<b>ALUMINUM HYDROXIDE</b> (UNII: 5QB0T2IUN0)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>DOCOSANOL</b> (UNII: 9G1OE216XY)	
<b>ALPHA-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>EDETATE DISODIUM ANHYDROUS</b> (UNII: 8NLQ36F6MM)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>TRISILOXANE</b> (UNII: 9G1ZW13R0G)	
<b>CALCIUM SODIUM BOROSILICATE</b> (UNII: 4MM76N4WMMY)	
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>POLYESTER-7</b> (UNII: 0841698D2F)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0776-3	88 mL in 1 TUBE; Type 0: Not a Combination Product	12/06/2022	
2	NDC:69968-0776-1	12 in 1 TRAY	12/06/2022	
2		14 mL in 1 TUBE; Type 0: Not a Combination Product		
3	NDC:69968-0776-2	2 in 1 TRAY	02/01/2024	
3		88 mL in 1 TUBE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	12/06/2022	

---

**Labeler** - Kenvue Brands LLC (118772437)

Revised: 2/2025

Kenvue Brands LLC