

# **RE-LIEVED 4% LIDOCAINE FABRIC TAPE- lidocaine 4% fabric tape patch Transfer Technology**

-----  
***Re-Lieved Lidocaine 4% Fabric Tape***

## ***Active Ingredient***

Lidocaine 4%

## ***Purpose***

*Topical Analgesic*

## ***Use***

For the temporary relief of pain

## ***Warnings***

For external use only

## ***Do not use***

If you are allergic to Lidocaine. On open wounds or on damaged broken or irritated skin  
Remove immediately if you sense a burning sensation after application

**Ask your doctor or pharmacist before use if you are** using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDS), or if you have sensitive skin.

## **When using this product**

- do not use other topical products
- Do not allow contact with eyes or mucous membranes
- Keep away from excessive heat. Do not apply heating pad to area of use
- Apply only to clean, dry, and untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label

## **Stop use or ask a doctor if**

- Condition worsens
- Symptoms persist for more than 7 days

**If pregnant or breastfeeding** ask a physician before use.

**Keep out of reach of children.** If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

**Keep out of reach of children.** If put in mouth, get medical help or contact a poison control center right away.

**Directions** adults and children 12 years or older

- Peel patch off plastic liner and place patch over affected area.
- Change patch 1 to 2 times a day.
- Wash hands after applying patch
- Under age 12 consult a physician before use

**Other information**

- Store at room temperature
- Do not exceed 100 ° Fahrenheit 38 ° Celsius
- For easier removal of patch apply rubbing alcohol or baby oil to adhesive edge

**Inactive ingredients: Acrylic adhesive, polyethylene foam**

**Other information**

- store at room tempertaure
- Do not exceed 100 ° Fahrenheit, 38 ° Celsius

**Re-Lieved Pain Relieving Tape**

# Re-Lieved™

**PAIN RELIEVING TAPE**

***KINESIOLOGY TAPE PLUS 4% LIDOCAINE***

**MAXIMUM STRENGTH**

**4%**  
**Lidocaine**

**ALUMINUM FREE**

**Pain Relief**  
Odor-free

HELPS with ARTHRITIS,  
stretches and contours  
to area in pain

**10 strips 2" x 10"**  
**Lidocaine Tape Strips**  
(5.08cm x 25.4cm)



# Drug Facts

## Active ingredient

Lidocaine 4%.....Topical Anesthetic

## Purpose

## Use

For the temporary relief of pain

## Warnings

**For external use only** The adhesion properties of this patch may cause an extended period of redness. Please visit [www.re-lieved.com](http://www.re-lieved.com) for more information.

## Do not use

If you are allergic to Lidocaine. On open wounds or on damaged, broken or irritated skin. Remove immediately if you sense a burning sensation after application.

**Ask your doctor or pharmacist before use if you are** using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDs), or if you have sensitive skin.

## When using this product

- Do not use other topical products. ■ Do not allow contact with eyes or mucous membranes.
- Keep away from excessive heat. Do not apply heating pad to area of use.
- Apply only to clean, dry and untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label.

## Stop use or ask a doctor if

- Condition worsens ■ Symptoms persist for more than 7 days

**If pregnant or breast feeding** ask a physician before use

**Keep out of reach of children.** If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

## Directions

adults/children 12 years or older  
■ Clean and dry affected area. ■ Peel patch off plastic liner and place patch on affected area for no more than 12 hours. ■ Wash hands after applying patch. ■ Under age 12, consult a physician before use. ■ For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling.

**Other information** ■ store at room temperature ■ Do not exceed 100° Fahrenheit, 38° Celsius

## Inactive ingredients

Acrylic adhesive, cotton fabric

## RE-LIEVED 4% LIDOCAINE FABRIC TAPE

lidocaine 4% fabric tape patch

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:71662-002

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	18 mg in 116 cm2

### Inactive Ingredients

Ingredient Name	Strength
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71662-002-10	1 in 1 PACKAGE	09/27/2022	
1		1290 cm2 in 1 CYLINDER; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	09/27/2022	

**Labeler** - Transfer Technology (037968132)

**Registrant** - Transfer Technology (037968132)

### Establishment

Name	Address	ID/FEI	Business Operations
Transfer Technology		037968132	pack(71662-002)

### Establishment

Name	Address	ID/FEI	Business Operations
Akron Coating & Adhesives		186569323	manufacture(71662-002)

Revised: 1/2025

Transfer Technology