# RE-LIEVED 4% LIDOCAINE FABRIC TAPE- lidocaine 4% fabric tape patch Transfer Technology

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

-----

#### Re-Lieved Lidocaine 4% Fabric Tape

#### **Active Ingredient**

Lidocaine 4%

#### **Purpose**

Topical Analgesic

#### Use

For the temporary relief of pain

#### Warnings

For external use only

#### **□Do not use**

If you are allergic to Lidocaine. On open wounds or on damaged broken or irritated skin Remove immediately if you sense a burning sensation after application

Ask your doctor or pharmacist before use if you are using blood thining medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDS), or if you have sensitive skin.

# When using this product

- do not use other topical products
- Do not allow contact with eyes or mucous membranes
- Keep away from excessive heat. Do not apply heating pad to areea of use
- Apply only to clean, dry, and untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label

## Stop use or ask a doctor if

- Condition worsens
- Symptons persist for more than 7 days

**If pregnant or breastfeeding** ask a physican before use.

**Keep out of reach of children.** If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

**Keep out of reach of children.** If put in mouth, get medical help or contact a poison control center right away.

**Directions** adults and children 12 years or older

- Peel patch off plastic liner and place patch over affected area.
- Change patch 1 to 2 times a day.
- Wash hands after applying patch
- Under age 12 consult a physician before use

#### Other information

- Store at room temperature
- Do not exceed 100 ° Fahrenheit 38 ° Celsius
- For easier removal of patch apply rubbing alcohol or baby oil to adhesive edge

## Inactive ingredients: Acrylic adhesive, polyethylene foam

#### Other information

- store at room tempertaure
- Do not exceed 100 ° Fahrenheit, 38 ° Celsius

### **Re-Lieved Pain Relieving Tape**

# Re-Lieved PAIN RELIEVING TAPE

KINESIOLOGY TAPE PLUS 4% LIDOCAINE
MAXIMUM STRENGTH

4% Lidocaine **ALUMINUM FREE** 

Pain Relief Odor-free

HELPS with ARTHRITIS, stretches and contours to area in pain

UP TO 12 HOURS

10 strips 2" x 10" Lidocaine Tape Strips (5.08cm x 25.4cm)

# **Drug Facts**

#### Active ingredient

Purpose

#### Use

For the temporary relief of pain

#### Warnings

For external use only The adhesion properties of this patch may cause an extended period of redness. Please visit www.re-lieved.com for more information.

#### Do not use

If you are allergic to Lidocaine. On open wounds or on damaged, broken or irritated skin. Remove immediately if you sense a burning sensation after application.

Ask your doctor or pharmacist before use if you are using blood thinning medication, steroids, or non-steroidal anti-inflammatory drugs (NSAIDs), or if you have sensitive skin.

#### When using this product

- Do not use other topical products.
   Do not allow contact with eyes or mucous membranes.
- Keep away from excessive heat. Do not apply heating pad to area of use.
- Apply only to clean, dry and untreated skin.
- Use only as directed. Read and follow all directions and warnings on this label.

#### Stop use or ask a doctor if

■ Condition worsens
■ Symptoms persist for more than 7 days

#### If pregnant or breast feeding ask a physician before use

Keep out of reach of children. If put in mouth, get medical help or contact a poison control center right away. Dispose of used product away from children and pets.

#### **Directions** adults/children 12 years or older

■ Clean and dry affected area.
 ■ Peel patch off plastic liner and place patch on affected area for no more than 12 hours.
 ■ Wash hands after applying patch.
 ■ Under age 12, consult a physician before use.
 ■ For easier removal of the patch, apply rubbing alcohol or baby oil to adhesive edge while gently peeling.

Other information ■ store at room temperature ■ Do not exceed 100° Fahrenheit, 38° Celsius

## Inactive ingredients

Acrylic adhesive, cotton fabric

#### **RE-LIEVED 4% LIDOCAINE FABRIC TAPE**

lidocaine 4% fabric tape patch

#### **Product Information**

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71662-002

Route	$\Delta + \Lambda$	۱dmir	\ictrs	tion
noute	UI F	<b>«</b> UIIIIII	113 LI 6	LIUII

**TOPICAL** 

ı	Active ingredient/Active Plotety				
	Ingredient Name	<b>Basis of Strength</b>	Strength		
	LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	18 mg in 116 cm2		

#### **Inactive Ingredients**

mactive migrealenes	
Ingredient Name	Strength
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ 3NLY6I)	

# **Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71662- 002-10	1 in 1 PACKAGE	09/27/2022	
1		1290 cm2 in 1 CYLINDER; Type 0: Not a Combination Product		

# **Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	09/27/2022	

# **Labeler -** Transfer Technology (037968132)

# **Registrant -** Transfer Technology (037968132)

## **Establishment**

Name	Address	ID/FEI	Business Operations		
Transfer Technoloy		037968132	pack(71662-002)		

## Establishment

Establishilent				
Name	Address	ID/FEI	<b>Business Operations</b>	
Akron Coating & Adhesives		186569323	manufacture(71662-002)	

Revised: 9/2022 Transfer Technology