

NO DRIP- oxymetazoline hydrochloride spray
NeilMed Pharmaceuticals Inc

No Drip Nasal Spray

Drug Facts :
Active Ingredients

Oxymetazoline hydrochloride 0.05%.

Purpose

Nasal Decongestant

Uses

- Temporarily relieves nasal congestion due to:
- Common cold
- Hay fever
- Upper respiratory allergies
- Temporarily relieves sinus congestion and pressure
- Shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- Heart disease ■ High blood pressure
- Diabetes ■ Thyroid disease
- Trouble urinating due to an enlarged prostate gland

When using this product

- Do not use more than directed
- Do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- Temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- Use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

■ Children under 6 years of age: ask a doctor To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other Information

■ Store between 68° F (20° C) and 86° F (30° C)

■ Retain carton for future reference on full labeling

Inactive ingredients

Sodium chloride, sodium bicarbonate, propylene glycol, edetate disodium, benzalkonium chloride, purified water.

How to use:

Hold white tabs, SQUEEZE grooved area of cap FIRMLY and turn counter clockwise. Secure cap after use.

Directions

■ Adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.

No Drip Nasal Spray

BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:13709-315-01	1 in 1 CARTON	10/01/2022	
1		30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	10/01/2022	

Labeler - NeilMed Pharmaceuticals Inc (799295915)

Establishment

Name	Address	ID/FEI	Business Operations
NeilMed Pharmaceuticals Inc		799295915	manufacture(13709-315)

Revised: 1/2024

NeilMed Pharmaceuticals Inc